


Nombre: Luis Antonio Cutzal Chalí

Carné: 201700841

Creacion de las 10 imagenes de docker

Ejecutando el script para los 10 contenedores con diferentes nombres



The screenshot shows a Visual Studio Code editor with a file explorer on the left and a terminal window in the foreground. The file explorer shows a project named 'SOI_252024_201700841' with a subdirectory 'Tarea2' containing a file 'CrearContenedores.sh'. The terminal window shows the execution of the script, which generates random names for 10 containers. The script is as follows:


```
#!/bin/bash
generate_random_name() {
    local length=8
    tr -dc A-Za-z0-9 </dev/urandom | head -c $length
}

# Crear 10 contenedores con nombres aleatorios
```

The terminal output shows the execution of the script, with the following output:

```
luis@luis-VivoBook-ASUSLaptop-X512FJ-X512FJ: ~$ ./CrearContenedores.sh
container_name" alp
b698c29536bab2ead0f1e0303bf45c43d87350ed6517f8d7efeb6970843f10f
./CrearContenedores.sh: linea 10: echoCreando contenedor con nombre: sGJwLXzz: o
rden no encontrada
06591ae83ec234fffa8b4f138b481d14859b6156e10bbaffbcbe56a13d3d3977
luis@luis-VivoBook-ASUSLaptop-X512FJ-X512FJ: ~$ ./CrearContenedores.sh
./CrearContenedores.sh: linea 10: echoCreando contenedor con nombre: KuM42FRn: o
rden no encontrada
Unable to find image 'alpine:latest' locally
latest: Pulling from library/alpine
c0a83fedfae6: Pull complete
Digest: sha256:0a4eaa0ecf5f8c08e5bb433f56c052be7587ee8af3e8b3910ef9ab5f6e9f5
Status: Downloaded newer image for alpine:latest
342a6f98d9e19190e371a9ab55d95c0da94cdd4273ec61a1d8b5fc7a9fc2458
./CrearContenedores.sh: linea 10: echoCreando contenedor con nombre: rH3hNDYP: o
rden no encontrada
aaaa8db3ac54f99ee00310277def0e814df0bb345ee42bf7e920a33e0f5b1ce
./CrearContenedores.sh: linea 10: echoCreando contenedor con nombre: xmwZXyWc: o
rden no encontrada
b698c29536bab2ead0f1e0303bf45c43d87350ed6517f8d7efeb6970843f10f
```

Ver la imagen del contenedor



The screenshot shows the same Visual Studio Code editor with the terminal window displaying the output of the 'docker images' command. The output is as follows:

```
luis@luis-VivoBook-ASUSLaptop-X512FJ-X512FJ: ~$ sudo docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
alpine latest 324bc02ae123 3 weeks ago 7.0MB
```

Imagen de la terminal con los 10 contenedores creados con nombres diferentes

```
Actividades Terminal 10 de ago 18:46
luis@luis-VivoBook-ASUSLaptop-X512FJ-X512FJ: ~$

load      Load an image from a tar archive or STDIN
logs      Fetch the logs of a container
pause     Pause all processes within one or more containers
port      List port mappings or a specific mapping for the container
rename    Rename a container
restart   Restart one or more containers
rm        Remove one or more containers
rmi       Remove one or more images
save      Save one or more images to a tar archive (streamed to STDOUT by default)
start     Start one or more stopped containers
stats     Display a live stream of container(s) resource usage statistics
stop      Stop one or more running containers
tag       Create a tag TARGET_IMAGE that refers to SOURCE_IMAGE
top       Display the running processes of a container
unpause   Unpause all processes within one or more containers
update    Update configuration of one or more containers
wait      Block until one or more containers stop, then print their exit codes

Global Options:
--config string      Location of client config files (default
                    "/root/.docker")
-c, --context string  Name of the context to use to connect to the
                    daemon (overrides DOCKER_HOST env var and
                    default context set with "docker context use")
-D, --debug          Enable debug mode
-H, --host list       Daemon socket to connect to
-l, --log-level string Set the logging level ("debug", "info",
                    "warn", "error", "fatal") (default "info")
--tls               Use TLS; implied by --tlsverify
--tlscacert string  Trust certs signed only by this CA (default
                    "/root/.docker/ca.pem")
--tlscert string    Path to TLS certificate file (default
                    "/root/.docker/cert.pem")
--tlskey string     Path to TLS key file (default
                    "/root/.docker/key.pem")
--tlsverify         Use TLS and verify the remote
-v, --version        Print version information and quit

Run 'docker COMMAND --help' for more information on a command.

For more help on how to use Docker, head to https://docs.docker.com/go/guides/

luis@luis-VivoBook-ASUSLaptop-X512FJ-X512FJ:~$ sudo docker ps -a
CONTAINER ID   IMAGE     COMMAND                  CREATED        STATUS        PORTS   NAMES
5f43f1dbb1db   alpine   "sleep 3600"            21 seconds ago Up 20 seconds        NO1JrpU7
59088a872927   alpine   "sleep 3600"            22 seconds ago Up 21 seconds        aobrczr7
b90b00ae02c4   alpine   "sleep 3600"            24 seconds ago Up 22 seconds        C7V58Fvq
714d63144d5b   alpine   "sleep 3600"            25 seconds ago Up 23 seconds        Clxjp3lk
22ea215fea12   alpine   "sleep 3600"            26 seconds ago Up 24 seconds        X5hTBg35
3851f74b491f   alpine   "sleep 3600"            27 seconds ago Up 25 seconds        Cqrlw7Hp
f0246c0aac86   alpine   "sleep 3600"            28 seconds ago Up 26 seconds        nT4uRQX9
b698c29536ba   alpine   "sleep 3600"            29 seconds ago Up 27 seconds        xmwZXYwG
aaaa80b3ac54   alpine   "sleep 3600"            30 seconds ago Up 29 seconds        rH3hNDYP
342a06f98d9e   alpine   "sleep 3600"            31 seconds ago Up 30 seconds        KuM42FRn

luis@luis-VivoBook-ASUSLaptop-X512FJ-X512FJ:~$
```