

RI_GUADALAJARA

Physical

Config

CLI

Attributes

IOS Command Line Interface

```
!  
!  
interface FastEthernet0/0  
  description Centro de produccion de Guadalajara  
  ip address 172.16.8.78 255.255.255.240  
  duplex auto  
  speed auto  
!  
interface FastEthernet1/0  
  no ip address  
  duplex auto  
  speed auto  
  shutdown  
!  
interface Serial2/0  
  description Conexion Serial con las oficinas de Guadalajara  
  ip address 172.16.8.254 255.255.255.252  
!  
interface Serial3/0  
  no ip address  
  clock rate 2000000  
  shutdown  
!  
interface FastEthernet4/0  
  no ip address  
  shutdown  
--More--
```

Ctrl+F6 to exit CLI focus

Copy

Paste

☐ Top

RI_GUADALAJARA

Physical

Config

CLI

Attributes

IOS Command Line Interface

```
!  
!  
interface FastEthernet0/0  
  description Centro de produccion de Guadalajara  
  ip address 172.16.8.78 255.255.255.240  
  duplex auto  
  speed auto  
!  
interface FastEthernet1/0  
  no ip address  
  duplex auto  
  speed auto  
  shutdown  
!  
interface Serial2/0  
  description Conexion Serial con las oficinas de Guadalajara  
  ip address 172.16.8.254 255.255.255.252  
!  
interface Serial3/0  
  no ip address  
  clock rate 2000000  
  shutdown  
!  
interface FastEthernet4/0  
  no ip address  
  shutdown  
--More--
```

Ctrl+F6 to exit CLI focus

Copy

Paste

☐ Top

```
!  
!  
!  
!  
!  
line con 0  
  password consoleGUADALAJARA  
  logging synchronous  
  login  
!  
line aux 0  
!  
line vty 0 4  
  login  
!  
!  
!  
end
```

```
RI_GUADALAJARA#  
RI_GUADALAJARA#  
RI_GUADALAJARA#  
RI_GUADALAJARA#  
RI_GUADALAJARA#  
RI_GUADALAJARA#  
RI_GUADALAJARA#
```

Ctrl+F6 to exit CLI focus

Copy

Paste