

# Cucumber Report

14 set. 2024, 11:11:29 a. m.

Start : set. 14, 11:11:15.196 a. m.

End : set. 14, 11:11:28.547 a. m.

Duration : 13.351 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 5  
FAILED - 4  
SKIPPED - 0

PASSED - 37  
FAILED - 4  
SKIPPED - 1




| Feature                  |          | Scenario |   |   |   | Step |    |   |   |
|--------------------------|----------|----------|---|---|---|------|----|---|---|
| Name                     | Duration | T        | P | F | S | T    | P  | F | S |
| <u>Bookings EndPoint</u> | 13.351 s | 9        | 5 | 4 | 0 | 42   | 37 | 4 | 1 |

| # | Feature Name             | Scenario Name  |
|---|--------------------------|--|
| 1 | <u>Bookings EndPoint</u> | <u>Create a new booking when dates are in wrong format</u> |
| 2 |                          | <u>Create a new booking when dates are in wrong format</u> |
| 3 |                          | <u>Create a new booking when dates are in wrong format</u> |
| 4 |                          | <u>Create a new booking when body is empty</u>             |





| # | Feature Name             | T | P | F | S | Duration |
|---|--------------------------|---|---|---|---|----------|
| 1 | <u>Bookings EndPoint</u> | 9 | 5 | 4 | 0 | 13.351 s |





| # | Feature Name             | Scenario Name  | T | P | F | S | Duration |
|---|--------------------------|--|---|---|---|---|----------|
| 1 | <u>Bookings EndPoint</u> | <u>Verify the booking with a given Id</u>                      | 3 | 3 | 0 | 0 | 4.403 s  |
| 2 |                          | <u>Verify an error code when booking Id is in wrong format</u> | 3 | 3 | 0 | 0 | 1.186 s  |
| 3 |                          | <u>Create a new booking</u>                                    | 8 | 8 | 0 | 0 | 1.409 s  |
| 4 |                          | <u>Create a new booking</u>                                    | 8 | 8 | 0 | 0 | 1.099 s  |
| 5 |                          | <u>Create a new booking</u>                                    | 8 | 8 | 0 | 0 | 1.116 s  |
| 6 |                          | <u>Create a new booking when dates are in wrong format</u>     | 3 | 2 | 1 | 0 | 1.053 s  |
| 7 |                          | <u>Create a new booking when dates are in wrong format</u>     | 3 | 2 | 1 | 0 | 0.947 s  |
| 8 |                          | <u>Create a new booking when dates are in wrong format</u>     | 3 | 2 | 1 | 0 | 1.023 s  |
| 9 |                          | <u>Create a new booking when body is empty</u>                 | 3 | 1 | 1 | 1 | 1.037 s  |

## Bookings EndPoint



|  |                     |           |   |            |   |
|--|---------------------|-----------|---|------------|---|
| <b>FAILED</b>                                | DURATION - 13.351 s | Scenarios |  | Steps      |  |
| / 11:11:15.196 a. m. // 11:11:28.547 a. m. / |                     | Total - 9 |   | Total - 42 |   |
|  |                     | Pass - 5  |   | Pass - 37  |   |
|  |                     | Fail - 4  |   | Fail - 4   |   |
|  |                     | Skip - 0  |   | Skip - 1   |   |

### Verify the booking with a given Id

|   |  |  |           |   |
|---|--|--|-----------|---|
| <div>PASSED</div> <div>DURATION - 4.403 s</div> |  |  | Steps     |  |
| / 11:11:15.196 a. m. // 11:11:19.599 a. m. /    |  |  | Total - 3 |   |
| Bookings EndPoint                               |  |  | Pass - 3  |   |
|   |  |  | Fail - 0  |   |
|   |  |  | Skip - 0  |   |



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Perform a GET call to employees end point with id "2" | PASSED | 3.461 s  |
| 2 | Then Verify status code 200                                 | PASSED | 0.015 s  |
| 3 | Then Verify that body is not empty                          | PASSED | 0.896 s  |

### Verify an error code when booking Id is in wrong format

|   |  |           |   |
|---|--|-----------|---|
| <div>PASSED</div> <div>DURATION - 1.186 s</div> |  | Steps     |  |
| / 11:11:19.616 a. m. // 11:11:20.802 a. m. /    |  | Total - 3 |   |
| Bookings EndPoint                               |  | Pass - 3  |   |
|   |  | Fail - 0  |   |
|   |  | Skip - 0  |   |



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Perform a GET call to employees end point with id "one" | PASSED | 1.155 s  |
| 2 | Then Verify status code 404                                   | PASSED | 0.000 s  |
| 3 | Then Verify error message "Not Found"                         | PASSED | 0.015 s  |

### Create a new booking

|  |                    |  |   |   |
|--|--------------------|--|---|---|
| PASSED                                       | DURATION - 1.409 s |  | <div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 11:11:20.835 a. m. // 11:11:22.244 a. m. / |                    |  |   |   |
| Bookings EndPoint                            |                    |  |   |   |
|  |                    |  |   |   |



| # | Step / Hook Details                             | Status | Duration |
|---|---|--------|----------|
| 1 | Given Create a new booking with the Info        | PASSED | 0.014 s  |
|   | Luis Zapata 780 true 2024-05-12 2024-05-17 null |        |          |
| 2 | And Make a POST request with the booking body   | PASSED | 1.285 s  |
| 3 | Then Verify status code 200                     | PASSED | 0.016 s  |
| 4 | Then Booking id is not 0                        | PASSED | 0.031 s  |
| 5 | Then Verify name equals "Luis"                  | PASSED | 0.016 s  |
| 6 | Then Verify last name equals "Zapata"           | PASSED | 0.015 s  |
| 7 | Then Verify total price equals "780"            | PASSED | 0.016 s  |
| 8 | Then Verify additional equals "null"            | PASSED | 0.016 s  |

### Create a new booking

|  |                    |  |   |   |
|--|--------------------|--|---|---|
| PASSED                                       | DURATION - 1.099 s |  | <div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 11:11:22.247 a. m. // 11:11:23.346 a. m. / |                    |  |   |   |
| Bookings EndPoint                            |                    |  |   |   |
|  |                    |  |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Create a new booking with the Info<br>Juan Perez 1540 false 2024-05-17 2024-05-30 Breakfast | PASSED | 0.000 s  |
| 2 | And Make a POST request with the booking body   | PASSED | 1.020 s  |
| 3 | Then Verify status code 200   | PASSED | 0.000 s  |
| 4 | Then Booking id is not 0  | PASSED | 0.016 s  |
| 5 | Then Verify name equals "Juan"  | PASSED | 0.015 s  |
| 6 | Then Verify last name equals "Perez"  | PASSED | 0.017 s  |
| 7 | Then Verify total price equals "1540"   | PASSED | 0.020 s  |
| 8 | Then Verify additional equals "Breakfast"   | PASSED | 0.011 s  |



### Create a new booking

|  |                    |  |   |   |  |  |  |
|--|--------------------|--|---|---|--|--|--|
| PASSED                                       | DURATION - 1.116 s |  | <div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |  |  |  |
| / 11:11:23.346 a. m. // 11:11:24.462 a. m. / |                    |  |   |   |  |  |  |
| Bookings EndPoint                            |                    |  |   |   |  |  |  |
|  |                    |  |   |   |  |  |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Create a new booking with the Info<br>Rosa Alvarez 100 true 2024-05-12 2024-05-13 Big room | PASSED | 0.000 s  |
| 2 | And Make a POST request with the booking body  | PASSED | 1.037 s  |
| 3 | Then Verify status code 200  | PASSED | 0.000 s  |
| 4 | Then Booking id is not 0   | PASSED | 0.032 s  |
| 5 | Then Verify name equals "Rosa"   | PASSED | 0.018 s  |
| 6 | Then Verify last name equals "Alvarez"   | PASSED | 0.014 s  |
| 7 | Then Verify total price equals "100"   | PASSED | 0.000 s  |
| 8 | Then Verify additional equals "Big room"   | PASSED | 0.015 s  |

### Create a new booking when dates are in wrong format





|   |  |   |   |  |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 1.053 s</div> |  | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| / 11:11:24.462 a. m. // 11:11:25.515 a. m. /    |  |   |   |  |
| Bookings EndPoint                               |  |   |   |  |
|   |  |   |   |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Create a new booking with the Info<br><div>Luis Zapata 780 true mañana pasado null</div>  | PASSED | 0.000 s  |
| 2 | And Make a POST request with the booking body   | PASSED | 1.036 s  |
| 3 | Then Verify status code 400<br><pre>java.lang.AssertionError: 1 expectation failed. Expected status code &lt;400&gt; but was &lt;200&gt;.     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)     at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)     at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)     at java.base/java.lang.reflect.Method.invoke(Method.java:580)     at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)     at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)     at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)     at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:38)</pre> | FAILED | 0.017 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at ?.Verify status code 400(file:///D:/UPB/Certi%20II/Examenes/Parcial3/CERT-II-Final/RestFulBookerCucumber/src/test/resources/bookings.feature:41)<br>* Not displayable characters are replaced by '?'. |        |          |



### Create a new booking when dates are in wrong format

|   |  |   |   |  |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.947 s</div>         |  | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 11:11:25.528 a. m. // 11:11:26.475 a. m. /</div> |  |   |   |  |
| <div>Bookings EndPoint</div>                            |  |   |   |  |
|   |  |   |   |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Create a new booking with the Info   | PASSED | 0.000 s  |
|   | Juan Perez 1540 false 17-05-2024 19-06-2024 Breakfast  |        |          |
| 2 | And Make a POST request with the booking body  | PASSED | 0.932 s  |
| 3 | Then Verify status code 400  | FAILED | 0.000 s  |
|   | java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <200>.<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)<br>at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)<br>at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)<br>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)<br>at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)<br>at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)<br>at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)<br>at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)<br>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:580)<br>at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)<br>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)<br>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)<br>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre> at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:38) at ?.Verify status code 400(file:///D:/UPB/Certi%20II/Examenes/Parcial3/CERT-II-Final/RestFulBookerCucumber/src/test/resources/bookings.feature:41) * Not displayable characters are replaced by '?'. </pre> |        |          |



### Create a new booking when dates are in wrong format

|   |  |   |   |  |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 1.023 s</div>         |  | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 11:11:26.483 a. m. // 11:11:27.506 a. m. /</div> |  |   |   |  |
| <div>Bookings EndPoint</div>                            |  |   |   |  |
|   |  |   |   |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Create a new booking with the Info  | PASSED | 0.000 s  |
|   | Rosa   Alvarez   100   true   200-200-200   400-400-400   Big room  |        |          |
| 2 | And Make a POST request with the booking body   | PASSED | 1.013 s  |
| 3 | Then Verify status code 400   | FAILED | 0.002 s  |
|   | <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;400&gt; but was &lt;200&gt;. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) </pre> |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre> at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:38) at ?.Verify status code 400(file:///D:/UPB/Certi%20II/Examenes/Parcial3/CERT-II-Final/RestFulBookerCucumber/src/test/resources/bookings.feature:41) * Not displayable characters are replaced by '?'. </pre> |        |          |

### Create a new booking when body is empty

|   |  |   |   |  |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 1.037 s</div> |  | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div> | <div></div> |
| / 11:11:27.510 a. m. // 11:11:28.547 a. m. /    |  |   |   |  |
| Bookings EndPoint                               |  |   |   |  |
|   |  |   |   |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | And Make a POST request with the empty body  | PASSED | 1.021 s  |
| 2 | Then Verify status code 400  | FAILED | 0.016 s  |
|   | <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;400&gt; but was &lt;500&gt;. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) </pre> |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | <pre> at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:38) at ?.Verify status code 400(file:///D:/UPB/Certi%20II/Examenes/Parcial3/CERT-II-Final/RestFulBookerCucumber/src/test/resources/bookings.feature:52) * Not displayable characters are replaced by '?'. </pre> |         |          |
| 3 | Then Verify error message "Bad Request"  | SKIPPED | 0.000 s  |