



PasswordGenerator_BL eSpace

[Back to eSpaces list](#)

1 Index

- 1 - Index
- 2 - Overview
- 3 - Implementation
 - 3.1 - Processes
 - 3.2 - UI Flows
 - 3.2.1 - UI Flows
 - 3.2.2 - Referenced UI Flows
 - 3.3 - Data Model
 - 3.3.1 - Entities
 - 3.3.2 - External Entities
 - 3.3.3 - Structures
 - 3.3.4 - External Structures
 - 3.3.5 - Static Entities
 - 3.4 - Actions
 - 3.4.1 - Server Actions
 - 3.4.2 - Referenced Server Actions
 - 3.4.3 - Service Actions
 - 3.4.4 - Referenced Service Actions
 - 3.5 - Integrations
 - 3.5.1 - SOAP
 - 3.5.2 - REST
 - 3.5.3 - SAP
 - 3.6 - References
 - 3.6.1 - Extensions
 - 3.7 - Runtime
 - 3.7.1 - Session Variables
 - 3.7.2 - Site Properties
 - 3.7.3 - Roles
 - 3.8 - Timers
 - 3.9 - Contents
 - 3.9.1 - Resources
 - 3.9.2 - Images
 - 3.10 - Themes
 - 3.10.1 - Referenced Themes

2 Overview

eSpace Name	PasswordGenerator_BL
Description	Application Business Logic
Database	
Application Server	
Use Cookies	Yes
Multitenant	No
Is User Provider	No
User Provider eSpace	Users
Is Application	No
Application Name	
Default Theme	
Global Exception Handler	

3 Implementation

3.1 Processes

No Processes to show...

3.2 UI Flows

3.2.1 UI Flows

No Web Flows to show...

3.2.2 Referenced Web Flows

No Web Flows to show...

3.3 Data Model

3.3.1 Entities

No items to show...

3.3.2 External Entities

Name	Owner eSpace	Description
 PasswordList	PasswordGenerator_CS	@Password List
 MyUser	PasswordGenerator_CS	@My Users List

3.3.3 Structures

No Structures to show...

3.3.4 External Structures

Name	Owner eSpace	Description
No items to show...		


3.3.5 Static Entities


No Entites to show...

3.4 Actions

3.4.1 Server Actions

This folder is empty.


 **MyUser**
No Description

 **MyUser_Save**
@Save in Core after Validation
Input parameters

Name	Description	DataType	Mandatory
 MyUser	@User	MyUser	✔


Output parameters

Name	Description	DataType
 Message	@Message	Text

 **MyUser_Validation**
@Validation before save in core
Input parameters


Name	Description	DataType	Mandatory
 MyUser	@User	MyUser	✔


 **PasswordList**
No Description

 **Password_SoftDelete**
@Set attribute Active
Input parameters

Name	Description	DataType	Mandatory
 PasswordListId	@Password List Id	PasswordList Identifier	✔

Output parameters

Name	Description	DataType
 Message	@Message	Text

 **PasswordList_RandownGenerate**
@generates passwords randomly and alphanumerically according to the number of the selected size
Input parameters

Name	Description	DataType	Mandatory
✚ Number		Integer	

Output parameters

Name	Description	DataType
✚ Result		Text

● PasswordList_Save

@Save in Core after Validation

Input parameters

Name	Description	DataType	Mandatory
✚ PasswordList	@Password List	PasswordList	✔

Output parameters

Name	Description	DataType
✚ Message	@Message	Text

● PasswordList_Validation

@Validation before save in core

Input parameters

Name	Description	DataType	Mandatory
✚ PasswordList	@User	PasswordList	✔

📁 Auth

No Description

● MyLogin

@User login in the system

Input parameters

Name	Description	DataType	Mandatory
✚ Username	@use the email	Text	✔
✚ Password	@Password	Text	✔

Output parameters

Name	Description	DataType
✚ IsLogged	@Return if logged in	Boolean
✚ MyUserId	@My User Id	MyUser Identifier
✚ NameUser	@ Returner the of user	Text

● MyLogout

@User logout in the system

Input parameters

Name	Description	DataType	Mandatory
✚ MyUserId	@My User Id	MyUser Identifier	✔

Output parameters

Name	Description	DataType
✚ IsLogged	@Return if logged in	Boolean
✚ SetUserId	@Used to set the variables on the screen and ensure that the user has exited the system, returning the null variable to the screen	MyUser Identifier
✚ SetNameUser	@ Set the name of user	Text

3.4.2 Referenced Server Actions

Name	Owner	Description
● MyUser_SaveCore	PasswordGenerator_CS	@Server action that saves directly to the database
● PasswordList_SaveCore	PasswordGenerator_CS	@ Server action that saves directly to the database

3.4.3 Service Actions

This folder is empty.

3.4.4 Referenced Service Actions

Name	Owner	Description
No Actions to show...		

3.5 Integrations

3.5.1 SOAP

3.5.1.1 Consumed Web Services
No SOAP Web Services to show...

3.5.1.2 Exposed Web Services
No Web Services to show...

3.5.2 REST

3.5.2.1 Consumed REST APIs
No Consumed REST APIs to show...

3.5.2.2 Exposed REST APIs
No Exposed REST APIs to show...

3.5.3 SAP

No SAP Connections to show...

3.6 References

3.6.1 Extensions

PasswordGenerator_CS

Application Core

Actions:

<div></div> MyUser_SaveCore	@Server action that saves directly to the database
<div></div> PasswordList_SaveCore	@ Server action that saves directly to the database

(System)

System Objects

3.7 Runtime

3.7.1 Session Variables

Name	Description	Type	System
No Session Variables to show...			

3.7.2 Site Properties

Name	Description	Type	System
<div></div> TenantId	Current Tenant identifier generated by the Platform.	Tenant Identifier	✔
<div></div> TenantName	Current Tenant name used by Service Center to identify the tenant.	Text	✔

3.7.3 Roles

Name	Description	Persistent	Public
No Roles to show...			

3.8 Timers

Name	Description	Priority	Schedule	Timeout
No Timers to show...				

3.9 Content

3.9.1 Resources

Name	Description	Path
No Resources to show...		

3.9.2 Images

Name	Description	Size
No Images to show...		

3.10 Themes

Name	Description	Error Handling Flow	Base Theme
No Themes to show...			

3.10.1 Referenced Themes

Name	Owner eSpace	Description
No referenced themes to show...		