



Luís Manuel Ribeiro Leandro, A20615

Bruno Eduardo Faria Macedo, A20610

José Miguel Sampaio Pinto, A18606

Marco Fernandes Oliveira, A20608

**Curso Técnico Superior Profissional em Desenvolvimento Web  
e Multimédia - Pós-Laboral**

Vila Nova de Famalicão, junho, 2021

# 1 Índice

1	Índice.....	2
2	Índice de Figuras.....	3
3	Lista de Abreviaturas.....	4
4	Introdução.....	5
5	Modelo de Negócio.....	6
6	Modelo Relacional.....	7
7	Código SQL para a construção da DB.....	10
8	Queries.....	17
9	Views.....	19
10	Procedures.....	23
11	Functions.....	26
12	Queries de Inserção de Dados.....	30
13	Conclusão.....	88

## **2 Índice de Figuras**

Figura 1: Modelo Relacional	7
Figura 2: Relações entre Entidades	8
Figura 3: Atributos das Entidades - 2	9
Figura 4: Atributos das Entidades - 2	9

### **3 Lista de Abreviaturas**

SaaS – Software as a Service  
SMTP – Simple Mail Transfer Protocol  
DB – Database

## 4 Introdução

No âmbito da disciplina de Armazenamento e Acesso a Dados, presente no plano curricular do curso de “Desenvolvimento Web e Multimédia – Pós-Laboral” do Instituto Politécnico do Cávado e do Ave, foi-nos pedido o desenvolvimento de uma base de dados dado um determinado modelo de negócio, pelos alunos determinado.

O nosso grupo decidiu desenvolver este Sistema de Base de Dados para uma empresa fictícia “*Wix da Wish*”, baseado na conhecida plataforma de Desenvolvimento Web “*Wix*”.

Este trabalho consiste em 4 partes:

1. Descrição do Modelo de Negócio;
2. Modelo Relacional;
3. Código SQL para a construção da DB;
4. Queries, views, funções e procedimentos.

## 5 Modelo de Negócio

A empresa “*Wix da Wish*” baseia-se num modelo de negócio *SaaS* (Software as a Service). Fornecemos aos nossos users a possibilidade de criar o seu próprio site, com base no modelo standard HTML5.

A nossa plataforma online possui um editor “*drag-and-drop*”, o que permite a utilizadores sem experiência ou com experiência reduzida em programação, criar o seu próprio site.

Um utilizador, após se registar na nossa plataforma, tem acesso ao seu perfil, onde consta todos os seus dados. Tem ainda a opção de criar um ou vários websites, mediante uma subscrição mensal (planos). Cada plano tem vários Templates que poderão ser usados para a configuração do Website. Por sua vez, cada Template, possui vários componentes utilizáveis. Ao inserir determinado componente no seu Website, o utilizador terá a opção de escolher as línguas em que estes podem ser apresentados (ex.: Português, Inglês, ...)

Mediante as configurações de cada plano, o Website poderá ter DB, anúncios, *SMTP*, servidor, domínio, tickets e CronJobs.

Após a criação de um Website, será criada uma fatura, onde constará o método de pagamento utilizado.

## 6 Modelo Relacional







Figura 1: Modelo Relacional

*Figura 2: Relações entre Entidades*





*Figura 3: Atributos das Entidades – 1*



*Figura 4: Atributos das Entidades – 2*

## 7 Código SQL para a construção da DB

```
create schema WixDaWish;
SET search_path TO WixDaWish;

--ENUMS
CREATE TYPE Component_Status AS ENUM ('Active', 'Disabled', 'Maintenance');
CREATE TYPE Trigger_Cron AS ENUM ('Hourly', 'Daily', 'Weekly', 'Monthly');
CREATE TYPE Gender AS ENUM ('Male', 'Female');
CREATE TYPE Type_Acount AS ENUM ('Designer', 'Backend Developer', 'Web Developer', 'Full Stack Developer', 'Student');
CREATE TYPE Payment_Status AS ENUM ('Paid', 'In progress', 'Created');
CREATE TYPE PlanType AS ENUM ('Personal', 'Business');

--TABLES
CREATE TABLE Users
(
    Id SERIAL PRIMARY KEY,
    FirstName varchar(250) not null,
    LastName varchar(250) not null,
    Email varchar(250) not null,
    Password varchar(250) not null,
    LastLogin timestamp null,
    LastLogout timestamp null,
    GoogleToken varchar(250) null,
    FacebookToken varchar(250) null,
    CookieToken varchar(250) null,
    LogUpdate timestamp null,
    LogAdded timestamp not null
);

CREATE TABLE UsersData
(
    Id SERIAL PRIMARY KEY,
    NIF varchar(250) not null,
    Address varchar(250) not null,
    PhoneNumber varchar(150) null,
    Gender Gender null,
    Birthdate timestamp null,
    Type Type_Acount null
);

CREATE TABLE Websites
(
    Id SERIAL PRIMARY KEY,
    Name varchar(250) not null,
    Status Payment_Status not null,
    LogUpdate timestamp null,
    LogAdded timestamp not null
);

CREATE TABLE Invoices
```

```
(
    Id          SERIAL PRIMARY KEY,
    date        timestamp    not null,
    reference    varchar(250) not null,
    qrCode       varchar(500) not null,
    LogUpdate    timestamp    null,
    LogAdded     timestamp    not null
);

CREATE TABLE Website_Components
(
    Id          SERIAL PRIMARY KEY,
    xCoord       decimal      not null,
    yCoord       decimal      not null,
    LogUpdate    timestamp    null,
    LogAdded     timestamp    not null
);

CREATE TABLE WebsiteComponents_Languages
(
    Id          SERIAL PRIMARY KEY,
    value        varchar(150) not null,
    LogUpdate    timestamp    null,
    LogAdded     timestamp    not null
);

CREATE TABLE Countries
(
    Id          SERIAL PRIMARY KEY,
    Name         varchar(250) not null,
    PathFlag     varchar(250) not null,
    LogUpdate    timestamp    null,
    LogAdded     timestamp    not null
);

CREATE TABLE PaymentMethods
(
    Id          SERIAL PRIMARY KEY,
    Name         varchar(250) not null,
    LogUpdate    timestamp    null,
    LogAdded     timestamp    not null
);

CREATE TABLE Companies
(
    Id          SERIAL PRIMARY KEY,
    Name         varchar(250) not null,
    LogUpdate    timestamp    null,
    LogAdded     timestamp    not null
);

CREATE TABLE Components
(
    Id          SERIAL PRIMARY KEY,
    Name         varchar(250)  not null,
    HTML_Path    varchar(250)  not null,
```

```
        Status      Component_Status not null,
        LogAdded    timestamp         not null,
        LogUpdate   timestamp         null
    );

CREATE TABLE Templates
(
    Id          SERIAL PRIMARY KEY,
    Name        varchar(250) not null,
    LogAdded    timestamp     not null,
    LogUpdate   timestamp     null
);

CREATE TABLE Plans
(
    Id          SERIAL PRIMARY KEY,
    Name        varchar(250) not null,
    Price       decimal       not null,
    Type        PlanType not null,
    StorageSpace varchar(150) not null,
    LogAdded    timestamp     not null,
    LogUpdate   timestamp     null
);

CREATE TABLE PlansConfig
(
    Id          SERIAL PRIMARY KEY,
    HaveDB      boolean,
    HaveAds     boolean,
    HaveSMTP    boolean,
    HaveDomains boolean,
    HaveServer  boolean,
    HaveTickets boolean,
    HaveCronJob boolean
);

CREATE TABLE Domains
(
    Id          SERIAL PRIMARY KEY,
    Name        varchar(250) not null,
    LogUpdate   timestamp     null,
    LogAdded    timestamp     not null
);

CREATE TABLE Servers
(
    Id          SERIAL PRIMARY KEY,
    Name        varchar(250) not null,
    IpAddress   varchar(250) not null,
    LogUpdate   timestamp     null,
    LogAdded    timestamp     not null
);

CREATE TABLE Smtip
```

```
(  
    Id          SERIAL PRIMARY KEY,  
    Name        varchar(250) not null,  
    LogUpdate   timestamp    null,  
    LogAdded    timestamp    not null  
);
```

**CREATE TABLE** DataBases

```
(  
    Id          SERIAL PRIMARY KEY,  
    Name        varchar(250) not null,  
    LogUpdate   timestamp    null,  
    LogAdded    timestamp    not null  
);
```

**CREATE TABLE** Tickets

```
(  
    Id          SERIAL PRIMARY KEY,  
    Title       varchar(250) not null,  
    Message     varchar(250) not null,  
    LogUpdate   timestamp    null,  
    LogAdded    timestamp    not null  
);
```

**CREATE TABLE** Ads

```
(  
    Id          SERIAL PRIMARY KEY,  
    Name        varchar(250) not null,  
    LogAdded    timestamp    not null,  
    LogUpdate   timestamp    null  
);
```

**CREATE TABLE** CronJobs

```
(  
    Id          SERIAL PRIMARY KEY,  
    Name        varchar(250) not null,  
    PathDLL     varchar(250) not null,  
    Trigger     Trigger_Cron not null,  
    LogAdded    timestamp    not null,  
    LogUpdate   timestamp    null  
);
```

**CREATE TABLE** Plans\_Templates

```
(  
    Id          SERIAL PRIMARY KEY,  
    PlanId      int          not null,  
    templateId  int          not null,  
    LogUpdate   timestamp    null,  
    LogAdded    timestamp    not null  
);
```

**CREATE TABLE** Templates\_Components

```
(
    Id          SERIAL PRIMARY KEY,
    componentId int      not null,
    templateId  int      not null,
    LogUpdate   timestamp null,
    LogAdded    timestamp not null
);

CREATE TABLE Websites_Ads
(
    Id          SERIAL PRIMARY KEY,
    adsId       int      not null,
    websiteId   int      not null,
    LogUpdate   timestamp null,
    LogAdded    timestamp not null
);

CREATE TABLE Websites_CronJobs
(
    Id          SERIAL PRIMARY KEY,
    websiteId   int      not null,
    cronjobId   int      not null,
    LogUpdate   timestamp null,
    LogAdded    timestamp not null
);

--CONSTRAINTS

ALTER TABLE UsersData
    ADD COLUMN userId int UNIQUE not null;
ALTER TABLE UsersData
    ADD COLUMN countryId int;
ALTER TABLE UsersData
    ADD CONSTRAINT usersdata_user_fkey FOREIGN KEY (userId) REFERENCES
users (id);
ALTER TABLE UsersData
    ADD CONSTRAINT usersdata_userData_fkey FOREIGN KEY (countryId) REF-
ERENCES countries (id);

ALTER TABLE Websites
    ADD COLUMN userId int not null;
ALTER TABLE Websites
    ADD COLUMN planId int not null;
ALTER TABLE Websites
    ADD COLUMN templateId int not null;
ALTER TABLE Websites
    ADD CONSTRAINT websites_users_fkey FOREIGN KEY (userId) REFERENCES
users (id);
ALTER TABLE Websites
    ADD CONSTRAINT websites_plans_fkey FOREIGN KEY (planId) REFERENCES
Plans (id);
ALTER TABLE Websites
    ADD CONSTRAINT websites_templates_fkey FOREIGN KEY (templateId)
REFERENCES Templates (id);
```

```
ALTER TABLE Invoices
  ADD COLUMN websiteId int UNIQUE not null;
ALTER TABLE Invoices
  ADD COLUMN paymentmethodId int not null;
ALTER TABLE Invoices
  ADD COLUMN companyId int not null;
ALTER TABLE Invoices
  ADD CONSTRAINT invoices_websites_fkey FOREIGN KEY (websiteId) REFERENCES Websites (id);
ALTER TABLE Invoices
  ADD CONSTRAINT invoices_paymentmethods_fkey FOREIGN KEY (paymentmethodId) REFERENCES PaymentMethods (id);
ALTER TABLE Invoices
  ADD CONSTRAINT invoices_companies_fkey FOREIGN KEY (companyId) REFERENCES Companies (id);

ALTER TABLE Website_Components
  ADD COLUMN websiteId int not null;
ALTER TABLE Website_Components
  ADD COLUMN componentId int not null;
ALTER TABLE Website_Components
  ADD CONSTRAINT website_components_websites_fkey FOREIGN KEY (websiteId) REFERENCES Websites (id);
ALTER TABLE Website_Components
  ADD CONSTRAINT website_components_components_fkey FOREIGN KEY (componentId) REFERENCES components (id);

ALTER TABLE WebsiteComponents_Languages
  ADD COLUMN websitecomponentId int not null;
ALTER TABLE WebsiteComponents_Languages
  ADD COLUMN CountryId int not null;
ALTER TABLE WebsiteComponents_Languages
  ADD CONSTRAINT websitecomponents_languages_websitecomponents_fkey FOREIGN KEY (websitecomponentId) REFERENCES website_components (id);
ALTER TABLE WebsiteComponents_Languages
  ADD CONSTRAINT websitecomponents_languages_languages_fkey FOREIGN KEY (CountryId) REFERENCES countries (id);

ALTER TABLE Tickets
  ADD COLUMN websiteId int;
ALTER TABLE Tickets
  ADD CONSTRAINT tickets_WebSites_fkey FOREIGN KEY (websiteId) REFERENCES Websites (id);

ALTER TABLE Domains
  ADD COLUMN websiteId int UNIQUE;
ALTER TABLE Domains
  ADD CONSTRAINT Domains_WebSite_fkey FOREIGN KEY (websiteId) REFERENCES Websites (id);

ALTER TABLE Servers
  ADD COLUMN websiteId int UNIQUE;
ALTER TABLE Servers
```

```
ADD CONSTRAINT Servers_Website_fkey FOREIGN KEY (websiteId) REFERENCES Websites (id);

ALTER TABLE Smtip
ADD COLUMN websiteId int UNIQUE;
ALTER TABLE Smtip
ADD CONSTRAINT Smtip_Website_fkey FOREIGN KEY (websiteId) REFERENCES Websites (id);

ALTER TABLE DataBases
ADD COLUMN websiteId int UNIQUE;
ALTER TABLE DataBases
ADD CONSTRAINT DataBases_Website_fkey FOREIGN KEY (websiteId) REFERENCES Websites (id);

ALTER TABLE PlansConfig
ADD COLUMN planId int UNIQUE;
ALTER TABLE PlansConfig
ADD CONSTRAINT plansConfig_plans_fkey FOREIGN KEY (planId) REFERENCES Plans (id);

ALTER TABLE PlansConfig
ADD COLUMN planId int UNIQUE not null;
ALTER TABLE PlansConfig
ADD CONSTRAINT plansConfig_plans_fkey FOREIGN KEY (planId) REFERENCES Plans (id);

ALTER TABLE Plans_Templates
ADD CONSTRAINT plans_templates_plans_fkey FOREIGN KEY (planId) REFERENCES Plans (id);
ALTER TABLE Plans_Templates
ADD CONSTRAINT plans_templates_template_fkey FOREIGN KEY (planId) REFERENCES Templates (id);

ALTER TABLE Templates_Components
ADD CONSTRAINT templates_components_templates_fkey FOREIGN KEY (templateId) REFERENCES Templates (id);
ALTER TABLE Templates_Components
ADD CONSTRAINT templates_components_components_fkey FOREIGN KEY (componentId) REFERENCES Components (id);

ALTER TABLE Websites_Ads
ADD CONSTRAINT websites_ads_ads_fkey FOREIGN KEY (adsId) REFERENCES Ads (id);
ALTER TABLE Websites_Ads
ADD CONSTRAINT websites_ads_website_fkey FOREIGN KEY (websiteId) REFERENCES websites (id);

ALTER TABLE Websites_CronJobs
ADD CONSTRAINT websites_cronjobs_ads_fkey FOREIGN KEY (cronjobId) REFERENCES cronjobs (id);
ALTER TABLE Websites_CronJobs
ADD CONSTRAINT websites_ads_website_fkey FOREIGN KEY (websiteId) REFERENCES websites (id);
```



## 8 Queries

```
select *  
from templates_components  
where templateid = 8;
```

```
select *  
from templates_components  
where componentid = 2;
```

```
select *  
from templates_components  
order by templateid;
```

```
select *  
from website_components  
where id = 9;
```

```
select *  
from websites  
where id = 3;
```

```
select wc.id, w.id, w.name, wc.componentid, w.templateid  
from websites w  
inner join website_components wc on w.id = wc.websiteid  
order by w.id;
```

```
update website_components wc  
set componentid = (  
    select comp  
    from (  
        SELECT tc.componentid as comp  
        FROM templates_components tc  
        where tc.templateid = (select w.templateid from websites w  
where w.id = wc.websiteid limit 1)  
    ) as aux  
    ORDER BY RANDOM()  
    LIMIT 1)  
where wc.id > 0;
```

```
select *  
from Invoices;
```

```
select json_build_object('SiteId', w.id, 'bd', pc.havedb, 'ads', have-  
ads, 'smtp', havsmtp, 'server', havserver,  
                        'domains', havedomains, 'tickets', havetick-  
ets, 'crons', havecronjob)  
from websites w  
inner join plans p on p.id = w.planid  
inner join plansconfig pc on pc.planid = w.planid;
```

```
select *  
from countries  
where name in ('Portugal', 'England');
```

```
select *  
from users  
where firstname = 'Marco';
```

```
select *  
from websites  
where name = 'Wix';
```

```
select *  
from templates_components  
where templateid = 3;
```

```
select wl.id, wl.value, wl.countryid, *  
from website_components ws  
    inner join websitecomponents_languages wl on wl.websitecompo-  
nentid = ws.id  
where ws.websiteid = 32;
```

```
truncate ads  
    ,components  
    ,websites_ads  
    ,smtp  
    ,invoices  
    ,websitecomponents_languages  
    ,plans_templates  
    ,tickets  
    ,usersdata  
    ,plans  
    ,databases  
    ,website_components  
    ,domains  
    ,companies  
    ,paymentmethods  
    ,cronjobs  
    ,users  
    ,templates_components  
    ,websites_cronjobs  
    ,plansconfig  
    ,templates  
    ,websites  
    ,servers  
    ,countries restart identity;
```

## 9 Views

```
-- Planos mais usados (> para <)  
CREATE VIEW Most_Used_Plans AS  
select p.name, count(*)  
from plans p  
      inner join websites w on p.id = w.planid  
group by p.name  
order by COUNT(p.id) desc;  
  
-- Websites pagos  
CREATE VIEW Paid_Websites AS  
select w.name  
from websites w  
where status = 'Paid';  
  
-- Website de cada user  
CREATE VIEW User_Websites AS  
select u.firstname, w.name  
from users u  
      inner join websites w on u.id = w.userid  
group by u.firstname, w.name;  
  
-- Websites e seus planos  
CREATE VIEW Websites_P AS  
select w.name, p.name as plansName  
from plans p  
      inner join websites w on p.id = w.planid  
group by p.name, w.name;  
  
-- Templates e seus websites  
CREATE VIEW Websites_T AS  
select w.name, t.name as templatesName  
from templates t  
      inner join websites w on t.id = w.templateid  
group by t.name, w.name  
order by t.name;  
  
-- Template mais usado  
CREATE VIEW Most_Used_Templates AS  
select t.name, count(*)  
from templates t  
      inner join websites w on t.id = w.templateid  
group by t.name  
order by COUNT(t.id) DESC;  
  
-- Componentes usados nos templates  
CREATE VIEW Templates_C AS  
select t.name, c.name as componentName  
from components c  
      inner join templates_components tc on c.id = tc.componentid  
      inner join templates t on t.id = tc.templateid  
group by t.name, c.name  
order by t.name DESC;
```

```
-- Componentes usados nos websites com valores nas variadas línguas
CREATE VIEW Languages_Components_Websites AS
select w.name, c.name as componentName, wc.id, c2.name as countryName,
wl.value
from websites w
    inner join website_components wc on w.id = wc.websiteid
    inner join components c on wc.componentid = c.id
    inner join websitecomponents_languages wl on wc.id = wl.websitecomponentid
    inner join countries c2 on wl.countryid = c2.id
group by w.name, c.name, wc.id, c2.name, wl.value
order by w.name;

-- Websites e suas faturas com métodos de pagamento
CREATE VIEW Invoices_WSites AS
select w.name, i.date, p.name as paymentMethod
from websites w
    inner join invoices i on w.id = i.websiteid
    inner join paymentmethods p on i.paymentmethodid = p.id
group by w.name, i.date, p.name;

-- Users e os seus dados
CREATE VIEW Users_Data AS
select concat(firstname, ' ', lastname) as fullname,
       u.id as usID,
       email,
       password,
       lastlogin,
       lastlogout,
       googletoken,
       facebooktoken,
       cookietoken,
       logupdate,
       logadded,
       u2.id,
       nif,
       address,
       phonenumber,
       gender,
       birthdate,
       type,
       userid,
       countryid
from users u
    inner join usersdata u2 on u.id = u2.userid
order by fullname;

-- Planos e as suas configs
CREATE VIEW Plans_Configs AS
select p.name, p2.*
from plans p
    inner join plansconfig p2 on p.id = p2.planid;

-- Websites com as suas configs
CREATE VIEW Websites_Configs AS
select w.name, p.name as planName, p2.*
```

```
from websites w
    inner join plans p on w.planid = p.id
    inner join plansconfig p2 on p.id = p2.planid;

-- Tickets de Websites
CREATE VIEW Websites_Tickets AS
select w.name, t.message
from tickets t
    inner join websites w on w.id = t.websiteid
group by w.name, t.message
order by w.name;

-- Websites e seus ads
CREATE VIEW Websites_A AS
select w.name, a.name as adsName
from websites w
    inner join websites_ads wa on w.id = wa.websiteid
    inner join ads a on a.id = wa.adsid
group by w.name, a.name
order by w.name;

-- Websites e seus cronjobs
CREATE VIEW Websites_CJ AS
select w.name, c.name as cronjobname
from websites w
    inner join websites_cronjobs wc on w.id = wc.websiteid
    inner join cronjobs c on c.id = wc.cronjobid
group by w.name, c.name
order by w.name;

-- user com nenhum website
CREATE VIEW User_No_Website AS
select u.firstname
from users u
    left join websites w on w.userid = u.id
where w.id is null;

-- user com mais do que 1 website
CREATE VIEW More_Than_1_Website AS
select w.userid, u.firstname, count(*)
from users u
    inner join websites w on w.userid = u.id
group by w.userid, u.firstname
having count(*) > 1
order by count(u.id) DESC;

-- plans com smtp
CREATE VIEW Plans_SMTP AS
select pc.id, p.name
from Plans p
    inner join plansconfig pc on pc.planid = p.id
where pc.havesmtp = True;

-- quantos planos sao planos pessoais
CREATE VIEW Personal_Plans AS
select p.id, p.name, p.type
```

```
from plans p
where p.type = 'Personal';

--user do tipo Web Developer
CREATE VIEW WD_Users AS
select u.id, u.firstname, ud.type
from users u
      inner join usersdata ud on u.id = ud.userid
where ud.type = 'Web Developer';

-- user de portugal
CREATE VIEW users_from_portugal AS
select u.firstname, c.name
from countries c
      inner join usersdata ud on ud.countryid = c.id
      inner join users u on ud.userid = u.id
where ud.countryid = '145';

-- User do sexo masculino
CREATE VIEW Gender_Male AS
select concat(firstname, ' ', lastname) as fullname, u2.gender
from users u
      inner join usersdata u2 on u.id = u2.userid
where u2.gender = 'Male'
order by fullname DESC;

-- User do sexo feminino
CREATE VIEW Gender_Female AS
select concat(firstname, ' ', lastname) as fullname, u2.gender
from users u
      inner join usersdata u2 on u.id = u2.userid
where u2.gender = 'Female'
order by fullname DESC;

-- Templates de planos
CREATE VIEW Templates_Of_Plans AS
select t.name, t.id, p.id as planID
from templates t
      inner join plans_templates pt on t.id = pt.templateid
      inner join plans p on pt.planid = p.id
order by p.id;
```

## 10 Procedures

```
call CreateWebsite(21, 3, 2, 'Wix'::text, 3);
call CreateWebSiteComponents(32, 100.10, 900, 32, '{145,192}',
'{"Olá","Hello"}');

-- Create WebsiteComponents Procedure
create or replace procedure CreateWebSiteComponents(
    webSiteId_int int,
    xcoord_int decimal,
    ycoord_int decimal,
    compnentId_int int,
    languages_int int[],
    values_int varchar[]
)
    language plpgsql
as
$$
DECLARE
    languageId_int          INT;
    languageId_int_aux      INT;
    values_int_aux          varchar;
    i                        INT;
    languages_int_count      int=0;
    values_int_count         int =0;
    error                    boolean = true;
begin

    FOREACH languageId_int_aux IN ARRAY languages_int
        LOOP
            languages_int_count = languages_int_count + 1;
        END LOOP;

    FOREACH values_int_aux IN ARRAY values_int
        LOOP
            values_int_count = values_int_count + 1;
        END LOOP;
    if values_int_count = languages_int_count then
        error = false;
    else
        error = true;
    end if;
    if error = true then
        RAISE NOTICE 'Erro arrays incorretos';
    else

        if (select count(*)
            from templates_components
            where templateid =
                (select websites.templateid from websites where web-
sites.id = webSiteId_int limit 1)
            and componentid = compnentId_int) > 0 then
            INSERT INTO website_components(xcoord, ycoord, logadded,
web-siteid, componentid)
```

```
VALUES (xcoord_int, ycoord_int, NOW(), webSiteId_int, comp-
nentId_int);
i = 0;
FOREACH languageId_int IN ARRAY languages_int
LOOP
    if (select count(*) from countries where id = lan-
guageId_int) > 0 then
        i = i + 1;
        INSERT INTO websitecomponents_lan-
guages(logadded, websitecomponentid, countryId, value)
        values (now(), (select id from website_compo-
nents order by id desc limit 1),
        languageId_int, values_int[i]);
    else
        RAISE NOTICE 'País não existe';
    end if;
END LOOP;
else
    RAISE NOTICE 'Componente não existe no template seleciona-
do';
end if;
commit;
end if;
end;
$$;
```

-- Create Website Procedure

```
create or replace procedure CreateWebSite(
    userId_int int,
    templateId_int int,
    planId_int int,
    name_int text,
    paymentmethod_int int)
language plpgsql
as
$$
begin
    if (select count(*) from plans_templates where planid = planId_int
and templateid = templateId_int) > 0 then
        INSERT INTO websites(Name, Status, LogAdded, PlanId, UserId,
TemplateId)
        VALUES (name_int, 'Created', now(), planId_int, userId_int,
tem-plateId_int);

        INSERT INTO Invoices(companyid, websiteId, paymentmethodId,
date, reference, qrCode, LogAdded)
        VALUES (1, (select id from websites order by id desc limit 1),
paymentmethod_int, now(),
        uuid_in(md5(random()::text ||
clock_timestamp()::text)::cstring),
        'https://upload.wikimedia.org/wikipedia/com-
mons/thumb/d/d0/QR_code_for_mobile_English_Wikipedia.svg/1200px-
QR_code_for_mobile_English_Wikipedia.svg.png',
        now());

        commit;
```



```
        else
            RAISE NOTICE 'Template não existe no plano selecionado';
        end if;
    end;
$;$;
```

## 11 Functions

-- Função para inserir Server

```
select insertServer('server2'::text, '192.162.1.3'::text, 30);

CREATE OR REPLACE FUNCTION insertServer(serverName varchar(250), ipaddress_int varchar(250),
                                         WebSiteId_INT INT) RETURNS varchar AS
$$
BEGIN
    IF (SELECT haseserver
        FROM plansconfig
        WHERE planid = (SELECT websites.planid FROM websites WHERE websites.id = WebSiteId_INT limit 1)
        limit 1) = true THEN
        insert into servers (name, ipaddress, logadded, websiteid)
        values (serverName, ipaddress_int, NOW(), WebSiteId_INT);
        return 'Servidor Inserido com sucesso';
    else
        return 'Plano nao permite server';
    end if;

END
$$
LANGUAGE 'plpgsql';
```

-- Função para inserir Database

```
select insertDatabase('wixdawish'::text, 5);

CREATE OR REPLACE FUNCTION insertDatabase(databaseName varchar(250),
                                         WebSiteId_INT INT) RETURNS varchar AS
$$
BEGIN
    IF (SELECT havedb
        FROM plansconfig
        WHERE planid = (SELECT websites.planid FROM websites WHERE websites.id = WebSiteId_INT limit 1)
        limit 1) = true THEN
        insert into databases (name, logadded, websiteid)
        values (databaseName, NOW(), WebSiteId_INT);
        return 'Database Inserido com sucesso';
    else
        return 'Plano nao permite database';
    end if;

END
$$
LANGUAGE 'plpgsql';
```

-- Função para inserir SMTP

```
select insertSMTP('wix_smtp'::text, 5);

CREATE OR REPLACE FUNCTION insertSMTP(smtpName varchar(250),
                                       WebSiteId_INT INT) RETURNS var-
char AS
$$
BEGIN
    IF (SELECT hasesmtip
        FROM plansconfig
        WHERE planid = (SELECT websites.planid FROM websites WHERE web-
sites.id = WebSiteId_INT limit 1)
        limit 1) = true THEN
        insert into smtp (name, logadded, websiteid)
        values (smtpName, NOW(), WebSiteId_INT);
        return 'SMTP Inserido com sucesso';
    else
        return 'Plano nao permite smtp';
    end if;

END
$$
LANGUAGE 'plpgsql';

-- Função para inserir Domain

select insertDomain('www.wix-da-wish.com'::text, 5);

CREATE OR REPLACE FUNCTION insertDomain(domainName varchar(250),
                                       WebSiteId_INT INT) RETURNS var-
char AS
$$
BEGIN
    IF (SELECT havedomains
        FROM plansconfig
        WHERE planid = (SELECT websites.planid FROM websites WHERE web-
sites.id = WebSiteId_INT limit 1)
        limit 1) = true THEN
        insert into smtp (name, logadded, websiteid)
        values (domainName, NOW(), WebSiteId_INT);
        return 'Domain Inserido com sucesso';
    else
        return 'Plano nao permite domain';
    end if;

END
$$
LANGUAGE 'plpgsql';

-- Função para inserir Ticket

select insertTicket('Erro crucial'::text, 'Falta a grade de cerveja',
30);

CREATE OR REPLACE FUNCTION insertTicket(ticketTitle varchar(250),
ticketMessage varchar(250),
```

```

                                                                    WebSiteId_INT INT) RETURNS var-
char AS
$$
BEGIN
    IF (SELECT havetickets
        FROM plansconfig
        WHERE planid = (SELECT websites.planid FROM websites WHERE web-
sites.id = WebSiteId_INT limit 1)
        limit 1) = true THEN
        insert into tickets (title, message, logadded, websiteid)
        values (ticketTitle, ticketMessage, NOW(), WebSiteId_INT);
        return 'Ticket Inserido com sucesso';
    else
        return 'Plano nao permite ticket';
    end if;

END
$$
    LANGUAGE 'plpgsql';

-- Função para inserir CronJob

select insertCronjob('CronJobExample'::text, 'D://DLLs/crnjbexmpl',
'Daily', 30);

CREATE OR REPLACE FUNCTION insertCronjob(cronName varchar(250),
cronPath varchar(250), cronTrigger trigger_cron,
                                                                    WebSiteId_INT INT) RETURNS
varchar AS
$$
BEGIN
    IF (SELECT havecronjob
        FROM plansconfig
        WHERE planid = (SELECT websites.planid FROM websites WHERE web-
sites.id = WebSiteId_INT limit 1)
        limit 1) = true THEN
        insert into cronjobs (name, pathdll, trigger, logadded)
        values (cronName, cronPath, cronTrigger, NOW());
        return 'CronJob Inserido com sucesso';
    else
        return 'Plano nao permite cronjob';
    end if;

END
$$
    LANGUAGE 'plpgsql';

-- Função para inserir Ads

select insertAds('Ferrari'::text, 5);

CREATE OR REPLACE FUNCTION insertAds(adsName varchar(250),
                                                                    WebSiteId_INT INT) RETURNS varchar
AS
$$
BEGIN
```

```
IF (SELECT haveads
    FROM plansconfig
    WHERE planid = (SELECT websites.planid FROM websites WHERE web-
sites.id = WebSiteId_INT limit 1)
    limit 1) = true THEN
    insert into ads (name, logadded)
    values (adsName, NOW());
    return 'Ads Inserido com sucesso';
else
    return 'Plano nao permite ads';
end if;

END
$$
LANGUAGE 'plpgsql';
```

## 12 Queries de Inserção de Dados

-- Inserção de Ads

SET search\_path TO WixDaWish;

INSERT INTO Ads(Name, LogAdded, LogUpdate)  
VALUES ('Pantane','12-06-2021',null);

INSERT INTO Ads(Name, LogAdded, LogUpdate)  
VALUES ('Oriflame','12-06-2021',null);

INSERT INTO Ads(Name, LogAdded, LogUpdate)  
VALUES ('Coca-Cola','12-06-2021',null);

INSERT INTO Ads(Name, LogAdded, LogUpdate)  
VALUES ('Continente','12-06-2021',null);

INSERT INTO Ads(Name, LogAdded, LogUpdate)  
VALUES ('Pepsi','12-06-2021',null);

INSERT INTO Ads(Name, LogAdded, LogUpdate)  
VALUES ('BMW','12-06-2021',null);

INSERT INTO Ads(Name, LogAdded, LogUpdate)  
VALUES ('Mercedes','12-06-2021',null);

INSERT INTO Ads(Name, LogAdded, LogUpdate)  
VALUES ('Audi','12-06-2021',null);

INSERT INTO Ads(Name, LogAdded, LogUpdate)  
VALUES ('HP','12-06-2021',null);

INSERT INTO Ads(Name, LogAdded, LogUpdate)  
VALUES ('Apple','12-06-2021',null);

INSERT INTO Ads(Name, LogAdded, LogUpdate)  
VALUES ('Samsung','12-06-2021',null);

-- Inserção de Componentes

SET search\_path TO WixDaWish;

INSERT INTO components (logadded,status,name, html\_path) VALUES ( '12-06-2021','Active','Accordion', 'D://components/Accordion.html')

INSERT INTO components (logadded,status,name, html\_path) VALUES ( '12-06-2021','Active','Alerts','D://components/Alerts.html')

INSERT INTO components (logadded,status,name, html\_path) VALUES ( '12-06-2021','Active','Badge','D://components/Badge.html')

INSERT INTO components (logadded,status,name, html\_path) VALUES ( '12-06-2021','Active','Breadcrumb','D://components/Breadcrumb.html')

INSERT INTO components (logadded,status,name, html\_path) VALUES ( '12-06-2021','Active','Buttons','D://components/Buttons.html')

INSERT INTO components (logadded,status,name, html\_path) VALUES ( '12-06-2021','Active','Button group','D://components/Button\_group.html')

```
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','Card','D://components/Card.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','Carousel','D://components/Carousel.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','Close button','D://components/Close_button.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','Collapse','D://components/Collapse.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','Dropdowns','D://components/Dropdowns.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','List group','D://components/List_group.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Disabled','Modal','D://components/Modal.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Maintenance','Navs','D://components/Navs.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Maintenance','Tabs','D://components/Tabs.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Maintenance','Navbar','D://components/Navbar.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Maintenance','Offcanva','D://components/Offcanvas.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','Pagination','D://components/Pagination.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Disabled','Popover','D://components/Popovers.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','Progress','D://components/Progress.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','Scrollspy','D://components/Scrollspy.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','Spinner','D://components/Spinners.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','Toast','D://components/Toasts.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','Tooltip','D://components/Tooltips.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','H1','D://components/H1.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','H2','D://components/H2.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','H3','D://components/H3.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','H4','D://components/H4.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','H5','D://components/H5.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','H6','D://components/H6.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','p','D://components/p.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','a','D://components/a.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','ul','D://components/ul.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','li','D://components/li.html')
```

```
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','Table','D://components/table.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','TR','D://components/tr.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','TH','D://components/th.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','TD','D://components/td.html')
INSERT INTO components (logadded,status,name, html_path) VALUES ( '12-06-2021','Active','Image','D://components/Image.html')
```

-- Inserção de países

```
SET search_path TO WixDaWish;
```

```
select * from countries;
```

```
INSERT INTO countries (logadded, pathflag,name)
VALUES
('12-06-2021','D://Flags','Afghanistan'),
('12-06-2021','D://Flags','Albania'),
('12-06-2021','D://Flags','Algeria'),
('12-06-2021','D://Flags','Andorra'),
('12-06-2021','D://Flags','Angola'),
('12-06-2021','D://Flags','Antigua and Barbuda'),
('12-06-2021','D://Flags','Argentina'),
('12-06-2021','D://Flags','Armenia'),
('12-06-2021','D://Flags','Australia'),
('12-06-2021','D://Flags','Austria'),
('12-06-2021','D://Flags','Azerbaijan'),
('12-06-2021','D://Flags','Bahamas, The'),
('12-06-2021','D://Flags','Bahrain'),
('12-06-2021','D://Flags','Bangladesh'),
('12-06-2021','D://Flags','Barbados'),
('12-06-2021','D://Flags','Belarus'),
('12-06-2021','D://Flags','Belgium'),
('12-06-2021','D://Flags','Belize'),
('12-06-2021','D://Flags','Benin'),
('12-06-2021','D://Flags','Bhutan'),
('12-06-2021','D://Flags','Bolivia'),
('12-06-2021','D://Flags','Bosnia and Herzegovina'),
('12-06-2021','D://Flags','Botswana'),
('12-06-2021','D://Flags','Brazil'),
('12-06-2021','D://Flags','Brunei'),
('12-06-2021','D://Flags','Bulgaria'),
('12-06-2021','D://Flags','Burkina Faso'),
('12-06-2021','D://Flags','Burma'),
('12-06-2021','D://Flags','Burundi'),
('12-06-2021','D://Flags','Cambodia'),
('12-06-2021','D://Flags','Cameroon'),
('12-06-2021','D://Flags','Canada'),
('12-06-2021','D://Flags','Cape Verde'),
('12-06-2021','D://Flags','Central Africa'),
('12-06-2021','D://Flags','Chad'),
('12-06-2021','D://Flags','Chile'),
('12-06-2021','D://Flags','China'),
```



```
( '12-06-2021', 'D://Flags', 'Colombia'),
( '12-06-2021', 'D://Flags', 'Comoros'),
( '12-06-2021', 'D://Flags', 'Congo, Democratic Republic of the'),
( '12-06-2021', 'D://Flags', 'Costa Rica'),
( '12-06-2021', 'D://Flags', 'Cote d'Ivoire'),
( '12-06-2021', 'D://Flags', 'Crete'),
( '12-06-2021', 'D://Flags', 'Croatia'),
( '12-06-2021', 'D://Flags', 'Cuba'),
( '12-06-2021', 'D://Flags', 'Cyprus'),
( '12-06-2021', 'D://Flags', 'Czech Republic'),
( '12-06-2021', 'D://Flags', 'Denmark'),
( '12-06-2021', 'D://Flags', 'Djibouti'),
( '12-06-2021', 'D://Flags', 'Dominican Republic'),
( '12-06-2021', 'D://Flags', 'East Timor'),
( '12-06-2021', 'D://Flags', 'Ecuador'),
( '12-06-2021', 'D://Flags', 'Egypt'),
( '12-06-2021', 'D://Flags', 'El Salvador'),
( '12-06-2021', 'D://Flags', 'Equatorial Guinea'),
( '12-06-2021', 'D://Flags', 'Eritrea'),
( '12-06-2021', 'D://Flags', 'Estonia'),
( '12-06-2021', 'D://Flags', 'Ethiopia'),
( '12-06-2021', 'D://Flags', 'Fiji'),
( '12-06-2021', 'D://Flags', 'Finland'),
( '12-06-2021', 'D://Flags', 'France'),
( '12-06-2021', 'D://Flags', 'Gabon'),
( '12-06-2021', 'D://Flags', 'Gambia, The'),
( '12-06-2021', 'D://Flags', 'Georgia'),
( '12-06-2021', 'D://Flags', 'Germany'),
( '12-06-2021', 'D://Flags', 'Ghana'),
( '12-06-2021', 'D://Flags', 'Greece'),
( '12-06-2021', 'D://Flags', 'Grenada'),
( '12-06-2021', 'D://Flags', 'Guadeloupe'),
( '12-06-2021', 'D://Flags', 'Guatemala'),
( '12-06-2021', 'D://Flags', 'Guinea'),
( '12-06-2021', 'D://Flags', 'Guinea-Bissau'),
( '12-06-2021', 'D://Flags', 'Guyana'),
( '12-06-2021', 'D://Flags', 'Haiti'),
( '12-06-2021', 'D://Flags', 'Holy See'),
( '12-06-2021', 'D://Flags', 'Honduras'),
( '12-06-2021', 'D://Flags', 'Hong Kong'),
( '12-06-2021', 'D://Flags', 'Hungary'),
( '12-06-2021', 'D://Flags', 'Iceland'),
( '12-06-2021', 'D://Flags', 'India'),
( '12-06-2021', 'D://Flags', 'Indonesia'),
( '12-06-2021', 'D://Flags', 'Iran'),
( '12-06-2021', 'D://Flags', 'Iraq'),
( '12-06-2021', 'D://Flags', 'Ireland'),
( '12-06-2021', 'D://Flags', 'Israel'),
( '12-06-2021', 'D://Flags', 'Italy'),
( '12-06-2021', 'D://Flags', 'Ivory Coast'),
( '12-06-2021', 'D://Flags', 'Jamaica'),
( '12-06-2021', 'D://Flags', 'Japan'),
( '12-06-2021', 'D://Flags', 'Jordan'),
( '12-06-2021', 'D://Flags', 'Kazakhstan'),
( '12-06-2021', 'D://Flags', 'Kenya'),
( '12-06-2021', 'D://Flags', 'Kiribati'),
```

```
( '12-06-2021', 'D://Flags', 'Korea, North'),
( '12-06-2021', 'D://Flags', 'Korea, South'),
( '12-06-2021', 'D://Flags', 'Kosovo'),
( '12-06-2021', 'D://Flags', 'Kuwait'),
( '12-06-2021', 'D://Flags', 'Kyrgyzstan'),
( '12-06-2021', 'D://Flags', 'Laos'),
( '12-06-2021', 'D://Flags', 'Latvia'),
( '12-06-2021', 'D://Flags', 'Lebanon'),
( '12-06-2021', 'D://Flags', 'Lesotho'),
( '12-06-2021', 'D://Flags', 'Liberia'),
( '12-06-2021', 'D://Flags', 'Libya'),
( '12-06-2021', 'D://Flags', 'Liechtenstein'),
( '12-06-2021', 'D://Flags', 'Lithuania'),
( '12-06-2021', 'D://Flags', 'Macau'),
( '12-06-2021', 'D://Flags', 'Macedonia'),
( '12-06-2021', 'D://Flags', 'Madagascar'),
( '12-06-2021', 'D://Flags', 'Malawi'),
( '12-06-2021', 'D://Flags', 'Malaysia'),
( '12-06-2021', 'D://Flags', 'Maldives'),
( '12-06-2021', 'D://Flags', 'Mali'),
( '12-06-2021', 'D://Flags', 'Malta'),
( '12-06-2021', 'D://Flags', 'Marshall Islands'),
( '12-06-2021', 'D://Flags', 'Mauritania'),
( '12-06-2021', 'D://Flags', 'Mauritius'),
( '12-06-2021', 'D://Flags', 'Mexico'),
( '12-06-2021', 'D://Flags', 'Micronesia'),
( '12-06-2021', 'D://Flags', 'Moldova'),
( '12-06-2021', 'D://Flags', 'Monaco'),
( '12-06-2021', 'D://Flags', 'Mongolia'),
( '12-06-2021', 'D://Flags', 'Montenegro'),
( '12-06-2021', 'D://Flags', 'Morocco'),
( '12-06-2021', 'D://Flags', 'Mozambique'),
( '12-06-2021', 'D://Flags', 'Namibia'),
( '12-06-2021', 'D://Flags', 'Nauru'),
( '12-06-2021', 'D://Flags', 'Nepal'),
( '12-06-2021', 'D://Flags', 'Netherlands'),
( '12-06-2021', 'D://Flags', 'New Zealand'),
( '12-06-2021', 'D://Flags', 'Nicaragua'),
( '12-06-2021', 'D://Flags', 'Niger'),
( '12-06-2021', 'D://Flags', 'Nigeria'),
( '12-06-2021', 'D://Flags', 'North Korea'),
( '12-06-2021', 'D://Flags', 'Norway'),
( '12-06-2021', 'D://Flags', 'Oman'),
( '12-06-2021', 'D://Flags', 'Pakistan'),
( '12-06-2021', 'D://Flags', 'Palau'),
( '12-06-2021', 'D://Flags', 'Panama'),
( '12-06-2021', 'D://Flags', 'Papua New Guinea'),
( '12-06-2021', 'D://Flags', 'Paraguay'),
( '12-06-2021', 'D://Flags', 'Peru'),
( '12-06-2021', 'D://Flags', 'Philippines'),
( '12-06-2021', 'D://Flags', 'Poland'),
( '12-06-2021', 'D://Flags', 'Portugal'),
( '12-06-2021', 'D://Flags', 'Qatar'),
( '12-06-2021', 'D://Flags', 'Romania'),
( '12-06-2021', 'D://Flags', 'Russia'),
( '12-06-2021', 'D://Flags', 'Rwanda'),
```

```
( '12-06-2021', 'D://Flags', 'Saint Lucia'),
( '12-06-2021', 'D://Flags', 'Saint Vincent and the Grenadines'),
( '12-06-2021', 'D://Flags', 'Samoa'),
( '12-06-2021', 'D://Flags', 'San Marino'),
( '12-06-2021', 'D://Flags', 'Sao Tome and Principe'),
( '12-06-2021', 'D://Flags', 'Saudi Arabia'),
( '12-06-2021', 'D://Flags', 'Scotland'),
( '12-06-2021', 'D://Flags', 'Senegal'),
( '12-06-2021', 'D://Flags', 'Serbia'),
( '12-06-2021', 'D://Flags', 'Seychelles'),
( '12-06-2021', 'D://Flags', 'Sierra Leone'),
( '12-06-2021', 'D://Flags', 'Singapore'),
( '12-06-2021', 'D://Flags', 'Slovakia'),
( '12-06-2021', 'D://Flags', 'Slovenia'),
( '12-06-2021', 'D://Flags', 'Solomon Islands'),
( '12-06-2021', 'D://Flags', 'Somalia'),
( '12-06-2021', 'D://Flags', 'South Africa'),
( '12-06-2021', 'D://Flags', 'South Korea'),
( '12-06-2021', 'D://Flags', 'Spain'),
( '12-06-2021', 'D://Flags', 'Sri Lanka'),
( '12-06-2021', 'D://Flags', 'Sudan'),
( '12-06-2021', 'D://Flags', 'Suriname'),
( '12-06-2021', 'D://Flags', 'Swaziland'),
( '12-06-2021', 'D://Flags', 'Sweden'),
( '12-06-2021', 'D://Flags', 'Switzerland'),
( '12-06-2021', 'D://Flags', 'Syria'),
( '12-06-2021', 'D://Flags', 'Taiwan'),
( '12-06-2021', 'D://Flags', 'Tajikistan'),
( '12-06-2021', 'D://Flags', 'Tanzania'),
( '12-06-2021', 'D://Flags', 'Thailand'),
( '12-06-2021', 'D://Flags', 'Tibet'),
( '12-06-2021', 'D://Flags', 'Timor-Leste'),
( '12-06-2021', 'D://Flags', 'Togo'),
( '12-06-2021', 'D://Flags', 'Tonga'),
( '12-06-2021', 'D://Flags', 'Trinidad and Tobago'),
( '12-06-2021', 'D://Flags', 'Tunisia'),
( '12-06-2021', 'D://Flags', 'Turkey'),
( '12-06-2021', 'D://Flags', 'Turkmenistan'),
( '12-06-2021', 'D://Flags', 'Tuvalu'),
( '12-06-2021', 'D://Flags', 'Uganda'),
( '12-06-2021', 'D://Flags', 'Ukraine'),
( '12-06-2021', 'D://Flags', 'United Arab Emirates'),
( '12-06-2021', 'D://Flags', 'England'),
( '12-06-2021', 'D://Flags', 'United States'),
( '12-06-2021', 'D://Flags', 'Uruguay'),
( '12-06-2021', 'D://Flags', 'Uzbekistan'),
( '12-06-2021', 'D://Flags', 'Vanuatu'),
( '12-06-2021', 'D://Flags', 'Venezuela'),
( '12-06-2021', 'D://Flags', 'Vietnam'),
( '12-06-2021', 'D://Flags', 'Yemen'),
( '12-06-2021', 'D://Flags', 'Zambia'),
( '12-06-2021', 'D://Flags', 'Zimbabwe');
```

-- Inserção de CronJobs

**SET** search\_path **TO** WixDaWish;

'Hourly', 'Daily','Weekly', 'Monthly'

```
INSERT INTO CronJobs (name, PathDLL, Trigger, LogAdded, LogUpdate)
VALUES ('Send Email','D://DLLs/sendemail','Daily','12-06-2021',null);
```

```
INSERT INTO CronJobs (name, PathDLL, Trigger, LogAdded, LogUpdate)
VALUES ('Processing Invoices','D://DLLs/processinginvoices','Hourly','12-06-2021',null);
```

```
INSERT INTO CronJobs (name, PathDLL, Trigger, LogAdded, LogUpdate)
VALUES ('Payment Processing','D://DLLs/paymentprocessing','Weekly','12-06-2021',null);
```

```
INSERT INTO CronJobs (name, PathDLL, Trigger, LogAdded, LogUpdate)
VALUES ('RGPD','D://DLLs/rgpd','Hourly','12-06-2021',null);
```

```
INSERT INTO CronJobs (name, PathDLL, Trigger, LogAdded, LogUpdate)
VALUES ('Events','D://DLLs/evnt','Monthly','12-06-2021',null);
```

```
INSERT INTO CronJobs (name, PathDLL, Trigger, LogAdded, LogUpdate)
VALUES ('Send Ad','D://DLLs/sendad','Hourly','12-06-2021',null);
```

-- Inserção de Planos

```
SET search_path TO WixDaWish;
```

```
select * from PlansConfig
```

```
INSERT INTO Plans(Name, Price, Type, StorageSpace, LogAdded, LogUpdate)
VALUES ('Vip',24.50,'Personal','35GB','12-06-2021',null);
```

```
INSERT INTO PlansConfig (planId, HaveDB, HaveAds, HaveSMTP,
HaveDomains, HaveServer, HaveTickets,HaveCronJob)
VALUES ((select Id from Plans order by Id desc limit
1),'1','1','1','1','1','1','1');
```

```
INSERT INTO Plans(Name, Price, Type, StorageSpace, LogAdded, LogUpdate)
VALUES ('Unlimited',12.50,'Personal','10GB','12-06-2021',null);
```

```
INSERT INTO PlansConfig (planId, HaveDB, HaveAds, HaveSMTP,
HaveDomains, HaveServer, HaveTickets,HaveCronJob)
VALUES ((select Id from Plans order by Id desc limit
1),'1','1','1','1','1','1','1');
```

```
INSERT INTO Plans(Name, Price, Type, StorageSpace, LogAdded, LogUpdate)
VALUES ('Basic',8.50,'Personal','3GB','12-06-2021',null);
```

```
INSERT INTO PlansConfig (planId, HaveDB, HaveAds, HaveSMTP,
HaveDomains, HaveServer, HaveTickets,HaveCronJob)
VALUES ((select Id from Plans order by Id desc limit
1),'1','1','0','1','1','1','1');
```

```
INSERT INTO Plans(Name, Price, Type, StorageSpace, LogAdded, LogUpdate)
VALUES ('Connect Domain',4.50,'Personal','500MB','12-06-2021',null);
```

```
INSERT INTO PlansConfig (planId, HaveDB, HaveAds, HaveSMTP,
HaveDomains, HaveServer, HaveTickets,HaveCronJob)
```

```
VALUES ((select Id from Plans order by Id desc limit
1),'0','0','0','1','0','1','0');

INSERT INTO Plans(Name, Price, Type, StorageSpace, LogAdded, LogUpdate)
VALUES ('Business Vip',35,'Business','50GB','12-06-2021',null);
INSERT INTO PlansConfig (planId, HaveDB, HaveAds, HaveSMTP,
HaveDomains, HaveServer, HaveTickets,HaveCronJob)
VALUES ((select Id from Plans order by Id desc limit
1),'1','1','1','1','1','1','1');

INSERT INTO Plans(Name, Price, Type, StorageSpace, LogAdded, LogUpdate)
VALUES ('Business Unlimited',25,'Business','35GB','12-06-2021',null);
INSERT INTO PlansConfig (planId, HaveDB, HaveAds, HaveSMTP,
HaveDomains, HaveServer, HaveTickets,HaveCronJob)
VALUES ((select Id from Plans order by Id desc limit
1),'1','1','1','1','1','1','1');

INSERT INTO Plans(Name, Price, Type, StorageSpace, LogAdded, LogUpdate)
VALUES ('Business Basic',17,'Business','20GB','12-06-2021',null);
INSERT INTO PlansConfig (planId, HaveDB, HaveAds, HaveSMTP,
HaveDomains, HaveServer, HaveTickets,HaveCronJob)
VALUES ((select Id from Plans order by Id desc limit
1),'0','1','0','1','0','1','0');
```

-- Inserção SiteConfigPlans

```
SET search_path TO WixDaWish;
```

```
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(27,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(27,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(27,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(25,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(25,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(23,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(22,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(22,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),17,'12-06-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(17,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(17,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
```

```
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(17,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(17,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(17,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(17,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),9,'12-06-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(9,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(9,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(9,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(9,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(9,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(9,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(9,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),5,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),5,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),5,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),5,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),5,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),5,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),5,'12-06-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(5,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(5,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(5,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),30,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),30,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),30,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),30,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),30,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),30,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),30,'12-06-2021')
```



```

INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(30,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(30,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(30,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(30,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(30,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),28,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),28,'12-06-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(28,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(28,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(28,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),26,'12-06-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(26,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(26,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),19,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),19,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),19,'12-06-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(19,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(19,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(19,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(19,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(19,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(19,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(19,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),15,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),15,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),13,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),13,'12-06-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(13,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(13,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
    
```

```
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(13,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(13,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(13,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),11,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),11,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),11,'12-06-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(11,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(11,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),10,'12-06-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(10,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(10,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(10,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(10,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(10,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(10,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(10,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(8,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),29,'12-06-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(29,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(29,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(29,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(29,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(29,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(29,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(29,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),21,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),21,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),21,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),21,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),21,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),21,'12-06-2021')
```



```
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(21,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(21,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),7,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),7,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),7,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),7,'12-06-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(7,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(7,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(7,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(7,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),2,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),2,'12-06-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(2,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(2,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(2,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(2,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(2,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(2,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),31,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),31,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),31,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),31,'12-06-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(20,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(20,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(20,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(20,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(20,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),12,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),12,'12-06-2021')
```

```
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),12,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),12,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),12,'12-06-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(12,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(12,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(12,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),3,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),3,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),3,'12-06-2021')
INSERT INTO websites_ads(ADSID, WEBSITEID, LOGADDED) VALUES ((SELECT id
FROM ads ORDER BY RANDOM() LIMIT 1),3,'12-06-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(3,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(3,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
INSERT INTO websites_cronjobs(websiteid, cronjobid, logadded) VALUES
(3,(SELECT id FROM cronjobs ORDER BY RANDOM() LIMIT 1),'06-12-2021')
```

-- Inserção de TemplateConfig

SET search\_path TO WixDaWish;

```
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(1,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(1,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(1,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(1,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(2,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(2,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(2,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(2,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(3,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(3,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(4,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(4,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
```

```
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(5,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(5,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(5,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(5,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(5,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(6,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(6,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(6,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(6,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(6,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(6,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(6,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(7,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(7,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO plans_templates(PLANID, TEMPLATEID, LOGADDED) VALUES(7,(SE-
LECT id FROM templates ORDER BY RANDOM() LIMIT 1),'12-06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),1,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),1,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),1,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),1,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),1,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),2,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),2,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),2,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),2,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),2,'12-
06-2021')
```

```

INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),2,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),3,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),3,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),3,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),3,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),4,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),4,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),4,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),4,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),4,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),4,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),4,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),5,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),5,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),5,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),5,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),6,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),6,'12-
06-2021')

```



```
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),6,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),6,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),7,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),7,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),7,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),7,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),7,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),7,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),8,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),8,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),8,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),8,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),8,'12-
06-2021')
INSERT INTO templates_components( COMPONENTID, TEMPLATEID, LOGADDED )
VALUES ((SELECT id FROM components ORDER BY RANDOM() LIMIT 1),8,'12-
06-2021')
```

-- Inserção de Templates

```
SET search_path TO WixDaWish;
```

```
select * from Templates
INSERT INTO Templates( Name, LogAdded)
```

```
VALUES ('Divi',timestamp '2020-01-10 20:00:00' + random() * (timestamp
'2021-01-20 20:00:00' - timestamp '2021-01-10 10:00:00'));

INSERT INTO Templates( Name, LogAdded)
VALUES ('Javelin',timestamp '2020-01-10 20:00:00' + random() *
(timestamp '2021-01-20 20:00:00' - timestamp '2021-01-10 10:00:00'));

INSERT INTO Templates( Name, LogAdded)
VALUES ('Direo',timestamp '2020-01-10 20:00:00' + random() * (timestamp
'2021-01-20 20:00:00' - timestamp '2021-01-10 10:00:00'));

INSERT INTO Templates( Name, LogAdded)
VALUES ('ListingPro',timestamp '2020-01-10 20:00:00' + random() *
(timestamp '2021-01-20 20:00:00' - timestamp '2021-01-10 10:00:00'));

INSERT INTO Templates( Name, LogAdded)
VALUES ('Listify',timestamp '2020-01-10 20:00:00' + random() *
(timestamp '2021-01-20 20:00:00' - timestamp '2021-01-10 10:00:00'));

INSERT INTO Templates( Name, LogAdded)
VALUES ('Listable',timestamp '2020-01-10 20:00:00' + random() *
(timestamp '2021-01-20 20:00:00' - timestamp '2021-01-10 10:00:00'));

INSERT INTO Templates( Name, LogAdded)
VALUES ('Bridge',timestamp '2020-01-10 20:00:00' + random() *
(timestamp '2021-01-20 20:00:00' - timestamp '2021-01-10 10:00:00'));

INSERT INTO Templates( Name, LogAdded)
VALUES ('SpotFinder',timestamp '2020-01-10 20:00:00' + random() *
(timestamp '2021-01-20 20:00:00' - timestamp '2021-01-10 10:00:00'));

INSERT INTO PaymentMethods(Name,LogAdded)
VALUES ('MB',timestamp '2020-01-10 20:00:00' + random() * (timestamp
'2021-01-20 20:00:00' - timestamp '2021-01-10 10:00:00'));

INSERT INTO PaymentMethods(Name,LogAdded)
VALUES ('MBW',timestamp '2020-01-10 20:00:00' + random() * (timestamp
'2021-01-20 20:00:00' - timestamp '2021-01-10 10:00:00'));

INSERT INTO PaymentMethods(Name,LogAdded)
VALUES ('PayPal',timestamp '2020-01-10 20:00:00' + random() *
(timestamp '2021-01-20 20:00:00' - timestamp '2021-01-10 10:00:00'));

INSERT INTO Companies(Name,LogAdded)
VALUES ('WixDaWish','01-01-2018');

-- Inserção de Users

SET search_path TO WixDaWish;
```

```
select * from users
```

```
INSERT INTO users(FirstName, LastName, Email, Password,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieToken,LogUpdate ,LogAdded)
VALUES ('Capucine','Blanc','capucine.blanc@example.com','celtic',null,null,'64aa3f6306ce56bfaf9378e63730aed3','null','21eb5ce5-095d-4d8d-a13c-d5c899ac7188',null,'2011-01-21T12:57:10.485Z')
INSERT INTO UserData(NIF, Address, PhoneNumber, Gender,Birthdate,Type,userId) VALUES ('2NNA58457066 40','Rue du 8 Mai 1945','03-67-40-55-57','Female',null,'Web Developer',(select id from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Password,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieToken,LogUpdate ,LogAdded)
VALUES ('Alison','Hall','alison.hall@example.com','normal',null,null,'0be2ae09addf6fbd3b846bdc0cd97b08','null','1142947b-8d78-4c1a-a70a-a051189b5ae9',null,'2017-04-14T09:52:01.427Z')
INSERT INTO UserData(NIF, Address, PhoneNumber, Gender,Birthdate,Type,userId) VALUES ('2994683T','Park Avenue','061-651-0679','Female',null,'Designer',(select id from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Password,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieToken,LogUpdate ,LogAdded)
VALUES ('Benjamin','Møller','benjamin.moller@example.com','smegma',null,null,'a5d90ac02e0f855bfb0149fab34dbe6e','null','ceddaef7-dded-4a93-8abf-3185f373fe7a',null,'2007-04-25T00:02:38.479Z')
INSERT INTO UserData(NIF, Address, PhoneNumber, Gender,Birthdate,Type,userId) VALUES ('061287-5507','Drosselvænget','41500784','Male',null,'Designer',(select id from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Password,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieToken,LogUpdate ,LogAdded)
VALUES ('Esma','Durak','esma.durak@example.com','tetsuo',null,null,'406b46f3f0f363f66164913045af0ddb','null','45285d2a-1577-41e5-87ed-84ec4571800b',null,'2008-10-15T01:07:50.287Z')
INSERT INTO UserData(NIF, Address, PhoneNumber, Gender,Birthdate,Type,userId) VALUES ('null','Şehitler Cd','(884)-747-6221','Female',null,'Backend Developer',(select id from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Password,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieToken,LogUpdate ,LogAdded)
VALUES ('Ida','Burton','ida.burton@example.com','nike',null,null,'6cfd70e058c8a03b94d5cb613b5e54a2','null','61a0be75-990c-4ef5-823f-587c5c0c3633',null,'2018-05-26T22:39:19.263Z')
INSERT INTO UserData(NIF, Address, PhoneNumber, Gender,Birthdate,Type,userId) VALUES ('328544902','W Gray St','08-1011-7471','Female',null,'Designer',(select id from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Password,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieToken,LogUpdate ,LogAdded)
```

```
VALUES ('Buse','Toraman','buse.toraman@example.com','sky-
ler',null,null,'9d8799679f0528e398a6a21e13133bbd','null','81f68dd6-
b6c9-4332-86db-bb477b0a61d6',null,'2013-09-17T20:49:37.362Z')
INSERT INTO UserData(NIF, Address, PhoneNumber, Gen-
der,Birthdate,Type,userId) VALUES ('null','Vatan Cd','(874)-397-
1126','Female',null,'Student', (select id from users order by id desc
limit 1))
INSERT INTO users(FirstName, LastName, Email, Pass-
word,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieTo-
ken,LogUpdate ,LogAdded)
VALUES ('Kasper','Wiitala','kasper.wiitala@exam-
ple.com','bacardi',null,null,'80a61e5c8245c95cc8f6a7e1160049a4','null',
'16fe781e-798a-48fa-ae7d-1022c7b2f52b',null,'2007-03-08T15:22:40.498Z')
INSERT INTO UserData(NIF, Address, PhoneNumber, Gen-
der,Birthdate,Type,userId) VALUES ('NaNNA317undefined','Visiokatu','03-
957-549','Male',null,'Full Stack Developer', (select id from users or-
der by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Pass-
word,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieTo-
ken,LogUpdate ,LogAdded)
VALUES ('Elias','Huhtala','elias.huhtala@exam-
ple.com','big-
one',null,null,'c134ad9d309d51b9cf01f6d0df259896','null','5053d877-
f034-4ed1-8870-f0df78808257',null,'2007-06-25T04:17:25.119Z')
INSERT INTO UserData(NIF, Address, PhoneNumber, Gen-
der,Birthdate,Type,userId) VALUES ('NaNNA983undefined','Rautatienka-
tu','04-292-364','Male',null,'Designer', (select id from users order by
id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Pass-
word,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieTo-
ken,LogUpdate ,LogAdded)
VALUES ('Joseph','Bourgeois','joseph.bourgeois@exam-
ple.com','scarface',null,null,'be7157131c34c334596b1737ba83009e','null',
'357adcc7-5eb3-423a-847c-f55854637fff',null,'2010-02-
12T12:00:06.126Z')
INSERT INTO UserData(NIF, Address, PhoneNumber, Gen-
der,Birthdate,Type,userId) VALUES ('756.6265.4406.83','Rue Jean-Baldas-
sini','075 236 62 67','Male',null,'Full Stack Developer', (select id
from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Pass-
word,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieTo-
ken,LogUpdate ,LogAdded)
VALUES ('Tilde','Jørgensen','tilde.jorgensen@exam-
ple.com','pic-
turs',null,null,'3d11a6086a2c234c47c0b7bfb2a25837','null','cbc13191-
c311-47bd-8b2e-9b87e6d059e7',null,'2005-07-13T23:09:05.773Z')
INSERT INTO UserData(NIF, Address, PhoneNumber, Gen-
der,Birthdate,Type,userId) VALUES ('111294-
4473','Færøvej','64213575','Female',null,'Full Stack Developer', (se-
lect id from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Pass-
word,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieTo-
ken,LogUpdate ,LogAdded)
```



```
VALUES ('Marien','Van Zwienen','marien.vanzwienen@example.com','ma-serati',null,null,'ff718478878cdc8423bc4827989dfaff','null','2c654288-a125-42d8-9ff4-a26db74643e4',null,'2019-08-21T16:39:40.677Z')
INSERT INTO UserData(NIF, Address, PhoneNumber, Gender,Birthdate,Type,userId) VALUES ('37446727','De Elsmat','(971)-666-0196','Male',null,'Web Developer', (select id from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Password,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieToken,LogUpdate ,LogAdded)
VALUES ('Isidor','Risch','isidor.risch@example.com','vietnam',null,null,'16ea25ce60220e88e655c4b9f64fdc7c','null','77adb714-bfd4-4368-927e-3deb0f09791c',null,'2005-07-02T20:22:30.283Z')
INSERT INTO UserData(NIF, Address, PhoneNumber, Gender,Birthdate,Type,userId) VALUES ('null','Kirchplatz','0119-4901953','Male',null,'Designer', (select id from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Password,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieToken,LogUpdate ,LogAdded)
VALUES ('Mark','Davis','mark.davis@example.com','marble',null,null,'a1c8ccb5b601e687a10049659902e24e','null','6274f136-aa4a-4cea-b364-f2a4997719d5',null,'2007-10-03T04:44:35.196Z')
INSERT INTO UserData(NIF, Address, PhoneNumber, Gender,Birthdate,Type,userId) VALUES ('5160999T','Station Road','021-008-0668','Male',null,'Student', (select id from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Password,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieToken,LogUpdate ,LogAdded)
VALUES ('Harry','Pena','harry.pena@example.com','history',null,null,'43e891f63219a938bbfa15958da174aa','null','f4a843ae-4d14-4df2-8ebb-37e3ca73258c',null,'2005-10-26T03:22:00.076Z')
INSERT INTO UserData(NIF, Address, PhoneNumber, Gender,Birthdate,Type,userId) VALUES ('762-07-1428','Fairview St','(364)-021-0008','Male',null,'Backend Developer', (select id from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Password,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieToken,LogUpdate ,LogAdded)
VALUES ('Cristina','Marquez','cristina.marquez@example.com','camel',null,null,'6307449cdae707397b7b61e77185669c','null','e2563847-7b6b-419e-b550-91b00bea9793',null,'2007-01-04T00:56:40.816Z')
INSERT INTO UserData(NIF, Address, PhoneNumber, Gender,Birthdate,Type,userId) VALUES ('06233839-Z','Calle del Pez','986-286-383','Female',null,'Student', (select id from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Password,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieToken,LogUpdate ,LogAdded)
VALUES ('Dustin','Sutton','dustin.sutton@example.com','stang',null,null,'e7d3699d66e13c66a34850d680cc9946','null','4f7fb3aa-902f-4a25-a1d0-bf4e5b66bc4b',null,'2006-07-20T19:12:26.855Z')
```

```
INSERT INTO UsersData(NIF, Address, PhoneNumber, Gender,Birthdate,Type,userId) VALUES ('KP 14 55 34 0','Alexander Road','0161 416 3638','Male',null,'Backend Developer', (select id from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Password,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieToken,LogUpdate ,LogAdded)
VALUES ('Emmi','Neva','emmi.neva@example.com','splinter',null,null,'d0df13024962509eb82bc49181631e6f','null','7b9888e6-14a4-449a-8f44-da3331f6f02e',null,'2014-07-09T17:46:19.649Z')
INSERT INTO UsersData(NIF, Address, PhoneNumber, Gender,Birthdate,Type,userId) VALUES ('NaNNA050undefined','Hämeenka-tu','02-221-590','Female',null,'Web Developer', (select id from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Password,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieToken,LogUpdate ,LogAdded)
VALUES ('Rene','Hessel','rene.hessel@example.com','south',null,null,'69673f5becf6d4e3b71bdab22163317','null','e4fc1fb8-90a3-4f2c-b83d-852728190041',null,'2005-08-20T18:21:42.382Z')
INSERT INTO UsersData(NIF, Address, PhoneNumber, Gender,Birthdate,Type,userId) VALUES ('null','Erlenweg','0834-4210644','Male',null,'Student', (select id from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Password,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieToken,LogUpdate ,LogAdded)
VALUES ('Silke','Andersen','silke.andersen@example.com','eeee',null,null,'2f38a25f06e0d1526d60cb80b20b54fa','null','201e1abe-e63d-4548-81a0-efef06b47418',null,'2006-09-07T08:10:57.106Z')
INSERT INTO UsersData(NIF, Address, PhoneNumber, Gender,Birthdate,Type,userId) VALUES ('300574-6831','Rødkløvervej','60595061','Female',null,'Full Stack Developer', (select id from users order by id desc limit 1))
INSERT INTO users(FirstName, LastName, Email, Password,LastLogin,LastLogout,GoogleToken,FacebookToken,CookieToken,LogUpdate ,LogAdded)
VALUES ('Isabelle','Tucker','isabelle.tucker@example.com','bronze',null,null,'76c609d401b9414a1106b48a4635a4e6','null','7fe67c07-1f5d-4345-a703-3010e5b021c0',null,'2005-04-16T00:40:41.312Z')
INSERT INTO UsersData(NIF, Address, PhoneNumber, Gender,Birthdate,Type,userId) VALUES ('AH 89 38 75 I','Manchester Road','019467 75609','Female',null,'Designer', (select id from users order by id desc limit 1))
```

```
-- Inserção de WebsiteConfig
```

```
SET search_path TO WixDaWish;
```

```
select * from websites
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(766.8762938263011,16.704088018330232,(timestamp '2021-
```

```
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),2, (SELECT c.id FROM components c IN-
NER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'immeasurable')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'imensurável')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1193.63563717073,538.0189684639687,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),2, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'kiddo')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'criança')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(281.9482952379624,184.08259515342104,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),2, (SELECT c.id FROM components c IN-
NER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'colossuses')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'colossos')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(52.476075764084925,222.89668592911838,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),2, (SELECT c.id FROM components c IN-
NER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'worsts')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'piores')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(211.7594839061037,345.54043286434785,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),2, (SELECT c.id FROM components c IN-
```

```
NER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'gogo')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'gogo')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1108.758227446839,599.4903833285855,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),2, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'remissions')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'remissões')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1000.8121662602518,213.04196919005688,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),2, (SELECT c.id FROM components c IN-
NER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'ancestresses')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'ancestrais')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1108.3878339161618,19.666263911441995,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),3, (SELECT c.id FROM components c IN-
NER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'fowl')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'galinha')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(32.65509859209672,554.6038471243492,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),4, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
```

```
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'armature')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'armadura')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(711.9815641864077,211.6220211443901,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),4, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'streetlights')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'luzes da rua')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(841.6741121334335,255.58473675094734,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),4, (SELECT c.id FROM components c IN-
NER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'lorgnons')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'Lorgnons')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(384.3785728007062,89.90029581800769,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),5, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'incarnation')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'encarnação')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(449.5801544813282,722.4889412985771,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),5, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'wamefuls')
```



```
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'wamefuls')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(336.3741001098541,502.1126939045495,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),5, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'pedophilia')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'pedofilia')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(829.6947983825205,177.7430333687475,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),5, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'misogamists')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'misógama')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(831.6365805267419,134.55096122556665,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),5, (SELECT c.id FROM components c IN-
NER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'fisheries')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'pescaria')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(14.827602712174315,542.3837940579766,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),5, (SELECT c.id FROM components c IN-
NER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'agar')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'de modo a')
```

```
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(90.55265323847807,116.53335662043496,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),6, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'boundednesses')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'limites')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(557.0179618621986,667.5774542222324,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),6, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'multitone')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'multitom')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(143.4460104592886,650.5191003441233,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),6, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'togas')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'togas')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(114.12761344655023,35.891148953033536,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),6, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'causes')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'causas')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(697.1621339409858,191.33168915145475,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
```

```
timestamp '2021-12-10 10:00:00')),6, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'telescoped')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'telescopico')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(736.9394959220433,186.50671013893944,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),7, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'feminity')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'feminilidade')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(521.3126521927109,562.9534756405301,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),7, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'downstages')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'downstages')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(1134.1168666711842,526.0901391619228,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),8, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'junkets')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'viagens')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(777.6797168035272,559.4746743390706,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),8, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
```



```
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'tellurometers')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'telurômetros')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1130.170681307819,181.7306361348038,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),8,(SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'internals')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'internos')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(713.20271367562,446.2344336482172,(timestamp '2021-02-10
20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),8,(SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'passionflower')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'Flor da Paixão')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(471.1780659354168,108.62130448999298,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),8,(SELECT c.id FROM components c IN-
NER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'oldish')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'velhote')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(549.5116729077139,179.22096891695958,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),9,(SELECT c.id FROM components c IN-
NER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'upwafts')
```

```
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'upwafts')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(254.79166496926925,437.3062302611805,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00'))),9, (SELECT c.id FROM components c IN-
NER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'shamanism')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'xamanismo')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1159.533203698392,61.10653912705857,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00'))),10, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'lipases')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'lipases')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1173.3983310793571,651.467034183043,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00'))),10, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'onenesses')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'unicistas')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(998.0693051306761,388.1174069755188,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00'))),10, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'restarts')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'reinicia')
```

```
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(726.2559777494616,604.8263981805927,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),10, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'dockworkers')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'estivadores')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(41.43409637654187,119.2267356365118,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),10, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'freezing')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'congelando')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(851.4594301644244,639.8599901675362,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),10, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'suppliers')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'fornecedores')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(1046.9879778682139,283.33636309349225,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),11, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'petitioned')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'peticionou')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(338.23798172019303,289.5834610204062,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),11, (SELECT c.id FROM components c
```

```
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'mopier')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'mais desanimado')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1152.4112817214436,614.7905659644917,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),12, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'aliyos')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'Alikos')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1181.4097984198816,702.7375178129539,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),12, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'squinch')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'estremecer')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(578.1980294652111,744.2401413085685,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),12, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'osmoregulations')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'osmorregulação')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(857.9562106271954,208.02080057075506,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),13, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
```



```
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'correspondents')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'correspondentes')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(76.82244886077942,146.25171629802514,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),13, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'metricized')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'metrificado')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(27.34563343840648,478.2816447025924,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),13, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'vawards')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'vawards')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(236.50627360381398,390.68544748601147,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),13, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'seidels')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'seda')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1161.6254884528769,710.6867230497263,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),13, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'coughed')
```

```
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'tossiu')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(872.5979383783553,103.0430283589773,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),14, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'jiggled')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'sacudido')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(186.50661544471853,276.085889118262,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),14, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'boosterisms')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'boosterismos')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1066.7070306861528,610.8920547012682,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),14, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'salpian')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'Salpian')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(870.1912305962258,572.3130993480657,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),14, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'oculist')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'oculista')
```

```
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(1107.0603683613,374.5087790656596,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),14, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'fibrefill')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'fibrefill')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(910.8909631112009,559.4697976522529,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),14, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'fleshed')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'carnudo')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(304.762056647033,633.0108853347101,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),14, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'epitasis')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'epitase')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(1160.1916529717846,212.64443140592437,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),14, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'tricker')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'trapaceiro')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(270.62438103999494,663.9751113144392,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),14, (SELECT c.id FROM components c
```

```
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'fags')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'bichas')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(425.0294788312865,84.30763828122477,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),15, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'cliquey')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'camarilha')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(714.2547860955119,759.8533099557326,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),15, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'constructionist')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'construcionista')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(156.62087764651673,439.99236766684294,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),15, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'hoteliers')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'hoteleiros')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(932.8899502561458,399.5536998194655,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),15, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
```



```
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'beaus')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'beaus')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(711.6186881804244,453.9938425004431,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),15, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'precreased')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'pré-aumentado')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(628.6486390492267,253.4536623415246,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),15, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'subulate')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'subular')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(382.88720026167533,74.8018351785042,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),15, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'volution')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'evolução')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(799.4218718951274,452.8280427724962,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),15, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'fiberization')
```

```
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'fibrização')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1037.6468043003058,552.2335995165719,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00'))),15, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'clogs')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'tamancos')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(198.86187321734292,269.039597641523,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00'))),16, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'monopolises')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'monopólios')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(307.13699944047556,241.80377533614515,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00'))),16, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'wiverns')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'Wiverns')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(370.5058000629676,623.4673283651239,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00'))),16, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'brevetcy')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'patente')
```

```
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(305.5042916766147,282.2984564980907,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),16, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'preggers')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'grávidas')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(1147.389498212678,21.320691800612224,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),16, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'bipedal')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'bípede')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(901.7034811633085,646.8967473341099,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),16, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'upcasting')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'upcasting')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(1082.1411484086373,269.86699085833783,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),16, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'unity')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'unidade')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(981.2204907601914,178.30098198574404,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),16, (SELECT c.id FROM components c
```

```
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'corkiest')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'mais corkiest')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(69.90469912052859,45.19781642410603,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),17, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'peebeens')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'peebeens')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(209.84461401990703,599.29081107146,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),17, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'offends')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'ofende')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(587.9423520102398,448.5351849827293,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),17, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'lambkill')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'Lambkill')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(135.02153353399916,394.9456144651846,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),17, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
```



```
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'bookbinderies')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'encadernadoras')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(558.3774598322611,779.4907435982268,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),18, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'dribblet')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'driblar')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1073.3475803624985,778.260411554847,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),18, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'stichomythy')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'esticomítico')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(622.78970694584,777.5187988210815,(timestamp '2021-02-10
20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),18, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'zizzled')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'zizzled')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(455.3520191369751,194.33378422258443,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),20, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'hydrogenates')
```

```
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'hidrogenados')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(135.5595967985278,740.6870662257157,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),20, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'corder')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'corder')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(336.4502195556718,207.3179423429231,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),21, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'auditive')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'auditivo')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(302.87111241951135,405.5833117358494,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),22, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'noisily')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'barulhento')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(130.60453228850452,178.56527685872516,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),22, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'prognose')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'previsão')
```

```
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(287.73967601626725,549.2212934511031,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),22, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'sassinesses')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'petulância')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(340.49003385303786,181.32809303556866,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),22, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'define')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'definir')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(555.3036716735791,208.84428569730477,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),22, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'draconic')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'dracônico')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(758.0348039271792,309.9756689054672,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),23, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'protonating')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'protonante')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(851.7878244777756,373.34019020145314,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),23, (SELECT c.id FROM components c
```

```
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'ethion')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'Ethion')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1042.967049419817,378.10533716379047,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),23, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'sailboarding')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'Sailboarding')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(259.7587924004859,313.25208383142956,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),23, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'pathological')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'patológico')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(300.1462090644299,579.5716871695802,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),23, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'gratifiers')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'gratificadores')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(601.6298494243654,265.06437584402886,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),23, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
```



```
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'urinometer')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'urinômetro')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(674.3940863763565,88.05415896050732,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),23, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'moirai')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'moirai')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(149.35057421655165,672.0908062390967,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),24, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'unapologizing')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'sem se desculpar')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(420.5150141603693,344.531510717713,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),25, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'friarly')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'frade')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(868.4726081982336,318.86174122250065,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),25, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'judokas')
```

```
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'judocas')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1150.0509974127815,613.6385288267095,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),25, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'murderee')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'Murderee')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(765.9889085723256,494.74992506099954,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),25, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'milliroentgen')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'milliroentgen')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(103.55116424851518,605.2444785532778,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),25, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'pounced')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'atacou')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1011.2090046875727,619.1560083670483,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),26, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'snottinesses')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'arrogância')
```

```
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(739.7787878042258,778.7461887146782,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),26, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'begrudge')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'invejar')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(568.7616514308515,261.79912821652886,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),26, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'harsh')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'duro')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(997.9551080320196,306.1883836266345,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),27, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'chippering')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'picante')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(508.04970496671376,783.7614027157954,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),27, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'nourishes')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'nutre')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(111.5480669156982,396.89222052788455,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),27, (SELECT c.id FROM components c
```

```
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'aspiring')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'aspirante')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1185.4633026797824,160.20568108960802,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),28,(SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'analogous')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'análogo')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(292.23674944323045,675.9592850963281,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),28,(SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'repetitious')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'repetitivo')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1075.2778549381342,54.21306358645861,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),28,(SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'emoter')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'emoter')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(533.315638071502,515.4742972642483,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),28,(SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
```



```
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'ozonation')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'ozonização')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(350.26239727687056,4.572671369125736,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),28, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'requited')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'retribuído')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(1044.5286630321461,196.3096504833107,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),28, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'excrecences')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'excrecências')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(375.485495562659,754.4190479868594,(timestamp '2021-02-
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),29, (SELECT c.id FROM components c INNER JOIN
templates_components tc on tc.templateId = (select w.templateid from
websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY
RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'stellate')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'estrelado')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(273.9587696293383,110.37158082768457,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),29, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'aplite')
```

```
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'aplite')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(462.5676845511282,458.37801222449104,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),29, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'lentiviruses')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'lentivírus')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(762.0954498173473,456.45366987804687,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),29, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'neuropathy')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'neuropatia')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(202.83981920635784,703.2583565914898,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),29, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'incubative')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'incubador')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,compo-
nentid) VALUES(899.6666135088285,435.63755359557865,(timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),29, (SELECT c.id FROM components c
INNER JOIN templates_components tc on tc.templateId = (select w.tem-
plateid from websites w where w.id = 2 limit 1) and c.id = tc.compo-
nentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),192,'indefinitely')
INSERT INTO websitecomponents_languages(logadded,websitecomponen-
tid,countryId,value) values ('12-06-2021',(select id from website_com-
ponents order by id desc limit 1),145,'indefinidamente')
```

```
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(1099.4181699603841,357.5312565607259,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),30, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'driftages')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'deriva')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(825.0878562595669,736.527553893478,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),30, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'ventral')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'ventral')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(67.05970800305705,35.25809597655236,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),30, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'croquignole')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'croquignole')
INSERT INTO website_components(xcoord,ycoord,logadded,websiteid,componentid) VALUES(162.43717500736682,638.4686371779402,(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),30, (SELECT c.id FROM components c INNER JOIN templates_components tc on tc.templateId = (select w.templateid from websites w where w.id = 2 limit 1) and c.id = tc.componentid ORDER BY RANDOM() LIMIT 1))
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),192,'zippers')
INSERT INTO websitecomponents_languages(logadded,websitecomponentid,countryId,value) values ('12-06-2021',(select id from website_components order by id desc limit 1),145,'zíperes')
```

-- Inserção de Websites

```
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
```



```
VALUES ('Johnston, Botsford and Konopelski', 'Paid',
(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20
20:00:00' - timestamp '2021-12-10 10:00:00')),5,(SELECT id FROM users
ORDER BY RANDOM() LIMIT 1),(SELECT t.id FROM Templates t inner join
plans_templates pt on pt.templateid = t.id where pt.PlanId = 5 ORDER BY
RANDOM() LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'1948c682-
a5bb-4633-a2d0-71f700fcf3e7','https://pigment.github.io/fake-
logos/logos/medium/color/6.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Heller Group', 'In progress', (timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),6,(SELECT id FROM users ORDER BY RAN-
DOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_tem-
plates pt on pt.templateid = t.id where pt.PlanId = 6 ORDER BY RANDOM()
LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'e22a55e7-
b112-4308-ba4c-577850953737','https://pigment.github.io/fake-
logos/logos/medium/color/13.png',(select LogAdded from websites order
by id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Armstrong, Ward and VonRueden', 'In progress',
(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20
20:00:00' - timestamp '2021-12-10 10:00:00')),1,(SELECT id FROM users
ORDER BY RANDOM() LIMIT 1),(SELECT t.id FROM Templates t inner join
plans_templates pt on pt.templateid = t.id where pt.PlanId = 1 ORDER BY
RANDOM() LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'99ab0e47-
85ab-48bd-ad01-2e8fb9b83ed6','https://pigment.github.io/fake-
logos/logos/medium/color/5.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Stamm-Sauer', 'Paid', (timestamp '2021-02-10
20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),4,(SELECT id FROM users ORDER BY RANDOM() LIMIT
1),(SELECT t.id FROM Templates t inner join plans_templates pt on
pt.templateid = t.id where pt.PlanId = 4 ORDER BY RANDOM() LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'7fe7e3cb-
1bd8-4c1b-8104-5c02867bb87a','https://pigment.github.io/fake-
logos/logos/medium/color/9.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
```

```
VALUES ('Cummings Inc', 'Paid', (timestamp '2021-02-10
20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00'))),5,(SELECT id FROM users ORDER BY RANDOM() LIMIT
1),(SELECT t.id FROM Templates t inner join plans_templates pt on
pt.templateid = t.id where pt.PlanId = 5 ORDER BY RANDOM() LIMIT 1))
INSERT INTO Invoices(companyid,websiteid, paymentmethodid, date,refer-
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'ac2e603d-
bf47-40b1-bfcc-4f91d332e8fc','https://pigment.github.io/fake-
logos/logos/medium/color/3.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Torp-Kovacek', 'In progress', (timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00'))),2,(SELECT id FROM users ORDER BY RAN-
DOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_tem-
plates pt on pt.templateid = t.id where pt.PlanId = 2 ORDER BY RANDOM()
LIMIT 1))
INSERT INTO Invoices(companyid,websiteid, paymentmethodid, date,refer-
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'9693b9e9-
dd21-4fb0-8279-09f8d0438a4e','https://pigment.github.io/fake-
logos/logos/medium/color/1.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Cremin Group', 'In progress', (timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00'))),1,(SELECT id FROM users ORDER BY RAN-
DOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_tem-
plates pt on pt.templateid = t.id where pt.PlanId = 1 ORDER BY RANDOM()
LIMIT 1))
INSERT INTO Invoices(companyid,websiteid, paymentmethodid, date,refer-
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'f9516adb-
eead-4bd4-a479-c29c49bd9f06','https://pigment.github.io/fake-
logos/logos/medium/color/6.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Jerde-Hills', 'Created', (timestamp '2021-02-10
20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00'))),2,(SELECT id FROM users ORDER BY RANDOM() LIMIT
1),(SELECT t.id FROM Templates t inner join plans_templates pt on
pt.templateid = t.id where pt.PlanId = 2 ORDER BY RANDOM() LIMIT 1))
INSERT INTO Invoices(companyid,websiteid, paymentmethodid, date,refer-
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'65d36ecf-
1def-459e-a215-593defb1c16f','https://pigment.github.io/fake-
logos/logos/medium/color/3.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Torphy-Sauer', 'Paid', (timestamp '2021-02-10
20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
```

```
'2021-12-10 10:00:00')),2,(SELECT id FROM users ORDER BY RANDOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_templates pt on pt.templateid = t.id where pt.PlanId = 2 ORDER BY RANDOM() LIMIT 1)) INSERT INTO Invoices(companyid,websiteid, paymentmethodid, date,reference,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT 1),(select LogAdded from websites order by id desc limit 1),'fef36ef0-c4f1-4bee-ba93-079042e5df09','https://pigment.github.io/fake-logos/logos/medium/color/10.png',(select LogAdded from websites order by id desc limit 1)) INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId) VALUES ('Krajcik Group', 'Created', (timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),6,(SELECT id FROM users ORDER BY RANDOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_templates pt on pt.templateid = t.id where pt.PlanId = 6 ORDER BY RANDOM() LIMIT 1)) INSERT INTO Invoices(companyid,websiteid, paymentmethodid, date,reference,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT 1),(select LogAdded from websites order by id desc limit 1),'ffe8c0ea-13fb-4e95-bffe-089bcfbf7c2e','https://pigment.github.io/fake-logos/logos/medium/color/7.png',(select LogAdded from websites order by id desc limit 1)) INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId) VALUES ('Bins Inc', 'In progress', (timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),2,(SELECT id FROM users ORDER BY RANDOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_templates pt on pt.templateid = t.id where pt.PlanId = 2 ORDER BY RANDOM() LIMIT 1)) INSERT INTO Invoices(companyid,websiteid, paymentmethodid, date,reference,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT 1),(select LogAdded from websites order by id desc limit 1),'99a74137-adf4-4033-a91b-933d91742391','https://pigment.github.io/fake-logos/logos/medium/color/10.png',(select LogAdded from websites order by id desc limit 1)) INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId) VALUES ('Heaney LLC', 'Paid', (timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),4,(SELECT id FROM users ORDER BY RANDOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_templates pt on pt.templateid = t.id where pt.PlanId = 4 ORDER BY RANDOM() LIMIT 1)) INSERT INTO Invoices(companyid,websiteid, paymentmethodid, date,reference,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT 1),(select LogAdded from websites order by id desc limit 1),'722a0335-9d69-4710-bf8c-4d563a1d98de','https://pigment.github.io/fake-logos/logos/medium/color/5.png',(select LogAdded from websites order by id desc limit 1)) INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId) VALUES ('Heller-Kuhic', 'Created', (timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),2,(SELECT id FROM users ORDER BY RANDOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_templates pt on pt.templateid = t.id where pt.PlanId = 2 ORDER BY RANDOM() LIMIT 1))
```

```
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,reference,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT 1),(select LogAdded from websites order by id desc limit 1),'de13ae36-2f28-4fad-9bb7-790046eeaa9','https://pigment.github.io/fake-logos/logos/medium/color/12.png',(select LogAdded from websites order by id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId) VALUES ('Shanahan-Glover', 'Paid', (timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),4,(SELECT id FROM users ORDER BY RANDOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_templates pt on pt.templateid = t.id where pt.PlanId = 4 ORDER BY RANDOM() LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,reference,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT 1),(select LogAdded from websites order by id desc limit 1),'e99349a1-6454-42a8-b017-7c786857c1f2','https://pigment.github.io/fake-logos/logos/medium/color/7.png',(select LogAdded from websites order by id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId) VALUES ('Predovic-Dicki', 'Created', (timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),1,(SELECT id FROM users ORDER BY RANDOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_templates pt on pt.templateid = t.id where pt.PlanId = 1 ORDER BY RANDOM() LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,reference,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT 1),(select LogAdded from websites order by id desc limit 1),'83ffe880-aca0-42dc-ab6a-321607e08898','https://pigment.github.io/fake-logos/logos/medium/color/12.png',(select LogAdded from websites order by id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId) VALUES ('Jakubowski-Anderson', 'In progress', (timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),4,(SELECT id FROM users ORDER BY RANDOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_templates pt on pt.templateid = t.id where pt.PlanId = 4 ORDER BY RANDOM() LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,reference,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT 1),(select LogAdded from websites order by id desc limit 1),'49e09ec6-f4c1-42b9-a027-c686a7c7c11a','https://pigment.github.io/fake-logos/logos/medium/color/11.png',(select LogAdded from websites order by id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId) VALUES ('Kessler and Sons', 'In progress', (timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp '2021-12-10 10:00:00')),2,(SELECT id FROM users ORDER BY RANDOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_templates pt on pt.templateid = t.id where pt.PlanId = 2 ORDER BY RANDOM() LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,reference,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id
```



```
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'6e12c55c-
7e8d-4b63-a3ae-f3d24cb5dd0a','https://pigment.github.io/fake-
logos/logos/medium/color/7.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Harris, Towne and Steuber', 'In progress',
(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20
20:00:00' - timestamp '2021-12-10 10:00:00')),6,(SELECT id FROM users
ORDER BY RANDOM() LIMIT 1),(SELECT t.id FROM Templates t inner join
plans_templates pt on pt.templateid = t.id where pt.PlanId = 6 ORDER BY
RANDOM() LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-
ence,qrCode,LogAdded) VALUES (1,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'0b540b71-
562b-4a5a-909d-7f778d658231','https://pigment.github.io/fake-
logos/logos/medium/color/3.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Carter and Sons', 'Paid', (timestamp '2021-02-10
20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),3,(SELECT id FROM users ORDER BY RANDOM() LIMIT
1),(SELECT t.id FROM Templates t inner join plans_templates pt on
pt.templateid = t.id where pt.PlanId = 3 ORDER BY RANDOM() LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-
ence,qrCode,LogAdded) VALUES (1,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'8eb4a4c4-
3af0-4289-8b42-a3a604313560','https://pigment.github.io/fake-
logos/logos/medium/color/4.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Veum-O''Reilly', 'In progress', (timestamp
'2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),1,(SELECT id FROM users ORDER BY RAN-
DOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_tem-
plates pt on pt.templateid = t.id where pt.PlanId = 1 ORDER BY RANDOM()
LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-
ence,qrCode,LogAdded) VALUES (1,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'7cb746af-
6493-4d14-92bb-da173da4e03f','https://pigment.github.io/fake-
logos/logos/medium/color/9.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Roob LLC', 'Created', (timestamp '2021-02-10
20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),1,(SELECT id FROM users ORDER BY RANDOM() LIMIT
1),(SELECT t.id FROM Templates t inner join plans_templates pt on
pt.templateid = t.id where pt.PlanId = 1 ORDER BY RANDOM() LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-
ence,qrCode,LogAdded) VALUES (1,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'d9fdc2bc-
```

```
58bd-4201-9ba9-02603c72da3e','https://pigment.github.io/fake-  
logos/logos/medium/color/3.png',(select LogAdded from websites order by  
id desc limit 1))  
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)  
VALUES ('Ankunding, Willms and Hermiston', 'In progress',  
(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20  
20:00:00' - timestamp '2021-12-10 10:00:00')),4,(SELECT id FROM users  
ORDER BY RANDOM() LIMIT 1),(SELECT t.id FROM Templates t inner join  
plans_templates pt on pt.templateid = t.id where pt.PlanId = 4 ORDER BY  
RANDOM() LIMIT 1))  
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-  
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id  
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT  
1),(select LogAdded from websites order by id desc limit 1),'83fb4a16-  
433d-4ac2-be5c-bee5826dd10d','https://pigment.github.io/fake-  
logos/logos/medium/color/10.png',(select LogAdded from websites order  
by id desc limit 1))  
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)  
VALUES ('Daniel LLC', 'In progress', (timestamp '2021-02-  
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp  
'2021-12-10 10:00:00')),1,(SELECT id FROM users ORDER BY RANDOM() LIMIT  
1),(SELECT t.id FROM Templates t inner join plans_templates pt on  
pt.templateid = t.id where pt.PlanId = 1 ORDER BY RANDOM() LIMIT 1))  
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-  
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id  
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT  
1),(select LogAdded from websites order by id desc limit 1),'517a76be-  
e910-468e-b3dc-ff9b036086c8','https://pigment.github.io/fake-  
logos/logos/medium/color/3.png',(select LogAdded from websites order by  
id desc limit 1))  
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)  
VALUES ('Kling and Sons', 'Created', (timestamp '2021-02-  
10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp  
'2021-12-10 10:00:00')),2,(SELECT id FROM users ORDER BY RANDOM() LIMIT  
1),(SELECT t.id FROM Templates t inner join plans_templates pt on  
pt.templateid = t.id where pt.PlanId = 2 ORDER BY RANDOM() LIMIT 1))  
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-  
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id  
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT  
1),(select LogAdded from websites order by id desc limit 1),'72f0ff41-  
e275-451f-a356-d9239a9179a2','https://pigment.github.io/fake-  
logos/logos/medium/color/5.png',(select LogAdded from websites order by  
id desc limit 1))  
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)  
VALUES ('O'Reilly Group', 'In progress', (timestamp  
'2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -  
timestamp '2021-12-10 10:00:00')),1,(SELECT id FROM users ORDER BY RAN-  
DOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_tem-  
plates pt on pt.templateid = t.id where pt.PlanId = 1 ORDER BY RANDOM()  
LIMIT 1))  
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-  
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id  
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT  
1),(select LogAdded from websites order by id desc limit 1),'5ce5d000-  
0043-4d69-8250-52bfba4b6387','https://pigment.github.io/fake-
```



```
logos/logos/medium/color/7.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Gibson-Kirlin', 'Paid', (timestamp '2021-02-10
20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),2,(SELECT id FROM users ORDER BY RANDOM() LIMIT
1),(SELECT t.id FROM Templates t inner join plans_templates pt on
pt.templateid = t.id where pt.PlanId = 2 ORDER BY RANDOM() LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'4d9fa91f-
9f74-4d83-9c07-332705543a61','https://pigment.github.io/fake-
logos/logos/medium/color/6.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Denesik Group', 'In progress', (timestamp '2021-
02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),3,(SELECT id FROM users ORDER BY RAN-
DOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_tem-
plates pt on pt.templateid = t.id where pt.PlanId = 3 ORDER BY RANDOM()
LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'6b498830-
9b1e-40f4-972c-89257e77eef6','https://pigment.github.io/fake-
logos/logos/medium/color/9.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Hahn, Aufderhar and White', 'Created',
(timestamp '2021-02-10 20:00:00' + random() * (timestamp '2021-01-20
20:00:00' - timestamp '2021-12-10 10:00:00')),2,(SELECT id FROM users
ORDER BY RANDOM() LIMIT 1),(SELECT t.id FROM Templates t inner join
plans_templates pt on pt.templateid = t.id where pt.PlanId = 2 ORDER BY
RANDOM() LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'ccb6d699-
f473-45d0-a0d3-ad1a14d34780','https://pigment.github.io/fake-
logos/logos/medium/color/9.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Brown, Hagenes and Brekke', 'Paid', (timestamp
'2021-02-10 20:00:00' + random() * (timestamp '2021-01-20 20:00:00' -
timestamp '2021-12-10 10:00:00')),6,(SELECT id FROM users ORDER BY RAN-
DOM() LIMIT 1),(SELECT t.id FROM Templates t inner join plans_tem-
plates pt on pt.templateid = t.id where pt.PlanId = 6 ORDER BY RANDOM()
LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'f40e32d8-
8bfb-4608-85f6-e7a2acefadb2','https://pigment.github.io/fake-
```

```
logos/logos/medium/color/5.png',(select LogAdded from websites order by
id desc limit 1))
INSERT INTO websites(Name, Status,LogAdded,PlanId,UserId, TemplateId)
VALUES ('Turner Inc', 'Paid', (timestamp '2021-02-10
20:00:00' + random() * (timestamp '2021-01-20 20:00:00' - timestamp
'2021-12-10 10:00:00')),4,(SELECT id FROM users ORDER BY RANDOM() LIMIT
1),(SELECT t.id FROM Templates t inner join plans_templates pt on
pt.templateid = t.id where pt.PlanId = 4 ORDER BY RANDOM() LIMIT 1))
INSERT INTO Invoices(companyid,websiteId, paymentmethodId, date,refer-
ence,qrCode,LogAdded) VALUES (1 ,(select id from websites order by id
desc limit 1),(SELECT id FROM PaymentMethods ORDER BY RANDOM() LIMIT
1),(select LogAdded from websites order by id desc limit 1),'ad99b0eb-
d82e-412d-89ce-1d7436153f26','https://pigment.github.io/fake-
logos/logos/medium/color/10.png',(select LogAdded from websites order
by id desc limit 1))
```

## 13 Conclusão

Embora este projeto tenha sido feito como o trabalho final para a cadeira de Armazenamento e Acesso a Dados, acreditamos firmemente que a nossa base de dados poderá ser utilizada, mediante alguns ajustes e evoluções, em contexto real.

Durante a realização deste projeto, todos nós aprendemos mais sobre modelagem de base de dados e como poderá ser implementada uma base de dados em situações empresariais.

Acreditamos também que todos nós ganhamos mais experiência com a linguagem SQL, tanto na criação da base de dados, como na manipulação dos dados, através de queries, views, functions e procedures.

Acima de tudo, durante a realização deste projeto, todos nós trabalhamos arduamente e acredito que demos o nosso máximo.