

# Reproducible Research Peer Assessment 1

## Loading and preprocessing the data

```
data <- read.csv(unz("activity.zip", "activity.csv"))  
data_unaltered <- read.csv(unz("activity.zip", "activity.csv"))  
data_type<-as.Date(data$date, "%Y-%m-%d")  
data$time_type <- data_type  
  
newdata<- data[complete.cases(data),]
```

## What is mean total number of steps taken per day?

```
totalstepsperday <- aggregate(newdata$steps,by=list(newdata$time_type),FUN=sum)  
meantotalperday <-aggregate(newdata$steps,by=list(newdata$time_type),FUN=mean)  
  
meanperday <-mean(totalstepsperday$x)  
meanperday
```

```
## [1] 10766.19
```

```
medianperday <- median(totalstepsperday$x)  
medianperday
```

```
## [1] 10765
```


```
val<- as.character(meanperday)  
val2 <- medianperday
```

the mean is 10766.1886792453 the median is 10765

The histogram

```
hist(totalstepsperday$x,xlab="Steps per day")
```

## Histogram of totalstepsperday\$x



```
mediantotalperday <-aggregate(newdata$steps,by=list(newdata$time_type),FUN=median)


newdata2 <-meantotalperday
newdata2$median <- mediantotalperday$x
colnames(newdata2)[2]<-"Meantotalperday"
colnames(newdata2)[1]<-"Date"
print(newdata2)
```

```
##           Date Meantotalperday median
## 1  2012-10-02      0.4375000      0
## 2  2012-10-03     39.4166667      0
## 3  2012-10-04     42.0694444      0
## 4  2012-10-05     46.1597222      0
## 5  2012-10-06     53.5416667      0
## 6  2012-10-07     38.2465278      0
## 7  2012-10-09     44.4826389      0
## 8  2012-10-10     34.3750000      0
## 9  2012-10-11     35.7777778      0
## 10 2012-10-12     60.3541667      0
## 11 2012-10-13     43.1458333      0
## 12 2012-10-14     52.4236111      0
## 13 2012-10-15     35.2048611      0
## 14 2012-10-16     52.3750000      0
## 15 2012-10-17     46.7083333      0
## 16 2012-10-18     34.9166667      0
```

## 17	2012-10-19	41.0729167	0
## 18	2012-10-20	36.0937500	0
## 19	2012-10-21	30.6284722	0
## 20	2012-10-22	46.7361111	0
## 21	2012-10-23	30.9652778	0
## 22	2012-10-24	29.0104167	0
## 23	2012-10-25	8.6527778	0
## 24	2012-10-26	23.5347222	0
## 25	2012-10-27	35.1354167	0
## 26	2012-10-28	39.7847222	0
## 27	2012-10-29	17.4236111	0
## 28	2012-10-30	34.0937500	0
## 29	2012-10-31	53.5208333	0
## 30	2012-11-02	36.8055556	0
## 31	2012-11-03	36.7048611	0
## 32	2012-11-05	36.2465278	0
## 33	2012-11-06	28.9375000	0
## 34	2012-11-07	44.7326389	0
## 35	2012-11-08	11.1770833	0
## 36	2012-11-11	43.7777778	0
## 37	2012-11-12	37.3784722	0
## 38	2012-11-13	25.4722222	0
## 39	2012-11-15	0.1423611	0
## 40	2012-11-16	18.8923611	0
## 41	2012-11-17	49.7881944	0
## 42	2012-11-18	52.4652778	0
## 43	2012-11-19	30.6979167	0
## 44	2012-11-20	15.5277778	0
## 45	2012-11-21	44.3993056	0
## 46	2012-11-22	70.9270833	0
## 47	2012-11-23	73.5902778	0
## 48	2012-11-24	50.2708333	0
## 49	2012-11-25	41.0902778	0
## 50	2012-11-26	38.7569444	0
## 51	2012-11-27	47.3819444	0
## 52	2012-11-28	35.3576389	0
## 53	2012-11-29	24.4687500	0

What is the average daily activity pattern?

```
averagenumberofstpes<-aggregate(newdata$steps,by=list(newdata$interval),FUN=mean)
plot(averagenumberofstpes$Group.1,averagenumberofstpes$x,xlab="interval",ylab="AverageNumberofSteps",ty
```



```
interval<-averagenumberofstpes[averagenumberofstpes$x==max(averagenumberofstpes$x),]$Group.1
print(interval)
```

```
## [1] 835
```


## Imputing missing values

```
newdata3<- data[!complete.cases(data),]
missingrows<-nrow(newdata3)
print(missingrows)
```

```
## [1] 2304
```

```
data[!complete.cases(data),]$steps=1
totalstepsperday2 <- aggregate(data$steps,by=list(data$time_type),FUN=sum)
meantotalperday2 <-aggregate(data$steps,by=list(data$time_type),FUN=mean)
hist(totalstepsperday2$x,xlab="Steps per day")
```

## Histogram of totalstepsperday2\$x



```
mediantotalperday2 <-aggregate(data$steps,by=list(data$time_type),FUN=median)
```

```
newdata5 <-meantotalperday2
newdata5$median <- mediantotalperday2$x
colnames(newdata5)[2]<-"Meantotalperday"
colnames(newdata5)[1]<-"Date"
print(newdata5)
```

```
##           Date Meantotalperday median
## 1  2012-10-01      1.0000000      1
## 2  2012-10-02      0.4375000      0
## 3  2012-10-03     39.4166667      0
## 4  2012-10-04     42.0694444      0
## 5  2012-10-05     46.1597222      0
## 6  2012-10-06     53.5416667      0
## 7  2012-10-07     38.2465278      0
## 8  2012-10-08      1.0000000      1
## 9  2012-10-09     44.4826389      0
## 10 2012-10-10     34.3750000      0
## 11 2012-10-11     35.7777778      0
## 12 2012-10-12     60.3541667      0
## 13 2012-10-13     43.1458333      0
## 14 2012-10-14     52.4236111      0
```

## 15	2012-10-15	35.2048611	0
## 16	2012-10-16	52.3750000	0
## 17	2012-10-17	46.7083333	0
## 18	2012-10-18	34.9166667	0
## 19	2012-10-19	41.0729167	0
## 20	2012-10-20	36.0937500	0
## 21	2012-10-21	30.6284722	0
## 22	2012-10-22	46.7361111	0
## 23	2012-10-23	30.9652778	0
## 24	2012-10-24	29.0104167	0
## 25	2012-10-25	8.6527778	0
## 26	2012-10-26	23.5347222	0
## 27	2012-10-27	35.1354167	0
## 28	2012-10-28	39.7847222	0
## 29	2012-10-29	17.4236111	0
## 30	2012-10-30	34.0937500	0
## 31	2012-10-31	53.5208333	0
## 32	2012-11-01	1.0000000	1
## 33	2012-11-02	36.8055556	0
## 34	2012-11-03	36.7048611	0
## 35	2012-11-04	1.0000000	1
## 36	2012-11-05	36.2465278	0
## 37	2012-11-06	28.9375000	0
## 38	2012-11-07	44.7326389	0
## 39	2012-11-08	11.1770833	0
## 40	2012-11-09	1.0000000	1
## 41	2012-11-10	1.0000000	1
## 42	2012-11-11	43.7777778	0
## 43	2012-11-12	37.3784722	0
## 44	2012-11-13	25.4722222	0
## 45	2012-11-14	1.0000000	1
## 46	2012-11-15	0.1423611	0
## 47	2012-11-16	18.8923611	0
## 48	2012-11-17	49.7881944	0
## 49	2012-11-18	52.4652778	0
## 50	2012-11-19	30.6979167	0
## 51	2012-11-20	15.5277778	0
## 52	2012-11-21	44.3993056	0
## 53	2012-11-22	70.9270833	0
## 54	2012-11-23	73.5902778	0
## 55	2012-11-24	50.2708333	0
## 56	2012-11-25	41.0902778	0
## 57	2012-11-26	38.7569444	0
## 58	2012-11-27	47.3819444	0
## 59	2012-11-28	35.3576389	0
## 60	2012-11-29	24.4687500	0
## 61	2012-11-30	1.0000000	1

As can be seen in the histogram graph, the profiles change significantly between the first and second histogram. for the mean values, the difference is not so large FOr the median value, it shows in the table that it takes the value of the replacement

Are there differences in activity patterns between weekdays and weekends?


```
dataWorWeekend <-c("Weekend","Week","Week","Week","Week","Week","Weekend")[as.POSIXlt(data$time_type)$yday]

data$dataWorWeekend <- dataWorWeekend
meantotalstepperday3 <-aggregate(data$steps,by=list(data$time_type,data$dataWorWeekend,data$interval),FUN=mean)

f <- factor(meantotalstepperday3$Group.2,labels=c("weekend","weekday"))

library(lattice)

xyplot(meantotalstepperday3$x ~ meantotalstepperday3$Group.3 | f, layout=c(1,2),type='l')
```



As seen from the graph, there is a slight difference between the average number of steps between the weekday and the weekend.