

Optimization and Decision Support Methodologies 1st Assessment Test

Date: November 19, 2021 Duration: 1h 30m

Note: <u>Present all</u> the calculations you carry out, as well as any comments, justifications or conclusions you deem appropriate.

1.

Consider the following single-objective linear programming problem:

Maximize
$$z = 2x_1 + x_2 + 4x_3$$

subject to
$$2x_1 + 3x_2 + x_3 \le 6$$
 (1)
$$3x_1 + x_2 + 3x_3 \le 10$$
 (2)
$$x_1 \ge 0, x_2 \ge 0, x_3 \ge 0$$

Considering x_4 and x_5 the slack variables of the functional constraints (1) and (2) respectively, the *simplex* optimal tableau is:

	Ci	2	1	4	0	0	
ХВ	$_{CB}\setminus \mathbf{x_{i}}$	X 1	X 2	X 3	X 4	X 5	b
X 4	0	1	8/3	0	1	-1/3	8/3
X ₃	4	1	1/3	1	0	1/3	10/3
zj-cj		2	1/3	0	0	4/3	40/3

- **a)** Determine, by carrying out a <u>post-optimization</u> study, what are the implications for the optimal solution presented (in terms of the values of x* and z*), resulting from the following changes:
 - i) Introduction of a new variable \mathbf{x}_{NEW} , with coefficients in the constraints equal to $\begin{bmatrix} -1 \\ -3 \end{bmatrix}$ and coefficient 3 in the objective function;
 - ii) Alteration of the coefficients of variable \mathbf{x}_3 in the constraints from $\begin{bmatrix} 1 \\ 3 \end{bmatrix}$ to $\begin{bmatrix} 3 \\ 1 \end{bmatrix}$.
- **b)** Determine, by carrying out a <u>sensitivity analysis</u> study, for which interval of b_2 (independent term of the 2^{nd} constraint) the optimal basis presented above will remain optimal.
- c) Suppose that x₁, x₂ and x₃ represent the number of tons of ration of type 1, type 2 and type 3, respectively, to be produced monthly by a given animal ration factory. Moreover, suppose that z represents the monthly profit, expressed in thousands of euros, that results from the sale of these rations (knowing that everything the factory produces, sells). Assuming that the constraint parameters are not subject to changes, specify under what conditions would it be advantageous for the factory to produce ration of type 2.



Now consider the following pure integer linear programming problem:

Maximize
$$z = x_1 + x_2$$

subject to
 $3x_1 + x_2 \le 8$ (1)
 $x_1 + 2x_2 \le 9$ (2)
 $x_1 \ge 0, x_2 \ge 0$
 x_1 and x_2 integer

Considering x_3 and x_4 the slack variables of the functional constraints (1) and (2) respectively, suppose that the Gomory algorithm was applied to this same problem and that at the end of the 1st step, the following optimal tableau was obtained:

	Ci	1	1	0	0	
ХВ	$_{CB}\setminus \mathbf{x_{i}}$	X 1	X 2	X 3	X 4	b
X ₁	1	1	0	2/5	-1/5	7/5
X ₂	1	0	1	-1/5	3/5	19/5
zj-cj		0	0	1/5	2/5	26/5

- **a)** Draw your conclusions and, if necessary, proceed with the 2nd step of the aforementioned algorithm, to solve the problem presented above;
- **b)** Graphically interpret the resolution of the previous paragraph.

Formulas

· Post-optimization and sensitivity analysis

$$X_B^{*} = B^{-1}b$$

$$\widetilde{X}_B = B^{-1}\widetilde{b}$$

$$\tilde{X}_f = B^{-1}\tilde{P}_f$$

$$\tilde{X}_f = B^{-1}\tilde{P}_f$$

• Pure integer linear programming

$$\sum_{j \notin I_B} f_{sj} x_j \ge f_{s0}$$