Gestiónde MetasCultura2030-426689700 Documentation

Generated at:
10/21/2026, 12:03:34 PM



Gestión de Metas Cultura 2030

Sistema de seguimiento y monitoreos de metas y actividades para la Secretaría de Cultura de Guanajauto

Esta aplicación esta diseñada para centralizar y auditar el cumplimiento de los indicadores y metas isntitucionales. Facilita el registro de actividades culturales en el estado, permitiendo una visualización clara del avance hacia los objetivos de la agenda 2030, mejorando la toma de decisiones y la transparencia en la gestión pública.

Data Summary	23 Tables 243 Columns 0 Slices
UX Summary	51 Views 0 Format Rules
Behavior Summary	89 Actions 0 Workflow Rules

Short Name	Gestión de Metas Cultura 2030
Short Description	Sistema de seguimiento y monitoreos de metas y actividades para la Secretaría de Cultura de Guanajauto
Description	Esta aplicación esta diseñada para centralizar y auditar el cumplimiento de los indicadores y metas isntitucionales. Facilita el registro de actividades culturales en el estado, permitiendo una visualización clara del avance hacia los objetivos de la agenda 2030, mejorando la toma de decisiones y la transparencia en la gestión pública.
Version	1.000428

Default app folder	/appsheet/data/GestióndeMetasCultura2030-426689700
Category	Professional Solution
Function	Field_Service
Industry	Government
Runnable?	Yes
Deployable?	Yes
Personal use only?	No

Data

Tables

Table name Registro_Actividades

Table name	Registro_Actividades
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Registro_Actividades_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Registro_Actividades
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name _Per User Settings

Table name	_Per User Settings
Visible?	NEVER
Shared?	No
Data locale	es-ES
Schema	_Per User Settings_Schema
Are updates allowed?	UPDATES_ONLY
Source Path	_Per User Settings
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Registro_Poblacion

Table name	Registro_Poblacion
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Registro_Poblacion_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Registro_Poblacion
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Registro_Territorio

Table name	Registro_Territorio
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Registro_Territorio_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Registro_Territorio
Data Source	google

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Tipo_Actividad

Table name	Cat_Tipo_Actividad
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Tipo_Actividad_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Tipo_Actividad
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Grupo_Etario

Table name	Cat_Grupo_Etario
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Grupo_Etario_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1

Worksheet Name/Qualifier	Cat_Grupo_Etario
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Formato

Table name	Cat_Formato
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Formato_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Formato
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Municipio

Table name	Cat_Municipio
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Municipio_Schema

Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Municipio
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Tipo_Asentamiento

Table name	Cat_Tipo_Asentamiento
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Tipo_Asentamiento_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Tipo_Asentamiento
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Grupo_Prioritario

Table name	Cat_Grupo_Prioritario
Visible?	ALWAYS
Shared?	Yes

Data locale	es-ES
Schema	Cat_Grupo_Prioritario_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Grupo_Prioritario
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Costo

Table name	Cat_Costo
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Costo_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Costo
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Tipo_Espacio

Table name	Cat_Tipo_Espacio

Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Tipo_Espacio_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Tipo_Espacio
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Genero

Table name	Cat_Genero
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Genero_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Genero
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Indicadores

Table name	Cat_Indicadores
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Indicadores_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Indicadores
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Alineacion

Table name	Cat_Alineacion
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Alineacion_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Alineacion
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Disciplina

Table name	Cat_Disciplina
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Disciplina_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Disciplina
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Comunidades

Table name	Cat_Comunidades
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Comunidades_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Comunidades
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many worksheets?	No

Table name Cat_Enfoque

Table name	Cat_Enfoque
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Enfoque_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Enfoque
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Actividades

Table name	Cat_Actividades
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Actividades_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Actividades
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Regitro_Evidencia

Table name	Regitro_Evidencia
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Regitro_Evidencia_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Regitro_Evidencia
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Agentes_Culturales

Table name	Cat_Agentes_Culturales
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Agentes_Culturales_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Agentes_Culturales
Data Source	google

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Recintos

Table name	Cat_Recintos
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Recintos_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1
Worksheet Name/Qualifier	Cat_Recintos
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cat_Comunidades_Limpio

Table name	Cat_Comunidades_Limpio
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	Cat_Comunidades_Limpio_Schema
Are updates allowed?	ALL_CHANGES
Source Path	DB_Sistema_Cultura_GTO_V1

Worksheet Name/Qualifier	Cat_Comunidades_Limpio
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Columns

Schema Name _Per User Settings_Schema

Schema Name	_Per User Settings_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: _EMAIL

Column name	_EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USEREMAIL()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: _NAME

Column name	_NAME

Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USERNAME()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 4: _LOCATION

Column name	_LOCATION
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Options Heading

Column name	Options Heading
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"\"These options control the content and behavior of the app\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No

Sensitive data	No

Column 6: Option 1

Column name	Option 1
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Option 2

Column name	Option 2
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Country Option

Column name	Country Option
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Australia","Brazil","Canada"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Language Option

Column name	Language Option
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["English","French","Tamil","Spanish"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Option 5

Column name	Option 5
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Option 6

Column name	Option 6
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Option 7

Column name	Option 7
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Option 8

Column name	Option 8
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No

Scannable	No
Sensitive data	No

Column 14: Option 9

Column name	Option 9
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 15: _THISUSER

Column name	_THISUSER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	onlyvalue
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Registro_Actividades_Schema

Schema Name	Registro_Actividades_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Actividad

Column name	ID_Actividad
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=CONCATENATE("ACT-SC", INDEX(LIST("A","B","C","D","E","F","G","H","I","J","K","L","M","N","O","P","Q","R","S","T","U","V","W","X","Y","Z"), RANDBETWEEN(1, 26)), INDEX(LIST("A","B","C","D","E","F","G","H","I","J","K","L","M","N","O","P","Q","R","S","T","U","V","W","X","Y","Z"), RANDBETWEEN(1, 26)), RIGHT("00000" & RANDBETWEEN(1, 99999), 5))

System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Folio

Column name	Folio
Visible?	ALWAYS
Display name	=Folio
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	="SC-" & TEXT(NOW(), "YYMMDD-HHMMSS")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes

Scannable	No
Sensitive data	No

Column 4: Fecha_Captura

Column name	Fecha_Captura
Visible?	ALWAYS
Display name	=Fecha de Captura
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Clave_Proceso

Column name	Clave_Proceso
Visible?	ALWAYS
Display name	="Clave del Proyecto / Proceso"

Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Alineacion","ReferencedRootTableName":"Cat_Alineacion","ReferencedType":"Number","ReferencedTypeQualifier":"{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Alineacion","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Clave_Proceso_Txt

Column name	Clave_Proceso_Txt
Visible?	ALWAYS
Display name	="Clave del Proceso"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":"=ISNOTBLANK([Meta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Clave_Proceso].[Clave_Proceso]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Meta

Column name	Meta
Visible?	ALWAYS
Display name	="Nombre del Proyecto"
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Meta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Clave_Proceso].[Meta]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Nombre_Meta

Column name	Nombre_Meta
Visible?	ALWAYS
Display name	="Descripción de la Meta"
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nombre_Meta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Clave_Proceso].[Nombre_Meta]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes

Scannable	No
Sensitive data	No

Column 9: Area

Column name	Area
Visible?	ALWAYS
Display name	="Subsecretaría"
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Clave_Proceso])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Clave_Proceso].[Area]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Direccion

Column name	Direccion
Visible?	ALWAYS
Display name	="Dirección Responsable"

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Direccion])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Clave_Proceso].[Direccion]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Unidad_Medida

Column name	Unidad_Medida
Visible?	ALWAYS
Display name	=Unidad de Medida
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Unidad_Medida])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Clave_Proceso].[Unidad_Medida]
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Meta_Anual

Column name	Meta_Anual
Visible?	ALWAYS
Display name	=Meta Anual
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Meta_Anual])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Clave_Proceso].[Meta_Anual]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Enfoque_Actividad

Column name	Enfoque_Actividad
Visible?	ALWAYS
Display name	=Enfoque de la Actividad
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Enfoque","ReferencedRootTableName":"Cat_Enfoque","ReferencedType":"Text","ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Enfoque_Actividad","IsAPartOf":false,"RelationshipName":null,"InputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES

Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Nombre_Actividad

Column name	Nombre_Actividad
Visible?	ALWAYS
Display name	="Indica el Nombre de la Actividad/Programa/Proyecto"
Type	Enum
Type Qualifier	{"EnumValues":["Exposición temporal","Exposición permanente"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=SORT(UNIQUE(Registro_Actividades[Nombre_Actividad] + LIST(\"Exposición temporal\", \"Exposición permanente\")))"}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No

Sensitive data	No

Column 15: Descripcion_Breve

Column name	Descripcion_Breve
Visible?	ALWAYS
Display name	=Descripción Breve
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Temporalidad

Column name	Temporalidad
Visible?	ALWAYS
Display name	="Frecuencia de la actividad"
Type	Enum
Type Qualifier	{"EnumValues": ["Única","Diaria","Semanal","Mensual","Anual","Otras"],"AllowOtherVa

	lues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Única"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Fecha_Inicio

Column name	Fecha_Inicio
Visible?	ALWAYS
Display name	="Fecha de inicio (o evento único)"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":"","Error_Message_If_Invalid":"","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Fecha_Fin

Column name	Fecha_Fin
Visible?	ALWAYS
Display name	="Fecha de término"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":"=[_THIS] >= [Fecha_Inicio]","Error_Message_If_Invalid":"=\"¡Ojo! La fecha de término no puede ser anterior a la fecha de inicio.\"","Show_If":"=[Temporalidad] <> \"Única\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[Fecha_Inicio]
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Total_Sesiones

Column name	Total_Sesiones
Visible?	ALWAYS
Display name	="Número total de sesiones o clases impartidas"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Temporalidad] <> \"Única\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=1
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No

Scannable	No
Sensitive data	No

Column 20: Disciplina

Column name	Disciplina
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=ANY(SELECT(Cat_Disciplina[Disciplina], TRIM([Subdisciplina]) = TRIM([_THISROW].[Subdisciplina])))
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: Subdisciplina

Column name	Subdisciplina
Visible?	ALWAYS
Type	Enum

	{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":"=UNIQUE(Cat_Disciplina[Subdisciplina])","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":""}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: Tipo_Actividad

Column name	Tipo_Actividad
Visible?	ALWAYS
Display name	=Tipo de Actividad
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Tipo_Actividad","ReferencedRootTableName":"Cat_Tipo_Actividad","ReferencedType":"Text","ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"P

	lain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Tipo_Actividad","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: Proceso_Institucional

Column name	Proceso_Institucional
Visible?	ALWAYS
Display name	=Etapa del Proceso
Type	Enum
Type Qualifier	{"EnumValues":["Convocatoria","Dictaminación","Entrega de estímulos","Evaluación","Ninguna"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":

	null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=UNIQUE(Cat_Disciplina[Proceso_Institucional])"}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Formato

Column name	Formato
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Formato","ReferencedRootTableName":"Cat_Formato","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Formato","IsAPartOf":false,"RelationshipName":null,"InputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Tipo_Espacio

Column name	Tipo_Espacio
Visible?	ALWAYS
Display name	=Tipo de Espacio
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Tipo_Espacio","ReferencedRootTableName":"Cat_Tipo_Espacio","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Tipo_Espacio","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: Nombre_Espacio

Column name	Nombre_Espacio
Visible?	ALWAYS
Display name	=Nombre del Espacio
Type	EnumList
Type Qualifier	{"ItemSeparator":null,"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=NOT(IN([Tipo_Espacio], {\"Espacio Público\", \"Espacio Privado\"}))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=SELECT(Cat_Recintos[Nombre_Recinto], [Tipo_Espacio] = [_THISROW].[Tipo_Espacio])"}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: Especifique_Espacio

Column name	Especifique_Espacio
Visible?	ALWAYS
Display name	="Nombre del Espacio"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=IN([Tipo_Espacio], {\"Espacio Público\", \"Espacio Privado\"})","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES

Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: Foto_Evidencia

Column name	Foto_Evidencia
Visible?	ALWAYS
Display name	=Foto de la Evidencia
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Genera_Ingresos

Column name	Genera_Ingresos
Visible?	ALWAYS
Display name	=Genera Ingresos
Type	Yes/No

Type Qualifier	{"YesLabel":"=Si","NoLabel":"=No","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 30: Monto_Ingreso

Column name	Monto_Ingreso
Visible?	ALWAYS
Display name	=Monto de Ingreso Generado
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":0,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Genera_Ingresos] = TRUE","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: Agentes_Con_Contrato

Column name	Agentes_Con_Contrato
Visible?	ALWAYS
Display name	=Agentes Con Contrato
Type	Yes/No
Type Qualifier	{"YesLabel":"=Si","NoLabel":"=No","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: Cantidad_Agentes

Column name	Cantidad_Agentes
Visible?	ALWAYS
Display name	=¿Cuantos agentes con contrato?
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Agentes_Con_Contrato] = TRUE","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 33: Registros_INDAUTOR

Column name	Registros_INDAUTOR
Visible?	ALWAYS
Display name	=Registros INDAUTOR
Type	Yes/No
Type Qualifier	{"YesLabel":"=Si","NoLabel":"=No","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset

	_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: Folio_INDAUTOR

Column name	Folio_INDAUTOR
Visible?	ALWAYS
Display name	=Folio o Número de Registro INDAUTOR
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Registros_INDAUTOR] = TRUE","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: Costo

Column name	Costo
Visible?	ALWAYS
Display name	=¿Genera costo para el ciudadano?
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Costo","ReferencedRootTableName":"Cat_Costo","ReferencedType":"Text","ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Costo","IsAPartOf":false,"RelationshipName":null,"InputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: Costo_Minimo

Column name	Costo_Minimo
Visible?	ALWAYS
Display name	="Tarifa mínima (o general)"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Costo] = \"Con costo\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 37: Costo_Maximo

Column name	Costo_Maximo
Visible?	ALWAYS
Display name	="Tarifa máxima"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"=[_THIS] >= [Costo_Minimo]","Error_Message_If_Invalid":null,"Show_If":"=[Costo] = \"Con costo\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: Detalle_Tarifas

Column name	Detalle_Tarifas
Visible?	ALWAYS
Display name	="Desglose de precios (Ej: General $100, Niños $50, VIP $300)"
Type	Enum

Type Qualifier	{"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=[Costo] = \"Con costo\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=Registro_Actividades[Detalle_Tarifas]"}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: Usuario_Registra

Column name	Usuario_Registra
Visible?	ALWAYS
Display name	=Usuario que Registra
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	Yes

Column 40: Promesa_NC

Column name	Promesa_NC
Visible?	ALWAYS
Display name	=Promesa Nuevo Comienzo
Type	Enum
Type Qualifier	{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":"=UNIQUE(Cat_Alineacion[Promesa_NC])","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: Eje_PG

Column name	Eje_PG
Visible?	ALWAYS
Display name	=Eje de Gobierno
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=ANY(SELECT(Cat_Alineacion[Eje_PG], [Acciones_PG] = [_THISROW].[Acciones_PG]))
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: Objetivo_PG

Column name	Objetivo_PG
Visible?	ALWAYS
Display name	=Objetivo de Gobierno
Type	Enum
Type Qualifier	{"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":"=UNIQUE(Cat_Alineacion[Objetivo_PG])","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=ANY(SELECT(Cat_Alineacion[Objetivo_PG], [Acciones_PG] = [_THISROW].[Acciones_PG]))
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: Estrategia_PG

Column name	Estrategia_PG
Visible?	ALWAYS
Display name	=Estrategia de Gobierno
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=ANY(SELECT(Cat_Alineacion[Estrategia_PG], [Acciones_PG] = [_THISROW].[Acciones_PG]))
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 44: Acciones_PG

Column name	Acciones_PG
Visible?	ALWAYS
Display name	=“Acción del Programa de Gobierno”
Type	Enum
Type Qualifier	{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":"=Cat_Alineacion[Acciones_PG]","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 45: Eje_Tranversal_PEC

Column name	Eje_Tranversal_PEC
Visible?	ALWAYS
Display name	=Eje Tranversal de Programa Estatal de Cultura

Type	Enum
Type Qualifier	{"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Stack","Valid_If":"=SELECT(Cat_Alineacion[Eje_Tranversal_PEC], TRUE)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: Enfoque_Accion

Column name	Enfoque_Accion
Visible?	ALWAYS
Display name	="Enfoque de la acción (Grupo Prioritario)"
Type	Enum
Type Qualifier	{"EnumValues":["Opciones"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"

	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":"=Cat_Grupo_Prioritario[Grupo_Prioritario]","Error_Message_If_Invalid":null,"Show_If":"=[Eje_Tranversal_PEC] = \"Inclusión\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: Linea_PEC

Column name	Linea_PEC
Visible?	ALWAYS
Display name	=Línea Programa Estatal de Cultura
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=ANY(SELECT(Cat_Alineacion[Linea_PEC], [Acciones_PEC] = [_THISROW].[Acciones_PEC]))

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: Estrategia_PEC

Column name	Estrategia_PEC
Visible?	ALWAYS
Display name	=Estrategia Programa Estatal de Cultura
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=UNIQUE(Cat_Alineacion[Estrategia_PEC])","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=ANY(SELECT(Cat_Alineacion[Estrategia_PEC], [Acciones_PEC] = [_THISROW].[Acciones_PEC]))
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 49: Acciones_PEC

Column name	Acciones_PEC
Visible?	ALWAYS
Display name	=Acción del Programa Estatal de Cultura
Type	Enum
Type Qualifier	{"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":"=SELECT(Cat_Alineacion[Acciones_PEC], TRUE)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: Metas_PEC

Column name	Metas_PEC
Visible?	ALWAYS
Display name	=Meta del Programa
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=ANY(SELECT(Cat_Alineacion[Metas_PEC], [Acciones_PEC] = [_THISROW].[Acciones_PEC]))
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: Actividad

Column name	Actividad
Visible?	ALWAYS
Display name	=Selecciona Actividad
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Actividades","ReferencedRootTableName":"Cat_Actividades","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Actividad","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 52: Categoria_Helper

Column name	Categoria_Helper
Visible?	ALWAYS

Display name	="Clasificación de los Agentes Apoyados o Participantes"
Type	Enum
Type Qualifier	{"EnumValues":["Creación","Formación","Producción","Circulación / Exhibición","Mediación","Gobernanza","Financiamiento","N/A"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 53: Tipo_Proceso_Formacion

Column name	Tipo_Proceso_Formacion
Visible?	ALWAYS
Display name	=Tipo de Proceso Formativo
Type	Enum

Type Qualifier	{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":"=Cat_Actividades[Tipo_Proceso_Formacion]","Error_Message_If_Invalid":null,"Show_If":"=[Categoria_Helper] = \"Formación\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 54: Tipo_Oferta_Formacion

Column name	Tipo_Oferta_Formacion
Visible?	ALWAYS
Display name	=Descripción de la Oferta
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Categoria_Helper] =

	\"Formación\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 55: Tipo_Agente_Apoyado

Column name	Tipo_Agente_Apoyado
Visible?	ALWAYS
Display name	="Agentes Culturales Apoyados o Participantes"
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Agentes_Culturales","ReferencedRootTableName":"Cat_Agentes_Culturales","ReferencedType":"Number","ReferencedTypeQualifier":"{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Agente","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(Cat_Agentes_Culturales[ID_Agente], [Categoria_Principal] = [_THISROW].[Categoria_Helper])","Error_Message_If_Invalid":null,"Show_If":"=IS

	NOTBLANK([Categoria_Helper])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 56: Cantidad_Agente_Apoyado

Column name	Cantidad_Agente_Apoyado
Visible?	ALWAYS
Display name	="¿Cantidad de Agentes Culturales Apoyados o que Participaron?"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Agente_Apoyado])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=0

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 57: Condicion_Agente

Column name	Condicion_Agente
Visible?	ALWAYS
Display name	=Condición del Agente
Type	Enum
Type Qualifier	{"EnumValues":["Nuevo","Apoyado con anterioridad"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":"=SELECT(Cat_Actividades[Condicion_Agente], TRUE)","Error_Message_If_Invalid":null,"Show_If":"=[Cantidad_Agente_Apoyado] > 0","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: Nombre_Agente

Column name	Nombre_Agente
Visible?	ALWAYS
Display name	=IF([Cantidad_Agente_Apoyado] = 1, "Nombre del agente", "Nombres de los agentes (separados por coma)")
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Condicion_Agente])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 59: Con_Apoyo

Column name	Con_Apoyo
Visible?	ALWAYS
Display name	=¿Se entregó algún apoyo?
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Si\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 60: Tipo_Apoyo

Column name	Tipo_Apoyo
Visible?	ALWAYS
Display name	=Tipo de Apoyo Otorgado
Type	Enum
Type Qualifier	{"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain

	Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":"=SELECT(Cat_Actividades[Tipo_Apoyo], TRUE)","Error_Message_If_Invalid":null,"Show_If":"=[Con_Apoyo] = \"True\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 61: Monto_Total_Contratado

Column name	Monto_Total_Contratado
Visible?	ALWAYS
Display name	="Monto Total del Contrato ($)"
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Con_Apoyo] = \"True\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 62: Tipo_Proyecto_Artistico

Column name	Tipo_Proyecto_Artistico
Visible?	ALWAYS
Display name	="Tipo de proyecto artístico o cultural"
Type	Enum
Type Qualifier	{"EnumValues":["Nueva obra","Nueva producción","Nuevo proyecto"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=[Actividad] = \"Entrega de estímulos\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 63: Tipo_Circulacion

Column name	Tipo_Circulacion
Visible?	ALWAYS
Display name	=Lugar de Circulación
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Categoria_Helper] = \"Circulación\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 64: Tipo_Patrimonio

Column name	Tipo_Patrimonio
Visible?	ALWAYS
Display name	=Tipo de Patrimonio
Type	Enum
Type Qualifier	{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":"=SELECT(Cat_Actividades[Tipo_Patrimonio], TRUE)","Error_Message_If_Invalid":null,"Show_If":"= [Categoria_Helper] = \"Patrimonio\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes

Scannable	No
Sensitive data	No

Column 65: Tipo_Convenio

Column name	Tipo_Convenio
Visible?	ALWAYS
Display name	=Escriba el Tipo de Convenio o Colaboración
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Vinculacion_Actores] = \"Sí\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 66: Vinculacion_Actores

Column name	Vinculacion_Actores
Visible?	ALWAYS
Display name	=¿Hubo vinculación con otros actores?
Type	Enum

	{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":"=SELECT(Cat_Actividades[Vinculacion_Actores], TRUE)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 67: Tipo_Vinculacion

Column name	Tipo_Vinculacion
Visible?	ALWAYS
Display name	=Especifique el Tipo de Convenio o Colaboración
Type	Enum
Type Qualifier	{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"P

	lain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":"=SELECT(Cat_Actividades[Tipo_Vinculacion], TRUE)","Error_Message_If_Invalid":null,"Show_If":"=[Vinculacion_Actores] = \"Sí\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 68: Detalle_Calendario

Column name	Detalle_Calendario
Visible?	ALWAYS
Display name	="Días específicos (Ej. 3 sábados consecutivos)"
Type	Enum
Type Qualifier	{"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message

	_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=SORT(UNIQUE(Registro_Actividades[Detalle_Calendario]))"}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 69: Ubicacion_GPS

Column name	Ubicacion_GPS
Visible?	ALWAYS
Display name	=Ubicación GPS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 70: Estado_Actividad

Column name	Estado_Actividad
Visible?	ALWAYS
Display name	=Estado de la Actividad
Type	Enum
Type Qualifier	{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":"=IF(\n [_THIS] = \"Cerrada\",\n [Actividad_Completada] = TRUE,\n TRUE\n)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Abierta"
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 71: Indicador_Oficial

Column name	Indicador_Oficial
Visible?	ALWAYS
Display name	=Indicador Oficial
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Indicadores","ReferencedRootTableName":"Cat_Indicadores","ReferencedType":"Text","ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Clave_Indicador","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	VLOOKUP(RC[-1], Cat_Indicadores!C[-68]:C[-67], 2, FALSE)
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 72: Nombre_Indicador

Column name	Nombre_Indicador
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	VLOOKUP(RC[-1], Cat_Indicadores!C[-69]:C[-68], 2, FALSE)
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 73: Instrumento

Column name	Instrumento
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Programa de Gobierno","Programa Estatal de Cultura","Programa Presupuestario"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 74: Related Registro_Poblacions

Column name	Related Registro_Poblacions

Visible?	ALWAYS
Description	=Caracterización de la Población
Display name	=Caracterización de la Población
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"Registro_Poblacion\",\"ReferencedRootTableName\":\"Registro_Poblacion\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Poblacion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	=REF_ROWS("Registro_Poblacion", "ID_Actividad")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No

Sensitive data	No

Column 75: Related Registro_Territorios

Column name	Related Registro_Territorios
Visible?	ALWAYS
Description	=Cobertura Territorial
Display name	=Cobertura Territorial
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Registro_Territorio\",\"ReferencedRootTableName\":\"Registro_Territorio\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Territorio\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=REF_ROWS("Registro_Territorio", "ID_Actividad")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 76: Unidad_Indicador

Column name	Unidad_Indicador
Visible?	ALWAYS
Display name	=Unidad del Indicador
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Indicador_Oficial].[Unidad_Medida]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 77: Total_Municipios

Column name	Total_Municipios
Visible?	ALWAYS
Display name	=Total de Municipios
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT([Related Registro_Territorios])
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 78: Total_ZAP_NC

Column name	Total_ZAP_NC
Visible?	ALWAYS
Display name	=Total de Beneficiados ZAP Nuevo Comienzo
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=SUM(SELECT(Registro_Territorio[Cantidad], AND([ID_Actividad] = [_THISROW].[ID_Actividad], [ZAP_Nuevo_Comienzo] = TRUE)))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 79: Actividad_Completada

Column name	Actividad_Completada
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid": null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null, "Suggested_Values":null}
App formula	=AND(COUNT([Related Registro_Poblacions]) > 0, COUNT([Related Registro_Territorios]) > 0, ISNOTBLANK([Indicador_Oficial]))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 80: Instrumento_Actividad

Column name	Instrumento_Actividad
Visible?	ALWAYS
Display name	=Instrumento de la Actividad
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Indicador_Oficial].[Instrumento]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No

Sensitive data	No

Column 81: Seccion_Actividad

Column name	Seccion_Actividad
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Section_Header","Content":"=Información de la actividad","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 82: Seccion_Cultura

Column name	Seccion_Cultura
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Section_Header","Content":"=Clasificación cultural","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":nul

	l,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 83: Seccion_Alineacion

Column name	Seccion_Alineacion
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Section_Header","Content":"=Alineación institucional","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 84: Seccion_Territorio

Column name	Seccion_Territorio
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Section_Header","Content":"=Ubicación Territorial","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 85: Seccion_Poblacion

Column name	Seccion_Poblacion
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Section_Header","Content":"=Población beneficiaria","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 86: Seccion_Caracteristicas

Column name	Seccion_Caracteristicas
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Section_Header","Content":"=Características de la actividad","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 87: Vinculacion

Column name	Vinculacion
Visible?	ALWAYS
Display name	=Vinculación y Convenios
Type	Show
Type Qualifier	{"Category":"Section_Header","Content":"=Vinculación y Convenios","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	"."
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 88: Detalles_Actividades

Column name	Detalles_Actividades
Visible?	ALWAYS
Display name	=Detalles Especificos de la Actividad
Type	Show
Type Qualifier	{"Category":"Section_Header","Content":"=Detalles Especificos de la Actividad","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	"."
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 89: Related Regitro_Evidencias

Column name	Related Regitro_Evidencias
Visible?	ALWAYS
Display name	=Registro de Evidencias
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"Regitro_Evidencia\",\"ReferencedRootTableName\":\"Regitro_Evidencia\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Evidencia\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Regitro_Evidencia", "ID_Actividad")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes

Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Registro_Poblacion_Schema

Schema Name	Registro_Poblacion_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Poblacion

Column name	ID_Poblacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID_Actividad

Column name	ID_Actividad
Visible?	ALWAYS
Display name	=Folio
Type	Ref
Type Qualifier	{"ReferencedTableName":"Registro_Actividades","ReferencedRootTableName":"Registro_Actividades","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"P

	lain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Actividad","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 4: Grupo_Etario

Column name	Grupo_Etario
Visible?	ALWAYS
Display name	=Grupo Etario
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Grupo_Etario","ReferencedRootTableName":"Cat_Grupo_Etario","ReferencedType":"Text","ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":

	null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Grupo_Etario","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Genero

Column name	Genero
Visible?	ALWAYS
Display name	=Género
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Genero","ReferencedRootTableName":"Cat_Genero","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Genero","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":

	null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Grupo_Prioritario

Column name	Grupo_Prioritario
Visible?	ALWAYS
Display name	=Grupo Prioritario
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Grupo_Prioritario","ReferencedRootTableName":"Cat_Grupo_Prioritario","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Grupo_Prioritario","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=ISBLANK(\n FILTER(\n \"Registro_Poblacion\",\n AND(\n [ID_Actividad] = [_THISROW].[ID_Actividad],\n [Grupo_Etario] = [_THISROW].[Grupo_Etario],\n [Genero] = [_THISROW].[Genero],\n [Grupo_Prioritario] =

	[_THISROW].[Grupo_Prioritario],\n [ID_Poblacion] <> [_THISROW].[ID_Poblacion]\n)\n)\n)","Error_Message_If_Invalid":"=\"Ya existe un registro con este mismo cruce de Edad, Género y Grupo Prioritario. Por favor, edita el registro anterior y suma las cantidades.\"","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=Cat_Grupo_Prioritario[Grupo_Prioritario]"}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_Actividad].[Enfoque_Accion]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Cantidad_Participacion

Column name	Cantidad_Participacion
Visible?	ALWAYS
Display name	="Participación (Ej. Tomaron el taller, pintaron, actuaron)"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"=[_THIS] <= [Cantidad_Poblacion]","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Cantidad_Acceso

Column name	Cantidad_Acceso
Visible?	ALWAYS
Display name	="Acceso (Solo espectadores / Auto-calculado)"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Cantidad_Poblacion] - [Cantidad_Participacion]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Cantidad_Poblacion

Column name	Cantidad_Poblacion
Visible?	ALWAYS
Display name	="Población Total (Asistencia Global)"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Registro_Territorio_Schema

Schema Name	Registro_Territorio_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Territorio

Column name	ID_Territorio
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID_Actividad

Column name	ID_Actividad
Visible?	ALWAYS
Display name	=Folio
Type	Ref
Type Qualifier	{"ReferencedTableName":"Registro_Actividades","ReferencedRootTableName":"Registro_Actividades","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyC

	olumn":"ID_Actividad","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 4: Municipio

Column name	Municipio
Visible?	ALWAYS
Display name	=“Municipio”
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Municipio","ReferencedRootTableName":"Cat_Municipio","ReferencedType":"Text","ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Municipio","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=OR(\n ISBLANK([_THISROW].[Comunidad]),\n ISBLANK(\n FILTER(\n \"Registro_Territorio\",\n

	AND(\n [ID_Actividad] = [_THISROW].[ID_Actividad],\n [Comunidad] = [_THISROW].[Comunidad],\n [ID_Territorio] <> [_THISROW].[ID_Territorio]\n)\n)\n)\n)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Tipo_Asentamiento

Column name	Tipo_Asentamiento
Visible?	ALWAYS
Display name	=Tipo de Asentamiento
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Tipo_Asentamiento","ReferencedRootTableName":"Cat_Tipo_Asentamiento","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Tipo_Asentamiento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":n

	ull,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Comunidad

Column name	Comunidad
Visible?	ALWAYS
Display name	="Comunidad o Colonia"
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Comunidades_Limpio","ReferencedRootTableName":"Cat_Comunidades_Limpio","ReferencedType":"Number","ReferencedTypeQualifier":"{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Comunidad","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(Cat_Comunidades_Limpio[ID_Comunidad], [Municipio] = [_THISROW].[Municipio])","Error_Message_If_Invalid":null,"Show_If":"=OR(\nISBLANK([Otra_Comunidad]),\n[Otra_Comunidad] =

	\"\"\n)","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Nombre_Comunidad

Column name	Nombre_Comunidad
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Comunidad].[Comunidad]
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Otra_Comunidad

Column name	Otra_Comunidad
Visible?	ALWAYS
Display name	="Otra Comunidad o Colonia"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISBLANK([Comunidad])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: ZAP_Nuevo_Comienzo

Column name	ZAP_Nuevo_Comienzo
Visible?	ALWAYS
Display name	="¿La comunidad pertenece a zona prioritaria (Nuevo Comienzo)?"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([Comunidad]), [Comunidad].[ZAP_NC_SI/NO], "No")
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: ZAP_SSyP

Column name	ZAP_SSyP
Visible?	ALWAYS
Display name	="¿La comunidad pertenece a zona prioritaria (SSyP)?"
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([Comunidad]), [Comunidad].[ZAP_SSyP], "No")
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Cantidad

Column name	Cantidad
Visible?	ALWAYS
Display name	=Total de Asistencia
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Cantidad_Participacion

Column name	Cantidad_Participacion
Visible?	ALWAYS
Display name	=Número de Participantes
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"=([Cantidad_Participacion] + [Cantidad_Acceso]) <= [Cantidad]","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Cantidad])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes

Scannable	No
Sensitive data	No

Column 13: Cantidad_Acceso

Column name	Cantidad_Acceso
Visible?	ALWAYS
Display name	=Número de Asistentes
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"=([Cantidad_Participacion] + [Cantidad_Acceso]) <= [Cantidad]","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Cantidad])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([Cantidad]), [Cantidad] - [Cantidad_Participacion], 0)
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Nombre_Comunidad_Final

Column name	Nombre_Comunidad_Final

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	IF(RC[-7]<>"", RC[-7], RC[-6])
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 15: ZAP_NC_SI_NO

Column name	ZAP_NC_SI_NO
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Si","No"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode"

	:"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	IF(ISNUMBER(FIND("ZP", RC[-6])), "Si", "No")
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 16: ZAP_SSyP_SI_NO

Column name	ZAP_SSyP_SI_NO
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Si","No"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes

Hidden	Yes
Label	No
Spreadsheet formula	IF(RC[-6]=TRUE, "Si", "No")
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Tipo_Impacto

Column name	Tipo_Impacto
Visible?	ALWAYS
Display name	=Tipo de Impacto
Type	Enum
Type Qualifier	{"EnumValues":["Participación","Acceso"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Cat_Tipo_Actividad_Schema

Schema Name	Cat_Tipo_Actividad_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Tipo_Actividad

Column name	Tipo_Actividad
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Related Registro_Actividades

Column name	Related Registro_Actividades
Visible?	ALWAYS
Description	Registro_Actividades entries that reference this entry in the Tipo_Actividad column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"Registro_Actividades\",\"Referenced RootTableName\":\"Registro_Actividades\",\"ReferencedType\":\" Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextForma tting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Erro r_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\ \":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_V alues\\\":null}\",\"ReferencedKeyColumn\":\"ID_Actividad\",\"IsAP artOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"V alid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Re quired_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Va lues\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Requi red_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Registro_Actividades", "Tipo_Actividad")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES

Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Cat_Grupo_Etario_Schema

Schema Name	Cat_Grupo_Etario_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No

Sensitive data	No

Column 2: Grupo_Etario

Column name	Grupo_Etario
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Related Registro_Poblacions

Column name	Related Registro_Poblacions
Visible?	ALWAYS
Description	Registro_Poblacion entries that reference this entry in the Grupo_Etario column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Registro_Poblacion\",\"ReferencedR

	ootTableName\":\"Registro_Poblacion\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Poblacion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Registro_Poblacion", "Grupo_Etario")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Cat_Formato_Schema

Schema Name	Cat_Formato_Schema

Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Formato

Column name	Formato
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Related Registro_Actividades

Column name	Related Registro_Actividades
Visible?	ALWAYS
Description	Registro_Actividades entries that reference this entry in the Formato column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Registro_Actividades\",\"ReferencedRootTableName\":\"Registro_Actividades\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Actividad\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Re

	quired_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Registro_Actividades", "Formato")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Cat_Municipio_Schema

Schema Name	Cat_Municipio_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Municipio

Column name	Municipio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes

Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Related Registro_Territorios

Column name	Related Registro_Territorios
Visible?	ALWAYS
Description	Registro_Territorio entries that reference this entry in the Municipio column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Registro_Territorio\",\"ReferencedRootTableName\":\"Registro_Territorio\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Territorio\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Registro_Territorio", "Municipio")
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 4: Related Cat_Comunidades

Column name	Related Cat_Comunidades
Visible?	ALWAYS
Description	Cat_Comunidades entries that reference this entry in the Municipio column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"Cat_Comunidades\",\"ReferencedRootTableName\":\"Cat_Comunidades\",\"ReferencedType\":\"Number\",\"ReferencedTypeQualifier\":\" {\\\"MaxValue\\\":null,\\\"MinValue\\\":null,\\\"StepValue\\\":null,\\\"NumericDigits\\\":null,\\\"ShowThousandsSeparator\\\":true,\\\"NumberDisplayMode\\\":\\\"Auto\\\",\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Comunidad\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Requi

	red_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Cat_Comunidades", "Municipio")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Cat_Tipo_Asentamiento_Schema

Schema Name	Cat_Tipo_Asentamiento_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Tipo_Asentamiento

Column name	Tipo_Asentamiento
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes

Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Related Registro_Territorios

Column name	Related Registro_Territorios
Visible?	ALWAYS
Description	Registro_Territorio entries that reference this entry in the Tipo_Asentamiento column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Registro_Territorio\",\"ReferencedRootTableName\":\"Registro_Territorio\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Territorio\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Registro_Territorio", "Tipo_Asentamiento")
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Cat_Grupo_Prioritario_Schema

Schema Name	Cat_Grupo_Prioritario_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Grupo_Prioritario

Column name	Grupo_Prioritario
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Related Registro_Poblacions

Column name	Related Registro_Poblacions
Visible?	ALWAYS
Description	Registro_Poblacion entries that reference this entry in the Grupo_Prioritario column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"Registro_Poblacion\",\"ReferencedRootTableName\":\"Registro_Poblacion\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Poblacion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Registro_Poblacion", "Grupo_Prioritario")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES

Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Cat_Costo_Schema

Schema Name	Cat_Costo_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No

Sensitive data	No

Column 2: Costo

Column name	Costo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Related Registro_Actividades

Column name	Related Registro_Actividades
Visible?	ALWAYS
Description	Registro_Actividades entries that reference this entry in the Costo column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Registro_Actividades\",\"Referenced

	RootTableName\":\"Registro_Actividades\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Actividad\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Registro_Actividades", "Costo")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Cat_Tipo_Espacio_Schema

Schema Name	Cat_Tipo_Espacio_Schema

Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Tipo_Espacio

Column name	Tipo_Espacio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Related Registro_Actividades

Column name	Related Registro_Actividades
Visible?	ALWAYS
Description	Registro_Actividades entries that reference this entry in the Tipo_Espacio column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Registro_Actividades\",\"ReferencedRootTableName\":\"Registro_Actividades\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Actividad\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Re

	quired_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Registro_Actividades", "Tipo_Espacio")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Cat_Genero_Schema

Schema Name	Cat_Genero_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Genero

Column name	Genero
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes

Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Related Registro_Poblacions

Column name	Related Registro_Poblacions
Visible?	ALWAYS
Description	Registro_Poblacion entries that reference this entry in the Genero column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"Registro_Poblacion\",\"ReferencedRootTableName\":\"Registro_Poblacion\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Poblacion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Registro_Poblacion", "Genero")
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Cat_Indicadores_Schema

Schema Name	Cat_Indicadores_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Indicador

Column name	ID_Indicador
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No

Sensitive data	No

Column 3: Clave_Indicador

Column name	Clave_Indicador
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Nombre_Indicador

Column name	Nombre_Indicador
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Unidad_Medida

Column name	Unidad_Medida
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Activo

Column name	Activo
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Instrumento

Column name	Instrumento
Visible?	ALWAYS
Type	Enum

Type Qualifier	{"EnumValues":["Programa de Gobierno","Programa Estatal de Cultura","Programa Presupuestario"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Related Registro_Actividades

Column name	Related Registro_Actividades
Visible?	ALWAYS
Description	Registro_Actividades entries that reference this entry in the Indicador_Oficial column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Registro_Actividades\",\"Referenced

	RootTableName\":\"Registro_Actividades\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Actividad\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Registro_Actividades", "Indicador_Oficial")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Cat_Alineacion_Schema

Schema Name	Cat_Alineacion_Schema

Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Alineacion

Column name	ID_Alineacion
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto",

	Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Clave_Proceso

Column name	Clave_Proceso
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Area

Column name	Area
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Direccion

Column name	Direccion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Meta

Column name	Meta
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Nombre_Meta

Column name	Nombre_Meta
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes

Scannable	No
Sensitive data	No

Column 8: Unidad_Medida

Column name	Unidad_Medida
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Meta_Anual

Column name	Meta_Anual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","

	Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Promesa_NC

Column name	Promesa_NC
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Eje_PG

Column name	Eje_PG
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Objetivo_PG

Column name	Objetivo_PG
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Estrategia_PG

Column name	Estrategia_PG
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Acciones_PG

Column name	Acciones_PG
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes

Scannable	No
Sensitive data	No

Column 15: Eje_Tranversal_PEC

Column name	Eje_Tranversal_PEC
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Linea_PEC

Column name	Linea_PEC
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Estrategia_PEC

Column name	Estrategia_PEC
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Acciones_PEC

Column name	Acciones_PEC
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Metas_PEC

Column name	Metas_PEC
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: Related Registro_Actividades

Column name	Related Registro_Actividades
Visible?	ALWAYS
Description	Registro_Actividades entries that reference this entry in the Nombre_Meta column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Registro_Actividades\",\"ReferencedRootTableName\":\"Registro_Actividades\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain

	Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Actividad\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Registro_Actividades", "Nombre_Meta")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 21: ClaveMeta_Display

Column name	ClaveMeta_Display
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Clave_Proceso] & " - " & [Meta] & " - " & [Nombre_Meta]
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: Related Registro_Actividades By Clave_Proceso

Column name	Related Registro_Actividades By Clave_Proceso
Visible?	ALWAYS
Description	Registro_Actividades entries that reference this entry in the Clave_Proceso column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Registro_Actividades\",\"ReferencedRootTableName\":\"Registro_Actividades\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_V

	alues\\\":null}\",\"ReferencedKeyColumn\":\"ID_Actividad\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Registro_Actividades", "Clave_Proceso")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Cat_Disciplina_Schema

Schema Name	Cat_Disciplina_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS

Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Disciplina

Column name	ID_Disciplina
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Disciplina

Column name	Disciplina
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Subdisciplina

Column name	Subdisciplina
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":""}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Tipo_Actividad

Column name	Tipo_Actividad
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Proceso_Institucional

Column name	Proceso_Institucional
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":""}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES

Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Cat_Comunidades_Schema

Schema Name	Cat_Comunidades_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Comunidad

Column name	ID_Comunidad
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Municipio

Column name	Municipio
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cat_Municipio","ReferencedRootTableName":"Cat_Municipio","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message

	_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Municipio","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Comunidad

Column name	Comunidad
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Zap_Nuevo_Comienzo

Column name	Zap_Nuevo_Comienzo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ZAP_SSyP

Column name	ZAP_SSyP
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	Yes

Schema Name Cat_Enfoque_Schema

Schema Name	Cat_Enfoque_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS

Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Enfoque

Column name	ID_Enfoque
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Enfoque_Actividad

Column name	Enfoque_Actividad
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Related Registro_Actividades

Column name	Related Registro_Actividades
Visible?	ALWAYS
Description	Registro_Actividades entries that reference this entry in the Enfoque_Actividad column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"Registro_Actividades\",\"Referenced RootTableName\":\"Registro_Actividades\",\"ReferencedType\":\" Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextForma tting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Erro r_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\ \":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_V alues\\\":null}\",\"ReferencedKeyColumn\":\"ID_Actividad\",\"IsAP artOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"V alid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Re quired_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Va lues\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Requi red_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Registro_Actividades", "Enfoque_Actividad")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES

Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Cat_Actividades_Schema

Schema Name	Cat_Actividades_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No

Sensitive data	No

Column 2: ID_Actividad

Column name	ID_Actividad
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Actividad

Column name	Actividad
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Tipo_Actividad

Column name	Tipo_Actividad
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Tipo_Proceso_Formacion

Column name	Tipo_Proceso_Formacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Tipo_Oferta_Formacion

Column name	Tipo_Oferta_Formacion
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Tipo_Agente_Apoyado

Column name	Tipo_Agente_Apoyado
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Condicion_Agente

Column name	Condicion_Agente
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Tipo_Apoyo

Column name	Tipo_Apoyo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Tipo_Proyecto_Artistico

Column name	Tipo_Proyecto_Artistico
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Tipo_Circulacion

Column name	Tipo_Circulacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES

Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Tipo_Patrimonio

Column name	Tipo_Patrimonio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Tipo_Convenio

Column name	Tipo_Convenio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Vinculacion_Actores

Column name	Vinculacion_Actores
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Tipo_Vinculacion

Column name	Tipo_Vinculacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Related Registro_Actividades

Column name	Related Registro_Actividades
Visible?	ALWAYS
Description	Registro_Actividades entries that reference this entry in the Actividad column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Registro_Actividades\",\"ReferencedRootTableName\":\"Registro_Actividades\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Actividad\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Registro_Actividades", "Actividad")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No

NFC Scannable	No
Sensitive data	No

Schema Name Regitro_Evidencia_Schema

Schema Name	Regitro_Evidencia_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Evidencia

Column name	ID_Evidencia
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID_Actividad

Column name	ID_Actividad
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Registro_Actividades","ReferencedRootTableName":"Registro_Actividades","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain

	Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Actividad","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 4: Archivo_Evidencia

Column name	Archivo_Evidencia
Visible?	ALWAYS
Display name	=Archivo de la Evidencia
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Tipo_Evidencia

Column name	Tipo_Evidencia
Visible?	ALWAYS
Display name	=Tipo de la Evidencia
Type	Enum
Type Qualifier	{"EnumValues":["Foto","Excel","PDF","Carpeta","Otro tipo de archivo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Descripcion

Column name	Descripcion
Visible?	ALWAYS
Display name	="Breve Descripción (Opcional)"
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Cat_Agentes_Culturales_Schema

Schema Name	Cat_Agentes_Culturales_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Agente

Column name	ID_Agente
Visible?	ALWAYS

Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Categoria_Principal

Column name	Categoria_Principal
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Tipo_Agente

Column name	Tipo_Agente
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Related Registro_Actividades

Column name	Related Registro_Actividades
Visible?	ALWAYS
Description	Registro_Actividades entries that reference this entry in the Tipo_Agente_Apoyado column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"Registro_Actividades\",\"Referenced RootTableName\":\"Registro_Actividades\",\"ReferencedType\":\" Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextForma tting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Erro r_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\ \":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_V alues\\\":null}\",\"ReferencedKeyColumn\":\"ID_Actividad\",\"IsAP artOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"V alid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Re quired_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Va lues\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Requi red_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Registro_Actividades", "Tipo_Agente_Apoyado")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES

Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Cat_Recintos_Schema

Schema Name	Cat_Recintos_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No

Sensitive data	No

Column 2: ID_Recinto

Column name	ID_Recinto
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Nombre_Recinto

Column name	Nombre_Recinto
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Tipo_Espacio

Column name	Tipo_Espacio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Cat_Comunidades_Limpio_Schema

Schema Name	Cat_Comunidades_Limpio_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No

Scannable	No
Sensitive data	No

Column 2: ID_Comunidad

Column name	ID_Comunidad
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Municipio

Column name	Municipio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Comunidad

Column name	Comunidad
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Zap_Nuevo_Comienzo

Column name	Zap_Nuevo_Comienzo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ZAP_NC_SI/NO

Column name	ZAP_NC_SI/NO
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Si","No"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: ZAP_SSyP

Column name	ZAP_SSyP
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Related Registro_Territorios

Column name	Related Registro_Territorios
Visible?	ALWAYS
Description	Registro_Territorio entries that reference this entry in the Comunidad column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Registro_Territorio\",\"ReferencedRootTableName\":\"Registro_Territorio\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Territorio\",\"IsAP

	artOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Registro_Territorio", "Comunidad")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

UX

Views

View name Mapa

View name	Mapa
Created by	App owner
View type	map
ActionType	Automatic
Position	center
View configuration	{"MapType":"Automatic","MapColumn":"Ubicacion_GPS","LocationMode":"Normal","SecondaryTable":null,"SecondaryColumn":null,"MinimumClusterSize":0,"Events":[],"Icon":"fa-map-marker","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Registro de Actividades

View name	Registro de Actividades
Created by	App owner
View type	deck
ActionType	Square Image
Position	right
View configuration	{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderColumn":"Nombre_Actividad","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"far fa-university","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	

Menu order	1

View name Cat_Actividades_Detail

View name	Cat_Actividades_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Actividades_Form

View name	Cat_Actividades_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Agentes_Culturales_Detail

View name	Cat_Agentes_Culturales_Detail

Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Agentes_Culturales_Form

View name	Cat_Agentes_Culturales_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Alineacion_Detail

View name	Cat_Alineacion_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref

View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Alineacion_Form

View name	Cat_Alineacion_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Comunidades_Detail

View name	Cat_Comunidades_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":

	[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Comunidades_Form

View name	Cat_Comunidades_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Comunidades_Inline

View name	Cat_Comunidades_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Comunidades_Limpio_Detail

View name	Cat_Comunidades_Limpio_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Comunidades_Limpio_Form

View name	Cat_Comunidades_Limpio_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Costo_Detail

View name	Cat_Costo_Detail
Created by	System
View type	detail
ActionType	Automatic

Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Costo_Form

View name	Cat_Costo_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Disciplina_Detail

View name	Cat_Disciplina_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM

	ode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Disciplina_Form

View name	Cat_Disciplina_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Enfoque_Detail

View name	Cat_Enfoque_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS

Icon	
Menu order	1

View name Cat_Enfoque_Form

View name	Cat_Enfoque_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Formato_Detail

View name	Cat_Formato_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Formato_Form

View name	Cat_Formato_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Genero_Detail

View name	Cat_Genero_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Genero_Form

View name	Cat_Genero_Form
Created by	System
View type	form
Position	ref

View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Grupo_Etario_Detail

View name	Cat_Grupo_Etario_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Grupo_Etario_Form

View name	Cat_Grupo_Etario_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}

Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Grupo_Prioritario_Detail

View name	Cat_Grupo_Prioritario_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Grupo_Prioritario_Form

View name	Cat_Grupo_Prioritario_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Indicadores_Detail

View name	Cat_Indicadores_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Indicadores_Form

View name	Cat_Indicadores_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Municipio_Detail

View name	Cat_Municipio_Detail
Created by	System

View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Municipio_Form

View name	Cat_Municipio_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Recintos_Detail

View name	Cat_Recintos_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref

View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Recintos_Form

View name	Cat_Recintos_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Tipo_Actividad_Detail

View name	Cat_Tipo_Actividad_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":

	[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Tipo_Actividad_Form

View name	Cat_Tipo_Actividad_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Tipo_Asentamiento_Detail

View name	Cat_Tipo_Asentamiento_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	

Menu order	1

View name Cat_Tipo_Asentamiento_Form

View name	Cat_Tipo_Asentamiento_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Tipo_Espacio_Detail

View name	Cat_Tipo_Espacio_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Cat_Tipo_Espacio_Form

View name	Cat_Tipo_Espacio_Form

Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Registro_Actividades_Detail

View name	Registro_Actividades_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Registro_Actividades_Form

View name	Registro_Actividades_Form
Created by	System
View type	form
Position	ref

View configuration	{"ColumnOrder": ["_RowNumber","Folio","Seccion_Actividad","Fecha_Actividad","Temporalidad","Fecha_Inicio","Fecha_Fin","Detalle_Calendario","Total_Sesiones","Enfoque_Actividad","Nombre_Actividad","Descripcion_Breve","Seccion_Cultura","Indicador_Oficial","Instrumento","Subdisciplina","Disciplina","Tipo_Actividad","Proceso_Institucional","Seccion_Caracteristicas","Formato","Tipo_Espacio","Nombre_Espacio","Especifique_Espacio","Ubicacion_GPS","Related Regitro_Evidencias","Foto_Evidencia","Genera_Ingresos","Monto_Ingreso","Agentes_Con_Contrato","Cantidad_Agentes","Registros_INDAUTOR","Folio_INDAUTOR","Costo","Costo_Minimo","Costo_Maximo","Detalle_Tarifas","Seccion_Alineacion","Clave_Proceso","Clave_Proceso_Txt","Nombre_Meta","Area","Meta","Direccion","Unidad_Medida","Meta_Anual","Promesa_NC","Acciones_PG","Estrategia_PG","Objetivo_PG","Eje_PG","Eje_Transversal_PEC","Enfoque_Accion","Acciones_PEC","Estrategia_PEC","Linea_PEC","Metas_PEC","Detalles_Actividades","Actividad","Categoria_Helper","Tipo_Proceso_Formacion","Tipo_Oferta_Formacion","Tipo_Agente_Apoyado","Cantidad_Agente_Apoyado","Condicion_Agente","Nombre_Agente","Monto_Total_Contratado","Con_Apoyo","Tipo_Apoyo","Tipo_Proyecto_Artistico","Tipo_Circulacion","Tipo_Patrimonio","Vinculacion","Vinculacion_Actores","Tipo_Vinculacion","Tipo_Convenio","Seccion_Territorio","Related Registro_Territorios","Seccion_Poblacion","Related Registro_Poblacions","Unidad_Indicador","Total_Poblacion","Total_Municipios","Total_ZAP_NC","Instrumento_Actividad","Personas_Sin_Clasificar"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Registro_Actividades_Inline

View name	Registro_Actividades_Inline
Created by	System
View type	deck
ActionType	Square Image

Position	ref
View configuration	{"MainDeckImageColumn":null,"ImageShape":"Square Image","PrimaryDeckHeaderColumn":null,"SecondaryDeckHeaderColumn":null,"DeckSummaryColumn":null,"DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":null,"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Registro_Poblacion_Detail

View name	Registro_Poblacion_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Registro_Poblacion_Form

View name	Registro_Poblacion_Form
Created by	System
View type	form

Position	ref
View configuration	{"ColumnOrder":["Total_Asistentes","Grupo_Etario","Cant_Part_Etario","Cant_Acc_Etario","Genero","Cant_Part_Genero","Cant_Acc_Genero","Grupo_Prioritario","Cant_Part_Prioritario","Cant_Acc_Prioritario","Tipo_Impacto","Cantidad_Poblacion","Cantidad_Participacion","Cantidad_Acceso"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Registro_Poblacion_Inline

View name	Registro_Poblacion_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Registro_Territorio_Detail

View name	Registro_Territorio_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref

View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Registro_Territorio_Form

View name	Registro_Territorio_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["Municipio","Tipo_Asentamiento","Comunidad","Otra_Comunidad","ZAP_Nuevo_Comienzo","ZAP_SSyP","Cantidad","Tipo_Impacto","Cantidad_Participacion","Cantidad_Acceso"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Registro_Territorio_Inline

View name	Registro_Territorio_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":

	[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Regitro_Evidencia_Detail

View name	Regitro_Evidencia_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Regitro_Evidencia_Form

View name	Regitro_Evidencia_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS

Icon	
Menu order	1

View name Regitro_Evidencia_Inline

View name	Regitro_Evidencia_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

Behavior

Actions

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Actividades
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No

Display name	Editar actividad
Action icon	
For a record of this table	Registro_Actividades
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Display name	Nuevo registro
Action icon	
For a record of this table	Registro_Actividades
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData"

	:true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Poblacion
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Poblacion
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay

Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Descriptive comment	Nuevo registro
Disable automatic updates?	No
Action icon	+
For a record of this table	Registro_Poblacion
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (ID_Actividad)

Action name	View Ref (ID_Actividad)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Registro_Actividades&row=\", ENCODEURL([ID_Actividad]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ID_Actividad
Set this column	ID_Actividad
Only if this condition is true	NOT(ISBLANK([ID_Actividad]))
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Poblacion
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Territorio
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Territorio
Does this action apply to the whole table?	No

Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Registro_Territorio
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (ID_Actividad)

Action name	View Ref (ID_Actividad)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Registro_Actividades&row=\", ENCODEURL([ID_Actividad]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ID_Actividad
Set this column	ID_Actividad
Only if this condition is true	NOT(ISBLANK([ID_Actividad]))

Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Territorio
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Tipo_Actividad
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"

	ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Tipo_Actividad
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Tipo_Actividad
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1

With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Grupo_Etario
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Grupo_Etario
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No

Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Cat_Grupo_Etario
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	🗑
For a record of this table	Cat_Formato
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes

Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Formato
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Formato
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Municipio
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Municipio
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Cat_Municipio
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	🗑
For a record of this table	Cat_Tipo_Asentamiento
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Tipo_Asentamiento
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Tipo_Asentamiento
Does this action apply to the whole table?	Yes

Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Grupo_Prioritario
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	

For a record of this table	Cat_Grupo_Prioritario
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Cat_Grupo_Prioritario
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No

Action icon	
For a record of this table	Cat_Costo
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Costo
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}

Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Cat_Costo
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	🗑
For a record of this table	Cat_Tipo_Espacio
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1

With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Tipo_Espacio
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Tipo_Espacio
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes

Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Genero
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Genero
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes

Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Cat_Genero
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (Municipio)

Action name	View Ref (Municipio)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Municipio&row=\", ENCODEURL([Municipio]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Municipio
Set this column	Municipio
Only if this condition is true	NOT(ISBLANK([Municipio]))
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Territorio
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Tipo_Asentamiento)

Action name	View Ref (Tipo_Asentamiento)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Tipo_Asentamiento&row=\", ENCODEURL([Tipo_Asentamiento]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Tipo_Asentamiento
Set this column	Tipo_Asentamiento
Only if this condition is true	NOT(ISBLANK([Tipo_Asentamiento]))
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Territorio
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Grupo_Etario)

Action name	View Ref (Grupo_Etario)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Grupo_Etario&row=\", ENCODEURL([Grupo_Etario]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP

Attach to column	Grupo_Etario
Set this column	Grupo_Etario
Only if this condition is true	NOT(ISBLANK([Grupo_Etario]))
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Poblacion
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Genero)

Action name	View Ref (Genero)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Genero&row=\", ENCODEURL([Genero]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Genero
Set this column	Genero
Only if this condition is true	NOT(ISBLANK([Genero]))
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Poblacion
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Grupo_Prioritario)

Action name	View Ref (Grupo_Prioritario)

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Grupo_Prioritario&row=\", ENCODEURL([Grupo_Prioritario]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Grupo_Prioritario
Set this column	Grupo_Prioritario
Only if this condition is true	NOT(ISBLANK([Grupo_Prioritario]))
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Poblacion
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Formato)

Action name	View Ref (Formato)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Formato&row=\", ENCODEURL([Formato]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Formato
Set this column	Formato
Only if this condition is true	NOT(ISBLANK([Formato]))

Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Actividades
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Costo)

Action name	View Ref (Costo)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Costo&row=\", ENCODEURL([Costo]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Costo
Set this column	Costo
Only if this condition is true	NOT(ISBLANK([Costo]))
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Actividades
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Map (Ubicacion_GPS)

Action name	View Map (Ubicacion_GPS)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No

Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=map&table=Registro_Actividades&mapcolumn=Ubicacion_GPS&row=\", ENCODEURL([_THISROW]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Ubicacion_GPS
Set this column	Ubicacion_GPS
Only if this condition is true	NOT(ISBLANK([Ubicacion_GPS]))
Disable automatic updates?	No
Display name	Mi ubicación exacta
Action icon	
For a record of this table	Registro_Actividades
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (Usuario_Registra)

Action name	Compose Email (Usuario_Registra)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"EmailTo":"[Usuario_Registra]","EmailCc":null,"EmailBcc":null,"Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	EMAIL
Attach to column	Usuario_Registra
Set this column	Usuario_Registra
Only if this condition is true	NOT(ISBLANK([Usuario_Registra]))

Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Actividades
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Tipo_Espacio)

Action name	View Ref (Tipo_Espacio)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Tipo_Espacio&row=\", ENCODEURL([Tipo_Espacio]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Tipo_Espacio
Set this column	Tipo_Espacio
Only if this condition is true	NOT(ISBLANK([Tipo_Espacio]))
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Actividades
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Tipo_Actividad)

Action name	View Ref (Tipo_Actividad)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No

Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Tipo_Actividad&row=\", ENCODEURL([Tipo_Actividad]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Tipo_Actividad
Set this column	Tipo_Actividad
Only if this condition is true	NOT(ISBLANK([Tipo_Actividad]))
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Actividades
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Indicadores
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Indicadores
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Indicadores
Does this action apply to the whole table?	Yes

Visible?	ALWAYS

Action name View Ref (Indicador_Oficial)

Action name	View Ref (Indicador_Oficial)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Indicadores&row=\", ENCODEURL([Indicador_Oficial]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Indicador_Oficial
Set this column	Indicador_Oficial
Only if this condition is true	NOT(ISBLANK([Indicador_Oficial]))
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Actividades
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}

Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Alineacion
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Alineacion
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1

With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Cat_Alineacion
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	🗑
For a record of this table	Cat_Disciplina
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay

Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Disciplina
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Disciplina
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes

Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Comunidades
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Comunidades
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Cat_Comunidades
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (Municipio)

Action name	View Ref (Municipio)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Municipio&row=\", ENCODEURL([Municipio]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Municipio
Set this column	Municipio
Only if this condition is true	NOT(ISBLANK([Municipio]))
Disable automatic updates?	No
Display name	Ver municipio
Action icon	
For a record of this table	Cat_Comunidades

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Comunidad)

Action name	View Ref (Comunidad)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Comunidades_Limpio&row=\", ENCODEURL([Comunidad]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Comunidad
Set this column	Comunidad
Only if this condition is true	NOT(ISBLANK([Comunidad]))
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Territorio
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Clave_Proceso)

Action name	View Ref (Clave_Proceso)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Alineacion&row=\", ENCODEURL([Clave_Proceso])

	)","Prominence":"Display_Inline","NeedsConfirmation":false,"Confirmation Message":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Clave_Proceso
Set this column	Clave_Proceso
Only if this condition is true	NOT(ISBLANK([Clave_Proceso]))
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Actividades
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Enfoque
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No

Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Enfoque
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Enfoque
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (Enfoque_Actividad)

Action name	View Ref (Enfoque_Actividad)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Enfoque&row=\", ENCODEURL([Enfoque_Actividad]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Enfoque_Actividad
Set this column	Enfoque_Actividad
Only if this condition is true	NOT(ISBLANK([Enfoque_Actividad]))
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Actividades
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Actividades

Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Actividades
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No

Action icon	
For a record of this table	Cat_Actividades
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (Actividad)

Action name	View Ref (Actividad)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Actividades&row=\", ENCODEURL([Actividad]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Actividad
Set this column	Actividad
Only if this condition is true	NOT(ISBLANK([Actividad]))
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Actividades
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Download_BD

Action name	Download_BD
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Overlay

Action order	1
With these properties	{"NavigateTarget":"=\"https://docs.google.com/spreadsheets/d/1u3L4tR4doMV2x3J4ZlwvV_J_dapBhav9G4utxHBwUzc/export?format=xlsx\"","LaunchExternal":true,"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Attach to column	_RowNumber
Only if this condition is true	true
Disable automatic updates?	No
Display name	Descargar Base de Datos
Action icon	
For a record of this table	Registro_Actividades
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Regitro_Evidencia
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Regitro_Evidencia
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Regitro_Evidencia
Does this action apply to the whole table?	Yes

Visible?	ALWAYS

Action name View Ref (ID_Actividad)

Action name	View Ref (ID_Actividad)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Registro_Actividades&row=\", ENCODEURL([ID_Actividad]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ID_Actividad
Set this column	ID_Actividad
Only if this condition is true	NOT(ISBLANK([ID_Actividad]))
Disable automatic updates?	No
Action icon	
For a record of this table	Regitro_Evidencia
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (Archivo_Evidencia)

Action name	Open File (Archivo_Evidencia)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"FileTarget":"[Archivo_Evidencia]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}

Do this	OPEN_FILE
Attach to column	Archivo_Evidencia
Set this column	Archivo_Evidencia
Only if this condition is true	NOT(ISBLANK([Archivo_Evidencia]))
Disable automatic updates?	No
Action icon	
For a record of this table	Regitro_Evidencia
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Agentes_Culturales
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No

Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Agentes_Culturales
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Recintos
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No

Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Recintos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Agentes_Culturales
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Cat_Recintos
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (Tipo_Agente_Apoyado)

Action name	View Ref (Tipo_Agente_Apoyado)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Cat_Agentes_Culturales&row=\", ENCODEURL([Tipo_Agente_Apoyado]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Tipo_Agente_Apoyado
Set this column	Tipo_Agente_Apoyado
Only if this condition is true	NOT(ISBLANK([Tipo_Agente_Apoyado]))
Disable automatic updates?	No
Action icon	
For a record of this table	Registro_Actividades

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Comunidades_Limpio
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No

Action icon	
For a record of this table	Cat_Comunidades_Limpio
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cat_Comunidades_Limpio
Does this action apply to the whole table?	Yes
Visible?	ALWAYS