

Lista04_LuizCelin

Luiz Fernando Celin

Lista 04

```
library(DBI)
library(RSQLite)
```

Warning: pacote 'RSQLite' foi compilado no R versão 4.5.3

```
con <- dbConnect(RSQLite::SQLite(), "me315.sqlite")
```

Questão 1

```
::: {.cell}
```

```
```{.sql .cell-code}
SELECT * FROM PRESERVE
WHERE PNO IN (2, 4, 6, 8, 10)
```
```

Table: 3 records

| PNO | PNAME | STATE | ACRES | FEE |
|-----|-------------------------|-------|-------|-----|
| 2 | PINE BUTTE SWAMP | MT | 15000 | 0 |
| 6 | PAPAGONIA-SONOITA CREEK | AZ | 1200 | 3 |
| 10 | HOFT FARM | MA | 90 | 0 |

```
:::
```

Questão 2

::: {.cell}

```{.sql .cell-code}

```
SELECT * FROM PRESERVE
```

```
WHERE PNAME NOT IN ('DANCING PRAIRIE', 'MULESHOE RANCH', 'MCELWAIN-OLSEN', 'TATKON')
```

```

Table: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
---:	:-----	:-----	-----:	---:
5	HASSAYAMPA RIVER	AZ	660	3
40	SOUTH FORK MADISON	MT	121	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3
10	HOFT FARM	MA	90	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

:::

Questão 3

::: {.cell}

```{.sql .cell-code}

```
SELECT * FROM PRESERVE
```

```
WHERE PNO BETWEEN 3 AND 10
```

```

Table: 6 records

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
5	HASSAYAMPA RIVER	AZ	660	3
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3
7	MULESHOE RANCH	AZ	49120	0
9	DAVID H. SMITH	MA	830	0
10	HOFT FARM	MA	90	0

:::

Questão 4

::: {.cell}

```

```{.sql .cell-code}
SELECT * FROM PRESERVE
WHERE PNO NOT BETWEEN 3 AND 10
```

```

Table: 8 records

| PNO | PNAME | STATE | ACRES | FEE |
|-----|--------------------|-------|-------|-----|
| 40 | SOUTH FORK MADISON | MT | 121 | 0 |
| 14 | MCELWAIN-OLSEN | MA | 66 | 0 |
| 13 | TATKON | MA | 40 | 0 |
| 11 | MIACOMET MOORS | MA | 4 | 0 |
| 12 | MOUNT PLANTAIN | MA | 730 | 0 |
| 1 | COMERTOWN PRAIRIE | MT | 1130 | 0 |
| 2 | PINE BUTTE SWAMP | MT | 15000 | 0 |
| 80 | RAMSEY CANYON | AZ | 380 | 3 |

:::

Questão 5

::: {.cell}

```

```{.sql .cell-code}

```

```

SELECT STATE, PNO, ACRES FROM PRESERVE
WHERE (STATE <> 'MT') AND (STATE <> 'AZ') AND (ACRES NOT BETWEEN 50 AND 800)
ORDER BY PNO DESC
```

```

Table: 3 records

```

STATE	PNO	ACRES
MA	13	40
MA	11	4
MA	9	830
:::

```

Questão 6

```

::: {.cell}

```

```

```{.sql .cell-code}
SELECT PNAME FROM PRESERVE
WHERE PNAME BETWEEN 'D' AND 'DZZZ'
```

```

Table: 2 records

```

PNAME
DANCING PRAIRIE
DAVID H. SMITH
:::

```

Questão 7

```

::: {.cell}

```

```

```{.sql .cell-code}
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '%TOWN%'
```

```

Table: 1 records

```

PNAME
COMERTOWN PRAIRIE
:::

```

Questão 8

```

::: {.cell}

```

```

```{.sql .cell-code}
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '%PRAIRIE'
```

```

Table: 2 records

```

PNAME
DANCING PRAIRIE
COMERTOWN PRAIRIE
:::

```

Questão 9

```

::: {.cell}

```

```

```{.sql .cell-code}
SELECT PNAME FROM PRESERVE

```

```
WHERE PNAME LIKE '%ING%'

```

Table: 1 records

```
|PNAME |
|:-----|
|DANCING PRAIRIE |
:::
```

### Questão 10

```
::: {.cell}
```

```
```{.sql .cell-code}
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '%E'
---
```

Table: 2 records

```
|PNAME          |
|:-----|
|DANCING PRAIRIE |
|COMERTOWN PRAIRIE |
:::
```

Questão 11

```
::: {.cell}
```

```
```{.sql .cell-code}
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '%ME%'

```

Table: 2 records

PNAME
MIACOMET MOORS
COMERTOWN PRAIRIE

## Questão 12

::: {.cell}

```
```{.sql .cell-code}
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '%M%E%'
```
```

Table: 6 records

| PNAME             |
|-------------------|
| HASSAYAMPA RIVER  |
| MULESHOE RANCH    |
| MCELWAIN-OLSEN    |
| MIACOMET MOORS    |
| COMERTOWN PRAIRIE |
| RAMSEY CANYON     |

## Questão 13

::: {.cell}

```
```{.sql .cell-code}
```

```
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '_A%'
```

```

Table: 6 records

```
PNAME
HASSAYAMPA RIVER
DANCING PRAIRIE
TATKON
DAVID H. SMITH
RAMSEY CANYON
PAPAGONIA-SONOITA CREEK
:::
```

#### Questão 14

```
::: {.cell}
```

```
```{.sql .cell-code}
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '% %'
```
```

Table: Displaying records 1 - 10

```
PNAME
HASSAYAMPA RIVER
DANCING PRAIRIE
MULESHOE RANCH
SOUTH FORK MADISON
DAVID H. SMITH
MIACOMET MOORS
MOUNT PLANTAIN
```

```
|COMERTOWN PRAIRIE |
|PINE BUTTE SWAMP |
|RAMSEY CANYON |
:::
```

### Questão 15

```
::: {.cell}
```

```
```{.sql .cell-code}
SELECT PNAME FROM PRESERVE
WHERE (PNAME LIKE '%FARM%') OR (PNAME LIKE '%SWAMP%') OR (PNAME LIKE '%PRAIRIE%')
```
```

Table: 4 records

```
PNAME
DANCING PRAIRIE
COMERTOWN PRAIRIE
PINE BUTTE SWAMP
HOFT FARM
:::
```

### Questão 16

```
::: {.cell}
```

```
```{.sql .cell-code}
SELECT PNAME FROM PRESERVE
WHERE (PNAME LIKE '%-%') OR (PNAME LIKE '%.%')
```
```

Table: 3 records

|                         |       |
|-------------------------|-------|
| PNAME                   |       |
| :                       | ----- |
| MCELWAIN-OLSEN          |       |
| DAVID H. SMITH          |       |
| PAPAGONIA-SONOITA CREEK |       |

:::

### Questão 17

::: {.cell}

```
```{.sql .cell-code}
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '____R%PRAIRIE'
```
```

Table: 1 records

|                   |       |
|-------------------|-------|
| PNAME             |       |
| :                 | ----- |
| COMERTOWN PRAIRIE |       |

:::

### Questão 18

::: {.cell}

```
```{.sql .cell-code}
SELECT * FROM EMPLOYEE
WHERE DNO IN (10, 40)
```
```

Table: 3 records

|     |       |        |     |
|-----|-------|--------|-----|
| ENO | ENAME | SALARY | DNO |
|-----|-------|--------|-----|

```
|:----|:-----|-----:|---:|
|2000 |LARRY | 2000| 10|
|4000 |SHEMP | 500| 40|
|5000 |JOE | 400| 10|
:::
```

### Questão 19

```
::: {.cell}
```

```
```{.sql .cell-code}
SELECT * FROM EMPLOYEE
WHERE DNO NOT IN (10,40)
```
```

Table: 3 records

```
ENO	ENAME	SALARY	DNO
1000	MOE	2000	20
3000	CURLY	3000	20
6000	GEORGE	9000	20
:::
```

### Questão 20

```
::: {.cell}
```

```
```{.sql .cell-code}
SELECT * FROM EMPLOYEE
WHERE SALARY BETWEEN 500 AND 2000
```
```

Table: 3 records

| ENO  | ENAME | SALARY | DNO |
|------|-------|--------|-----|
| 1000 | MOE   | 2000   | 20  |
| 2000 | LARRY | 2000   | 10  |
| 4000 | SHEMP | 500    | 40  |

:::

## Questão 21

::: {.cell}

```
```{.sql .cell-code}
SELECT * FROM EMPLOYEE
WHERE SALARY NOT BETWEEN 500 AND 2000
```
```

Table: 3 records

| ENO  | ENAME  | SALARY | DNO |
|------|--------|--------|-----|
| 3000 | CURLY  | 3000   | 20  |
| 5000 | JOE    | 400    | 10  |
| 6000 | GEORGE | 9000   | 20  |

:::

```
Sys.setenv(TZ = "America/Sao_Paulo")
Sys.time()
```

[1] "2026-09-09 23:34:33 -03"