

```
1 console.log(0.1 * 3 === 0,3);
2 console.log(90071919254740993);
```

```
false 3
90071919254741000
```

 main.py  

 Console  I/O  AI Agent 138 ms 

```
1 p = "maçã"
2 print(len(p), len(p.encode()))
```

4 6

main.go X

```
1 package main
2 import "fmt"
3
4 func main() {
5     var b byte = 255
6     b++
7     fmt.Println(b)
8 }
```

Console

I/O

AI Agent

253 ms ✓

0

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         int[] v = new int[3];
6         System.out.println(v[0]);
7         System.out.println(v[2]);
8     }
9 }
```

```
0
0
```

```
1 fn main() {  
2     let s = String::from("oi");  
3     let t = s.clone();  
4     println!("{}", s, t);  
5 }
```

oi oi

C Main.c

×

+

1

#include <stdio.h>

2

int main()

3

{

4

union { int i; float f; } u;

5

u.f = 1.0f;

6

printf("%d\n", u.i);

7

}

Console

I/O

AI Agent

181 ms

✓

1065353216

```
1  #include <stdio.h>
2  int main()
3  {
4      union { int i; float f; } u;
5      u.f = 1.0f;
6      printf("%d\n", u.i);
7  }
```