

>>> Domínios

orders
order_items
stocks
Products
types
payments
statuses
branches
users
employee

>>> endpoints

get `orders`

put `orders`

post `orders/{id}`

delete `orders/{id}`

>>> exemplos

GET

```
curl --location --request GET 'localhost:8000/api/orders' \  
--header 'Cookie: laravel_session=eyJpdil6lnJISmQ2a0FkT3J1eWdENnllSFc0WGc9PSIsInZhbHVlIjoicUJ4K1o0VjhBQTBNdmg0YkQ4d3g1ejNMeDZTQWpSelJWOGlrU2F1UThd1hZRUIHRDZjUWNsYzBUOTJVVmNRQkF1STBINzVGU2ITUjBiNytZMHJlWHc9PSIsIm1hYyl6ImE5ZDYzMjU1OTY2NjM5OTNkMjEwOGI1MmlwZTdlMjcxOWFkM2U4NTVhMTc3ZTEwOGE4YzgxOTE2YWE3MzVhZjQifQ%3D%3D'
```

RESULTADO:

```
[  
  {  
    "id": 1,  
    "branch_id": 60,  
    "type_id": 1,  
    "employee_id": 1,
```

```

"client_id": 16,
"Observation": "luiz",
"branch": {
  "id": 60,
  "description": "Quia provident veritatis animi quia."
},
"client": {
  "id": 16,
  "type_id": 3,
  "name": "luiz",
  "email": "russel.madge@example.com"
},
"employee": {
  "id": 1,
  "user_id": 14,
  "branch_id": 60
}
}
]

```

PUT

```

curl --location --request PUT 'localhost:8000/api/orders/1/?client_id=15&branch_id=65' \
--header 'Cookie: laravel_session=eyJpdiI6InJISmQ2a0FkT3J1eWdENnllSFc0WGc9PSIsInZhbHVlIjoicUJ4K1o0VjhBQTBNdmg0YkQ4d3g1ejNMeDZTQWpSelJWOGlrU2F1UThjd1hZRUIHRDZjUWNsYzBUOTJVVUmNRQkF1STBINzVGU2lTUjBiNytZMHJlWHc9PSIsIm1hYyl6ImE5ZDYzMjU1OTY2NjM5OTNkMjEwOGI1MmlwZTdlMjcxOWFkM2U4NTVhMTc3ZTEwOGE4Yzg0OTE2YWE3MzVkZjQifQ%3D%3D'

```

RESULTADO

```

{
  "id": 1,
  "branch_id": "65",
  "type_id": 1,
  "employee_id": 1,
  "client_id": "15",
  "Observation": "luiz"
}

```

POST

