

SANAD

Students
Supporting Students






Use Case Diagram



UML Diagram For Functional Requirement



UML Diagram For Functional Requirement(1)

1.Skills:

1- Add Skills:


Actor: Helper

1. **Helper opens the (“Addskills”) page.**
2. **Helper enters skills.**
3. **Helper clicks Add.**
4. **System saves skills.**

2- Find Helper’s by Skill :

Actor:Student

1. Student opens the (“Skill “)page.
2.Student enters a skill he need help with
3. Student clicks Search.
4.System display matching helpers



UML Diagram For Functional Requirement(2)

2.Requests

-Post Help Request


Actor:Student

1. **Student opens the (““Request ”) page.**
2. **Student enters the request details.**
3. **Student clicks Post.**
4. **System saves the request .**

-View Help Requests

Actor:Helper

1. **Helper opens the (““Request ”) page.**
2. **Helper views requests .**
3. **Helper accepts a request .**
4. **System saves the response .**




UML Diagram For Functional Requirement(3)

3. Communication

Actor: Student, Helper

1. **Student and Helper agree on the session time.**
2. **Student and Helper agree on the meeting method.**
3. **System saves the agreed session details.**



UML Diagram For Functional Requirement(4)

4.Rescheduling:

1- Cancel Appointments:

Actor: Student / Helper

1. Opens the appointments page.
2. Selects an appointment.
3. Clicks Cancel.
4. System cancels the appointment if it is before the cutoff period.

2- Reschedule Appointments:

Actor: Student / Helper

1. Opens the appointments page.
2. Selects an appointment.
3. Chooses a new date and time.
4. System updates the appointment if it is before the cutoff period.

