

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (2)
 - PostgreSQL 17
 - PostgreSQL 18
 - Databases (7)
 - Aula1_BDR
 - bdaula
 - clima_alerta
 - db_escola
 - postgres
 - queimadas_db
 - sistema_bancario**
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - Login/Group Roles
 - Tablespaces

Dashboard Properties SQL Statistics Dependencies Dependents Processes **sistema_bancario/postgres@PostgreSQL 18***

sistema_bancario/postgres@PostgreSQL 18

Query Query History

```

1 CREATE DATABASE sistema_bancario;
2
3 CREATE TABLE clientes (
4   id_cliente SERIAL PRIMARY KEY,
5   nome VARCHAR(100) NOT NULL,
6   cpf VARCHAR(11) UNIQUE NOT NULL,
7   endereco TEXT,
8   telefone VARCHAR(15)
9 );
10
11 INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
12 ('João Silva', '12345678900', 'Rua A, 123', '11999999999'),
13 ('Maria Oliveira', '98765432100', 'Rua B, 456', '11988887777');
14
15 CREATE TABLE contas (
16   id_conta SERIAL PRIMARY KEY,
17   numero_conta VARCHAR(10) UNIQUE NOT NULL,
18   saldo DECIMAL(10,2) DEFAULT 0,
19   id_cliente INT REFERENCES clientes(id_cliente) ON DELETE CASCADE
20 );
21
22 INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
23 ('000456', 2300.00, 1),
24 ('000123', 1400.00, 2),
25 ('000789', 100.00, 3);
26
27 SELECT * FROM clientes;
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99

```

Data Output Messages Notifications

numero_conta	saldo
character varying (10)	numeric (10,2)
1	000456
2	000123
3	000789

Showing rows: 1 to 3 Page No: 1 of 1

Total rows: 3 Query complete 00:00:00.124 CRLF Ln 9, Col 3

22°C Limpo

Pesquisar

22:38 17/03/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (2)
 - PostgreSQL 17
 - PostgreSQL 18
 - Databases (7)
 - Aula1_BDR
 - bdaula
 - clima_alerta
 - db_escola
 - postgres
 - queimadas_db
 - sistema_bancario**
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - Login/Group Roles
 - Tablespaces

Dashboard Properties SQL Statistics Dependencies Dependents Processes **sistema_bancario/postgres@PostgreSQL 18***

sistema_bancario/postgres@PostgreSQL 18

Query Query History

```

21
22 INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
23 ('eee123', 1500.00, 1),
24 ('eee456', 2300.00, 2);
25
26 CREATE TABLE transacoes (
27   id_transacao SERIAL PRIMARY KEY,
28   id_conta INT REFERENCES contas(id_conta) ON DELETE CASCADE,
29   tipo VARCHAR(15) CHECK (tipo IN ('Depósito', 'Saque', 'Transferência')),
30   valor DECIMAL(10,2) NOT NULL CHECK (valor > 0),
31   data_transacao TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
32   destino_transferencia INT REFERENCES contas(id_conta)
33 );
34
35 INSERT INTO transacoes (id_conta, tipo, valor) VALUES
36 (1, 'Depósito', 500.00),
37 (2, 'Saque', 200.00);
38
39 INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
40 (1, 'Transferência', 300.00, 2);
41
42 SELECT * FROM clientes;
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99

```

Data Output Messages Notifications

numero_conta	saldo
character varying (10)	numeric (10,2)
1	000456
2	000123
3	000789


Showing rows: 1 to 3 Page No: 1 of 1

Total rows: 3 Query complete 00:00:00.124 CRLF Ln 20, Col 3

22°C Limpo

Pesquisar

22:38 17/03/2026



Código completo:

CREATE DATABASE sistema_bancario;

CREATE TABLE clientes (

id_cliente SERIAL PRIMARY KEY,
 nome VARCHAR(100) NOT NULL,
 cpf VARCHAR(11) UNIQUE NOT NULL,
 endereco TEXT,
 telefone VARCHAR(15)

);

INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES

('João Silva', '12345678900', 'Rua A, 123', '11999990000'),

('Maria Oliveira', '98765432100', 'Rua B, 456', '11988887777');

CREATE TABLE contas (

id_conta SERIAL PRIMARY KEY,

```
numero_conta VARCHAR(10) UNIQUE NOT NULL,  
saldo DECIMAL(10,2) DEFAULT 0,  
id_cliente INT REFERENCES clientes(id_cliente) ON DELETE CASCADE  
);
```

```
INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES  
( '000123', 1500.00, 1),  
( '000456', 2300.00, 2);
```

```
CREATE TABLE transacoes (  
    id_transacao SERIAL PRIMARY KEY,  
    id_conta INT REFERENCES contas(id_conta) ON DELETE CASCADE,  
    tipo VARCHAR(15) CHECK (tipo IN ('Depósito', 'Saque', 'Transferência')),  
    valor DECIMAL(10,2) NOT NULL CHECK (valor > 0),  
    data_transacao TIMESTAMP DEFAULT CURRENT_TIMESTAMP,  
    destino_transferencia INT REFERENCES contas(id_conta)  
);
```

```
INSERT INTO transacoes (id_conta, tipo, valor) VALUES  
(1, 'Depósito', 500.00),  
(2, 'Saque', 200.00);
```

```
INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES  
(1, 'Transferência', 300.00, 2);
```

```
SELECT * FROM clientes;
```

```
SELECT contas.numero_conta, contas.saldo, clientes.nome  
FROM contas  
INNER JOIN clientes ON contas.id_cliente = clientes.id_cliente;
```

```
INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES  
( 'Carlos Mendes', '11122233344', 'Rua C, 789', '11977776666');
```

```
INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES  
( '000789', 0.00, 3);
```

```
INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES  
(1, 'Transferência', 100.00, 3);
```

-- Atualizar saldos

```
UPDATE contas SET saldo = saldo - 100 WHERE numero_conta = '000123';
```

```
UPDATE contas SET saldo = saldo + 100 WHERE numero_conta = '000789';
```

```
SELECT numero_conta, saldo FROM contas;
```