Übung #: Kurztitel

1. Teil 1

Build a plot that features three panels, the first for k(x), the second for l(x) and in the third one both are displayed together. The x values should be varied between zero and ten using an increment of 0.25, the y values between zero and twenty using an increment of 1. All axes should be labelled and the titles for the first two panels should be the functions using Tex code. The title of the third panel is “Mixed Together” and a legend, again with the function descriptions, should be added. Use the style sheet reference “dark_background”.

a) ...
b) ...
c) ...

2. Teil 2

Build a plot that features three panels, the first for k(x), the second for l(x) and in the third one both are displayed together. The x values should be varied between zero and ten using an increment of 0.25, the y values between zero and twenty using an increment of 1. All axes should be labelled and the titles for the first two panels should be the functions using Tex code. The title of the third panel is “Mixed Together” and a legend, again with the function descriptions, should be added. Use the style sheet reference “dark_background”.

d) ...
e) ...
f) ...

3. Teil 3

Build a plot that features three panels, the first for k(x), the second for l(x) and in the third one both are displayed together. The x values should be varied between zero and ten using an increment of 0.25, the y values between zero and twenty using an increment of 1. All axes should be labelled and the titles for the first two panels should be the functions using Tex code. The title of the third panel is “Mixed Together” and a legend, again with the function descriptions, should be added. Use the style sheet reference “dark_background”.

a) ...
b) ...
c) ...