

QALD-Mini-Project

Lukas Blübaum
Nick Düsterhus
Ralf Keller

University of Paderborn

<https://github.com/LukasBluebaum/QALD-Mini-Project>

June 21, 2018

Overview

- 1 Task Description
- 2 Our Approach
- 3 Architecture
- 4 Question Preprocessing
- 5 Template Overview
- 6 Benchmarking

Task Description

- Building a Question Answering Engine that is able to get a F-measure of atleast 0.1
- Using Dbpedia as knowledge base


Given

- Library qa.annotation (finding entities, properties, classes) and qa.common (load / store QAD Datasets)
- a wrapper to plug in GERBIL QA

Our Approach

- Template based
- Classify question types and apply natural language processing to get important keywords
- Find entities, classes, and properties that match the question
- Build SPARQL query templates for the most common types of questions

Simplified Procedure



- Three modes:
 - Run offline: tries to answer one committed question
 - Answer Dataset Questions: Load QALD Dataset and save the result as JSON-File (list of questions and their answers)
 - Can be used as a webservice

- Using the GerbilQA-Benchmarking-Template
 - Webserver via the Spring Framework
 - Takes a HTTP-POST Request containing the Question
- Passes the question to the QuestionEngine
- Returns a JSON-File containing the answer and the used query

- Determining which method to build a sparql query should be applied
- Classifies questions by their starting word
 - e.g. "When": we can conclude from that, that the given result should be from the datatype date or year
 - distinguish between ASK and SELECT clause

Question Preprocessing

- Requesting Spotlight to get all named entities in the question
- Using the Stanford Core NLP to find keywords that give us information about the relations from the question
- findClasses/findProperties: using indexDBO_classes from the qa.annotation library on nouns, verbs and adjectives

Templates for different types of questions

- boolean questions such as: "Do Prince Harry and Prince William have the same parents?"
 - list questions
 - Who, Which, When, Where
 - How (much/many)
-
- Further differentiation which template to use based on number of classes/entities and comparison words
 - Request Dbpedia endpoint using Apache Jena Library

Sparql Query Templates

Example Query

Example (most basic query)

- Question: "Who was the doctoral supervisor of Albert Einstein"?
- One Entity: Albert Einstein
- doctoral supervisor maps to property dbo:doctoralAdvisor

Query \Rightarrow `SELECT DISTINCT ?uri WHERE {
 <http://dbpedia.org/resource/Albert_Einstein>
 <http://dbpedia.org/ontology/doctoralAdvisor> ?uri . }`

Sparql Query Templates

Comparison

- Predefined comparison enum for questions containing superlatives or comparatives

```
package utils;

import java.util.ArrayList;

public enum Comparison {
    LONG("http://dbpedia.org/ontology/length", "DESC"),
    LONGER("http://dbpedia.org/ontology/length", "DESC"),
    LONGEST("http://dbpedia.org/ontology/length", "DESC"),
    OLD("http://dbpedia.org/ontology/openingYear", "http://dbpedia.org/ontology/birthDate"),
    OLDER("http://dbpedia.org/ontology/openingYear", "http://dbpedia.org/ontology/birthDate", "DESC"),
    OLDEST("http://dbpedia.org/ontology/openingYear", "http://dbpedia.org/ontology/birthDate", "DESC"),
    TALL("http://dbpedia.org/ontology/height", "DESC"),
    TALLER("http://dbpedia.org/ontology/height", "DESC"),
    TALLEST("http://dbpedia.org/ontology/height", "DESC"),
    SHORT("http://dbpedia.org/ontology/height", "ASC"),
    SHORTER("http://dbpedia.org/ontology/height", "ASC"),
    SHORTEST("http://dbpedia.org/ontology/height", "ASC"),
    HIGH("http://dbpedia.org/ontology/elevation", "DESC"),
    HIGHER("http://dbpedia.org/ontology/elevation", "http://dbpedia.org/property/higher", "DESC"),
    HIGHEST("http://dbpedia.org/ontology/elevation", "http://dbpedia.org/property/higher", "DESC"),
    SMALL("http://dbpedia.org/ontology/areaTotal", "ASC"),
    SMALLER("http://dbpedia.org/ontology/areaTotal", "ASC"),
    SMALLEST("http://dbpedia.org/ontology/areaTotal", "ASC"),
    LARGE("http://dbpedia.org/ontology/areaTotal", "DESC"),
    LARGER("http://dbpedia.org/ontology/areaTotal", "DESC"),
    LARGEST("http://dbpedia.org/ontology/areaTotal", "DESC"),
    BIG("http://dbpedia.org/ontology/areaTotal", "DESC"),
    BIGGER("http://dbpedia.org/ontology/areaTotal", "DESC"),
    BIGGEST("http://dbpedia.org/ontology/areaTotal", "DESC");

    private String order;
    private ArrayList<String> uri = new ArrayList<String>();

    Comparison(String pURI){
        String[] uris = pURI.split(",");
        for(String u: uris) {
            uri.add(u);
        }
    }

    Comparison(String pURI, String pOrder) {
        this.order = pOrder;
        String[] uris = pURI.split(",");
        for(String u: uris) {
            uri.add(u);
        }
    }

    public String getURI(int i) {
        return uri.get(i);
    }

    public String getOrder() {
        return this.order;
    }
}
```

Sparql Query Templates

Example Query

Example (largest)

- Question: "What is the largest country in the world?"
- Zero Entities
- One Class: Country
- Comparison enum: largest (dbo:areaTotal)
- Order: DESC
- Query \Rightarrow

```
SELECT ?answer WHERE {  
  ?answer rdf:type <http://dbpedia.org/ontology/Country>.  
  ?answer <http://dbpedia.org/ontology/areaTotal> ?area .}  
ORDER BY DESC(?area) LIMIT 1 OFFSET 0
```

Benchmarking

QALD8 Test

GERBIL Experiment

Experiment URI: <http://gerbil-qa.aksw.org/gerbil/experiment?id=201807160000> and <http://w3id.org/gerbil/qa/experiment?id=201807160000>

Type: QA

Matching: Me - strong entity match

Annotator	Dataset	Language		Micro F1	Micro Precision	Micro Recall	Macro F1	Macro Precision	Macro Recall	Error Count	avg millis/doc	Macro F1 QALD	Timestamp	GERBIL version
test (uploaded)	QALD8 Test Multilingual	en		0,4	0,7143	0,2778	0,3588	0,3618	0,3577	0	0	0,4991	2018-07-16 14:26:25	0.2.3
test (uploaded)	QALD8 Test Multilingual	en	Answer Type	1	1	1	1	1	1	0			2018-07-16 14:26:25	0.2.3
test (uploaded)	QALD8 Test Multilingual	en	C2KB	0,4906	0,5571	0,4382	0,474	0,4829	0,4797	0			2018-07-16 14:26:25	0.2.3
test (uploaded)	QALD8 Test Multilingual	en	P2KB	0,4286	0,5143	0,3673	0,4065	0,4187	0,4114	0			2018-07-16 14:26:25	0.2.3
test (uploaded)	QALD8 Test Multilingual	en	RE2KB	0,3333	0,4	0,2857	0,3415	0,3374	0,3496	0			2018-07-16 14:26:25	0.2.3

- <http://gerbil-qa.aksw.org/gerbil/experiment?id=201807160000>

Benchmarking

QALD8 Train

