


# Vibrational spectroscopy using nuclear wave function


PR Theoretical Chemistry and Computer Chemistry (Advanced)

Lukas Meinschad ([lukas.meinschad@gmail.com](mailto:lukas.meinschad@gmail.com)), Institut for Anorganic Theoretical Chemistry

## Starting Structures



**Figure 1:** F<sub>2</sub> optimized with B3LYP/6-311++G(3df,3pd)



**Figure 2:** trans-CH<sub>3</sub>COOH optimized with B3LYP/6-311++G(3df,3pd)

## Calculation of reduced mass and force constant $k$

The force constant  $k$  can be calculated via finite differences from the potential energies of the bond scan.

$$k \approx \frac{E_{min-1} + 2E_{min} + E_{min+1}}{\Delta r^2} \quad \mu = \frac{m_1 \cdot m_2}{m_1 + m_2} \quad (1)$$

**Table 1:** Reduced mass  $\mu$  and force constant  $k$

|                | F <sub>2</sub> | trans-CH <sub>3</sub> COOH |
|----------------|----------------|----------------------------|
| $\mu$ (g/mol)  | 9.4992016      | Col 2                      |
| $k$ (kcal/mol) | 874.9427       | Col 2                      |

With the harmonic oscillator framework the frequency  $\nu$  and wavenumber can be calculated

$$\nu = \frac{1}{2\pi} \cdot \sqrt{\frac{k}{\mu}} \cdot \xi \Rightarrow \bar{\nu} = \frac{\nu}{c} \quad (2)$$

**Table 2:** Frequency  $\nu$  and  $\bar{\nu}$  calculated with eq. (2)

|                                   | F <sub>2</sub> | trans-CH <sub>3</sub> COOH |
|-----------------------------------|----------------|----------------------------|
| $\nu$ / (s <sup>-1</sup> )        | 3.111e13       | Col 2                      |
| $\bar{\nu}$ / (cm <sup>-1</sup> ) | 1037.68        | Col 2                      |

## Numerov frequency calculation

Numerov method is a numerical method to solve differential equations. This method can be used for the

$$\frac{\partial^2 \Psi}{\partial x^2} = \frac{2m}{\hbar} (V - E) \Psi \Rightarrow \frac{\partial^2 \Psi}{\partial x^2} \approx \frac{\Delta g}{\Delta x} \quad (3)$$

## Center Column for Landscape Posters

If you ever wondered how the cumulative distribution function of the generalized logistic distribution type I would look like: here it is.

$$F(x; \alpha) = \frac{1}{(1 + e^{-x})^\alpha} = (1 + e^{-1})^{-\alpha}, \quad \alpha > 0 \quad (4)$$

- $F(x; \alpha)$ : cumulative distribution function
- $\alpha$ : skewness parameter


Another equation to fill the space here:

$$\frac{\partial}{\partial t}(\rho \mathbf{u}) + \nabla \cdot (\rho \mathbf{u} \otimes \mathbf{u}) = -\nabla \cdot \mathbf{p} \mathbf{I} + \nabla \cdot \boldsymbol{\tau} + \rho \mathbf{g} \quad (5)$$

... which is the Navier-Stokes equation. If you find an analytic solution you might get a quite nice price!

## Content Block With Example Figure

A very simple statistical graph to demonstrate how the figure includes look like in the beamer style and to fill the content such that the demo content looks a little bit nicer.



**Figure 3:** This is just an example figure to demonstrate how figure includes with captions look like.

## Center Column for Landscape Posters

Nam liber tempor cum soluta nobis eleifend option congue nihil imperdiet doming id quod mazim placerat facer possim assum. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.

Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

Nam liber tempor cum soluta nobis eleifend option congue nihil imperdiet doming id quod mazim placerat facer possim assum.

Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis.

## Supported Text Styles and Colors

Both, **bold face** and *italic* styles are supported by the poster theme. Beside text styles a set of default colors and commands which can be used. These colors are based on the colors of the corporate design of our university.

### Available colors:

|   |                            |
|---|----------------------------|
| ■ | blue (uibkblue)            |
| ■ | light blue (uibkblue1)     |
| ■ | orange (uibkorange)        |
| ■ | light orange (uibkorangel) |
| ■ | gray (uibkgray)            |
| ■ | medium gray (uibkgraym)    |
| ■ | light gray (uibkgrayl)     |

### Available commands:

| command       | output example |
|---------------|----------------|
| \fct{...}     | example()      |
| \class{...}   | "example"      |
| \pkg{...}     | example        |
| \email{...}   | email          |
| \doi{...}     | doi:example    |
| \file{...}    | example        |
| \dataset{...} | example        |

**Table 3:** Commands provided by the "beamerstyleuibk" template.

All commands using verbatim (\email, \doi, \file and dataset) use a highlight color which can be adjusted by including e.g., in the preamble if required.

## Take Home Message

Duis autem vel **eum iriure dolor** in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat **nulla facilisis at vero**.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, **sed diam nonummy nibh** euismod tincidunt ut laoreet dolore magna aliquam erat **volutpat**.

- Duis autem vel eum iriure
- dolor in hendrerit in vulputate, vel illum dolore
- velit esse molestie consequat

Ut wisi enim **ad minim veniam**, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

### References:

Mustermann, M. and Demoman F.C., 2017: A Fake Reference to Demonstrate How This Could Look like. LaTeX poster template demo, 0(0), 666-999.

### Acknowledgements:

Ongoing project funded by the Austrian Science Fund (FWF): TRP 123-456. The computational results presented have been achieved (in part) using the HPC infrastructure LEO of the University of Innsbruck.

