

Codebook for toyData

Autogenerated data summary from reporter

2020-12-01 14:17:17

Data report overview

The dataset examined has the following dimensions:

Feature	Result
Number of observations	15
Number of variables	6

Codebook summary table


Label	Variable	Class	# unique values	Missing	Description
	pill	factor	3	13.33 %	
	events	numeric	9	20.00 %	
	region	factor	7	0.00 %	
	change	numeric	15	0.00 %	
	id	factor	15	0.00 %	
	spotifysong	factor	1	0.00 %	

Variable list

pill


Feature	Result
Variable type	factor
Number of missing obs.	2 (13.33 %)
Number of unique values	2
Mode	"red"
Reference category	blue

- Observed factor levels: "blue", "red".




events

Feature	Result
Variable type	numeric
Number of missing obs.	3 (20 %)
Number of unique values	8
Median	4.5
1st and 3rd quartiles	1.75; 6
Min. and max.	1; 999



region


Feature	Result
Variable type	factor
Number of missing obs.	0 (0 %)
Number of unique values	7
Mode	"a"
Reference category	



- Observed factor levels: " ", ".", "a", "b", "c", "other", "OTHER".

change

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	15
Median	0.33
1st and 3rd quartiles	-0.62; 0.66
Min. and max.	-2.21; 1.6



id

- The variable is a key (distinct values for each observation).

spotifysong

- The variable only takes one (non-missing) value: "Irrelevant". The variable contains 0 % missing observations.

Report generation information:

- Created by: AHP (username: root).

- Report creation time: tir dec 01 2020 14:17:18
- Report was run from directory: /home/ahp/bshome/reporterR
- reporterR v1.0.0 [Pkg: 2020-12-01 from Github (ekstroem/reporterR@51ad0bc)]
- R version 4.0.2 (2020-06-22).
- Platform: x86_64-pc-linux-gnu (64-bit)(Ubuntu 18.04.5 LTS).
- Function call: `reporterR::makeDataReport(data = toyData, mode = c("summarize", "visualize", "check"), smartNum = FALSE, file = "codebook_toyData.Rmd", checks = list(character = "showAllFactorLevels", factor = "showAllFactorLevels", labelled = "showAllFactorLevels", haven_labelled = "showAllFactorLevels", numeric = NULL, integer = NULL, logical = NULL, Date = NULL), listChecks = FALSE, maxProbVals = Inf, codebook = TRUE, reportTitle = "Codebook for toyData")`