# toy Data Autogenerated data summary from reporteR

2020-12-01 14:16:12

## Data report overview

The dataset examined has the following dimensions:

Feature	Result
Number of observations	15
Number of variables	6

#### Checks performed

The following variable checks were performed, depending on the data type of each variable:

	character	factor	labelled	haven labelled	numeric	integer	logical	Date
Identify miscoded missing values	×	×	×	×	×	×		×
Identify prefixed and suffixed whitespace	×	×	×	×				
Identify levels with $< 6$ obs.	×	×	×	×				
Identify case issues	×	×	×	×				
Identify misclassified numeric or integer variables	×	×	×	×				
Identify outliers					×	×		×

Please note that all numerical values in the following have been rounded to 2 decimals.


## Summary table

	Variable class	# unique values	Missing observations	Any problems?
pill	factor	3	13.33 %	×
events	numeric	9	20.00~%	×
region	factor	7	0.00~%	×
change	numeric	15	0.00~%	×
id	factor	15	0.00~%	×
spotifysong	factor	1	0.00 %	×

### Variable list

#### $\mathbf{pill}$


Feature	Result
Variable type	factor
Number of missing obs.	2 (13.33 %)
Number of unique values	2
Mode	"red"
Reference category	blue



• Note that the following levels have at most five observations: "blue".

#### events


Feature	Result
Variable type	numeric
Number of missing obs.	3 (20 %)
Number of unique values	8
Median	4.5
1st and 3rd quartiles	1.75; 6
Min. and max.	1; 999



- The following suspected missing value codes enter as regular values: "999", "NaN".
- Note that the following possible outlier values were detected: "82", "999".

#### region


Feature	Result
Variable type	factor
Number of missing obs.	0 (0 %)
Number of unique values	7
Mode	"a"
Reference category	



- The following suspected missing value codes enter as regular values: " ", ".".
- The following values appear with prefixed or suffixed white space: " ".
- Note that the following levels have at most five observations: " ", ".", "a", "b", "c", "other", "OTHER".
- Note that there might be case problems with the following levels: "other", "OTHER".

#### change

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	15
Median	0.33
1st and 3rd quartiles	-0.62; 0.66
Min. and max.	-2.21; 1.6



• Note that the following possible outlier values were detected: "1.12", "1.51", "1.6".

#### id

• The variable is a key (distinct values for each observation).

#### spotifysong

• The variable only takes one (non-missing) value: "Irrelevant". The variable contains 0 % missing observations.

#### Report generation information:

- Created by: AHP (username: root).
- $\bullet\,$  Report creation time: tir dec 01 2020 14:16:12
- Report was run from directory: /home/ahp/bshome/reporteR
- reporteR v1.0.0 [Pkg: 2020-12-01 from Github (ekstroem/reporteR@51ad0bc)]
- R version 4.0.2 (2020-06-22).
- Platform: x86\_64-pc-linux-gnu (64-bit)(Ubuntu 18.04.5 LTS).
- Function call: makeDataReport(data = toyData)