MODULES



Internal to the charge of the

- What is a module?
- **W** Basics of exporting
- **Basics of importing**
- Renaming exported and imported bindings
- Defaults values in modules
- Re-export binding
- Import without binding



Exercise the effect, burning of the control of the

- Code snippet
- Works in strict mode, without the ability to change it
- Has a private scope
- Modules can import components from other modules
- I this at the top level of the module is undefined
- Modules don't support HTML comments.
- Modules allow application scaling



BASICS OF EXPORTING OF THE PROPERTY OF THE PRO

```
1 export const name = 'Alex';
2 export let person = 'Black';
3 export function f() {};
4 export class Cube {};
```



BASICS OF INPORTAGE BASICS OF

```
1 import { name, person, f, Cube } from './source';
```



search as fact reary gene. The shiften, year on Respect for the resolution of the shiften date, year the resolution of the shiften date, year the record petric, generated bears, the record petric, generated bears, gener

```
1 export const name = 'Alex';
2
3 export { name as personName };
```



security on the crisp, by chains. And they queen, the minimum security part of respects for the companion of the companion of

1 import { personName as customerName } from './source';



seer's find first by the control of the control of

```
1 const name = 'Alex';
2
3 export default name;
```



service the first of the first

1 import personName from './source';



The state of the s

```
1 export { name, status } from './source';
```



The property of the state of th

```
1 import './source';
```



HERE GOES!



