# ULTIMATE CYBERPATRIOT WINDOWS CHECKLIST

| | |
|---|---|
| Frist | starting<br>Always read the read me frist<br>And complete forensics questions<br>Remember to take a look at the files for easter eggs<br>Use the computer management by windows key and search computer management |
| secpol.msc<br><br>⊞+r -> type "secpol.msc" | Account Policy<br>Password Policy<br>Enforce password history: **24**<br>Maximum password age: **30**<br>Minimum password age: **3**<br>Minimum password length: **14**<br>Password must meet complexity requirements: **Enabled**<br>Store passwords using reversible encryption: **Disabled**<br>Account Lockout Policy<br>Account lockout duration: **30**<br>Account lockout threshold: **5**<br>Reset account lockout counter: **30**<br><br>Local Policies<br>Audit Policy<br>Set everything to **Success, Failure**<br>User Rights Assignment<br>Check for anything that looks out of place (for instance, nothing should "Act as part of the operating system." Record anything you remove.<br><br>Security Options<br>Accounts:<br>Administrator account status: **Disabled**<br>Guest account status: **Disabled**<br>Limit local account use of blank passwords to console only: **Enabled**<br>Limit local use of blank passwords to console only: **Enabled**<br>Devices:<br>Allow undock without having to log on: **Disabled** |

| | |
|---|---|
| | Interactive Login:<br>Display user information when the session is locked: **Do not display user information**<br>Do not require CTRL+ALT+DEL: **Disabled**<br>Don't display last signed-in: **Enabled**<br>MS network client:<br>Digitally sign communications (always): **Disabled**<br>-Network Access:<br>Allow anonymous SID/Name translation: **Disabled**<br>Do not allow anonymous enumeration of SAM accounts: **Enabled**<br>Do not allow anonymous enumeration of SAM accounts and shares: **Enabled**<br>Let Everyone permissions apply to anonymous users: **Disabled**<br>Restrict anonymous access to Named Pipes and Shares: **Enabled**<br>-Network Security:<br>(windows 10) - Do not store LAN Manager hash value on next password change: **Enabled**<br>-Recovery Console:<br>Allow automatic admin logon: **Disabled**<br>Allow floppy copy and access to all drives and all folders: **Disabled**<br>-Shutdown:<br>Allow system to be shut down without having to logon: **Disabled**<br>-User Account Control:<br>Admin Approval Mode for Built-in Administrator account: **Enabled**<br>Behavior of the elevation prompt for standard users automatically: **Deny**<br>Run all administrators in Admin Approval Mode: **Enabled**<br>**** Refer to <u>this doc</u> for a complete list of all configurations**<br><br>** It is unlikely any changes will need to be made to **Network List Manager Policies, Public Key Policies, Software Restriction Policies, Application Control Policies, or IP Security Policies on Local Computer** unless stated otherwise<br><br>-Advanced Audit Policy Configuration<br>Set everything to **Success, Failure** (leave Global Object Access Auditing alone)<br>** Account Logon |
| lusrmgr.msc<br><br>⊞+r -> type "lusrmgr.msc" | -Users<br>**** Document any changes you make here and refer to the readme**<br>-Disable the guest account<br>- Users -> right click "Guest" -> Properties -> check "Account is disabled"<br>-Remove any unauthorized users<br>- Users -> right click [User] -> Delete<br>-Add new users<br>- Users -> More Actions -> New User -> add applicable settings<br>-Make changes to user properties |

| | |
|---|---|
| | - Users -> right click [User] -> Properties<br>- Check “User must change password at next logon” (except for the admin account)<br>- Uncheck “User cannot change password”<br>- Uncheck “Password never expires”<br>- Uncheck “Account is disabled” (unless it’s the Guest account or the account needs to be disabled)<br>- Uncheck “Account is locked out”<br>Assign passwords to all users to ( C1sc0!314159??? Or CyberP12345@SVT )<br>- Users -> right click [User] -> Set Password<br>- Make sure password meets complexity requirements<br>- Example: PP@@ssword12345<br>-Groups<br>**** Document any changes you make here and refer to the readme**<br>Remove unauthorized users from admin group/other groups they shouldn’t be a part of<br>- Groups -> right click [Group] -> Properties -> Select [User] -> Remove<br>Create groups (as specified)<br>- Groups -> More Actions -> New Group -> add applicable settings<br>Add users to groups (as specified)<br>- Groups -> right click [Group] -> Properties -> Add -> enter [User]<br>Remove any unnecessary groups<br>- Groups -> right click [Group] -> Delete<br>**** Do not delete any of the default groups!** |
| fsmgmt.msc<br><br>⊞+r -> type “fsmgmt.msc” | -Shares:<br>- Unshare any folders besides the mandatory folders:<br>- **ADMIN$**<br>- **C$**<br>- **IPC$**<br>(Any required folder shares will have a $ sign at the end)<br><br>-Sessions:<br>- Disconnect All Sessions from the top left corner of the Shared Folders Directory. |

| | |
|---|---|
| services<br><br>⊞ -> type "services" | -Service<br>Stop and disable unnecessary services<br>**** Be sure to check the readme for any critical services. Do not disable or stop DNS Client, Server, or any other vital services.**<br>- Services -> Double click a service to edit properties -> Stop service and choose disabled<br>  - Common services to disable:<br>  - SMTP FTP this is what they wanted<br>  - Telnet, FTP, RIP Listener, RPC Locator, SNMP Trap, Bitlocker, Remote Registry, UPnP, SSDP Discovery<br>  - Full list of services here (wip)<br>Services are running<br>- Services -> Double click a service to edit properties -> Start service and choose Automatic<br>  - Make sure services specified in the readme are running (ex. Windows Event Log, Windows Update, etc)<br><br>-Windows Features<br>In Windows 10:<br>- Control Panel -> Programs -> Turn Windows features on or off -> uncheck to remove or check to install<br><br>In Server 2019:<br>- Server Manager -> Manage -> Remove Roles and Features -> Next -> Next -><br>  - uncheck Server Roles -> Remove<br>  - uncheck Features -> Remove<br><br>- Common Features to remove:<br>  - FTP, Simple TCP/IP Services, Telnet, SMB 1.x |
| remote desktop<br><br>⊞+r -> type "sysdm.cpl" | Remote Desktop<br>**** Be sure to check the readme if remote desktop is a critical service.**<br>- System Properties -> Remote -> Remote Assistance -> uncheck "Allow Remote Assistance connections to this computer" AND select "Don't allow connections to this computer" |
| task manager | Task Manager<br>Disable unwanted startup services<br>- Task Manager -> Startup -> Disable |
| task scheduler | Task Scheduler<br>Remove unwanted scheduled tasks<br>- Find task in Active Tasks -> Double click [task] -> Delete |

| | |
|---|---|
| powershell<br><br>⊞ -> search "powershell" and run as administrator | Update Powershell<br>- Check current version of Powershell (the latest version is 5.1)<br>- Type "$PSVersionTable.PSVersion"<br>- Refer here for further instruction<br>- You may install PowerShell Core 7, but this is a separate platform entirely. Instructions found in the same link |
| screensaver<br><br>⊞ -> type "screensaver" | Screensaver<br>Enable screensaver and require password for logging back on (Control Panel -> Hardware and Sound -> Power Options)<br>- Enable "On resume, display logon screen" |
| UAC<br><br>⊞ -> type "control panel" | User Account Control settings<br>Control Panel -> User Accounts -> User Accounts -> Change User Account Control Settings<br>- Set as high as possible (Always notify) |
| AutoPlay<br><br>⊞ + i | AutoPlay has been disabled<br>- Settings -> Devices -> AutoPlay -> Use AutoPlay for all media and devices **Off**<br>**Done** |

| | |
|---|---|
| firewall and ports<br><br>⊞ -> type “firewall” | Turn on Firewall<br>- Control Panel -> System and Security -> Windows Defender Firewall -> Use Suggested Settings<br>Windows Defender Firewall with Advanced Security<br>- gpedit.msc -> Computer Configuration -> Windows Settings -> Security Settings -> Windows Defender Firewall with Advanced Security -> Windows Defender Firewall Properties<br>Domain Profile<br>Firewall state: **On**<br>Inbound connections: **Block (default)**<br>Outbound connections: **Allow (default)**<br>Settings<br>Display a notification: **No**<br>Logging<br>Size limit (KB): **16384 KB or greater**<br>Log dropped packets: **Yes**<br>Log successful connections: **Yes**<br>Private Profile<br>Firewall state: **On**<br>Inbound connections: **Block (default)**<br>Outbound connections: **Allow (default)**<br>Settings<br>Display a notification: **No**<br>Logging<br>Size limit (KB): **16384 KB or greater**<br>Log dropped packets: **Yes**<br>Log successful connections: **Yes**<br>Public Profile<br>Firewall state: **On**<br>Inbound connections: **Block (default)**<br>Outbound connections: **Allow (default)**<br>Settings<br>Display a notification: **No**<br>Apply local connection security rules: **No**<br>Logging<br>Size limit (KB): **16384 KB or greater**<br>Log dropped packets: **Yes**<br>Log successful connections: **Yes**<br><br>Close ports through Firewall<br>- Control Panel -> System and Security -> Windows Firewall -> Advanced Settings<br>- Specify ports to block<br>- Inbound Rules -> New Rule -> Port -> List ports you wish to block under “Specific local ports” -> Block the connection -> Apply rule to |

| | |
|---|---|
| | all sections (should be all by default; if not, check them all) -> Name rule -> Finish |
| updates/ programs<br><br>⊞ -> type "update" | Windows Updates<br>Update Windows<br>- Update Settings -> Update & Security -> Check for updates<br>** Never save this for the last minute—updates can take a long time!<br>Turn on Automatic Updates<br>** If Automatic Windows Updates are disabled:<br>- gpedit.msc -> Administrative Templates -> Windows Components -> Windows Update -> Configure Automatic Updates -> **Enabled**<br><br>Uninstall Unnecessary Programs (Control Panel)<br>- Common programs to remove:<br>- WireShark, Nmap, uTorrent, Netcat<br>- Any video game or launcher unless listed in the readme<br>- Find in Program Files (check file timestamps) or check Downloads for any zip files9<br><br>Update Necessary Programs<br>- Update Firefox and any other programs specified in the readme (such as Notepad++)<br>- If you're unable to update a program, instead uninstall it and reinstall the latest version |
| browser settings | Firefox<br>Update Firefox<br>- Menu icon -> Options -> General -> Check for Updates<br>- -+<br>- check "Automatically install updates (recommended)"<br>Enable pop-up blocker<br>- Menu icon -> Options -> Content -> Make sure "Block pop-up windows" is checked<br>- Also check "Warn you when websites try to install add-ons"<br>Block dangerous resources<br>- Menu icon -> Options -> Privacy & Security -> Check "Block dangerous and deceptive content", "Block dangerous downloads", "Warn you about unwanted and uncommon software"<br>Remove Add-ons<br>- Menu icon -> Options -> Extensions & Themes -> Extensions -> Manage Your Extensions<br>Autoplay<br>- Menu icon -> Options -> Privacy & Security -> Autoplay (Settings) -> Block Audio and Video<br>** Can also block any other requests under Permissions |

| | |
|---|---|
| | Internet Explorer<br>Update Internet Explorer<br>- Check what version of Internet Explorer is installed (most recent is Internet Explorer 11)<br>- Internet Explorer updates should be downloaded with system updates. You can install Internet Explorer if needed under "Turn Windows features on or off" in Control Panel<br>Enable pop-up blocker<br>- Tools -> Pop-up Blocker -> Turn On Pop-up Blocker<br>Disable Flash and Unauthorized toolbars<br>- Tools -> Manage Add-ons -> Show: All add-ons -> Right-click Flash -> Disable<br>- Disable anything else that may be suspicious<br>- Refer here (Windows Components -> Internet Explorer) |
| media files | Delete any prohibited media files (.png, .jpg, .gif, .mov, .mp4, .mp3, etc.)<br>** Note that sometimes files used in the forensics questions (not the forensics question files themselves) may need to be removed. **Only remote them after you have gotten the points associated with that file.**<br>- Search in command line using *.<file extension><br>- (ex. dir /s *.txt)<br>- Manually search through folders for specific file types (usually found in user folders)<br>- Turn on see hidden files |
| malware & windows security<br><br>⊞ -> type "windows security" | Malware<br>Remove detected malware threats<br>- Install and run one or more of the following:<br>- WinRar, Malware Bytes, Microsoft Safety Scanner, Malicious Software Removal Tool.<br>- You can also use Windows Defender by going Settings -> Update & Security -> Windows Security -> Virus & threat protection<br>Windows Security<br>Windows Smartscreen configured to warn or block |

| | |
|---|---|
| | - Windows Security -> App & browser control -> SmartScreen for Microsoft Edge/Microsoft Store apps -> select “Warn” or “Block” |
| gpedit.msc<br>⊞ +r -> type “gpedit.msc”<br><br><u>additional settings</u> | Local Group Policy Editor or just go into windows settings<br>Check for any pre-configured settings<br>- gpedit.msc -> Administrative Templates -> All Settings -> Sort by “State”<br>  - Adjust changed settings accordingly<br>Require secure RPC communication<br>- gpedit.msc -> Administrative Templates -> Windows Components -> Remote Desktop Services -> Remote Desktop Session Host -> Require secure RPC communication **Enabled**<br>RDP connection encryption level has been set to high<br>- gpedit.msc -> Administrative Templates -> Windows Components -> Remote Desktop Services -> Remote Desktop Session Host -> Set client connection<br>- encryption level **Enabled** -> Encryption Level **High Level** |
| Registry Editor<br>⊞ +r -> “regedit” | Don't do this unless told by the read me!<br>Disable IPv6<br>- Control Panel -> Network and Internet -> Network Connections -> Change adapter settings -> Right click connection -> Properties -> Uncheck “Internet Protocol Version 6 (TCP/IPv6)”<br>OR<br>- Registry Editor -> HKEY_LOCAL_MACHINE -> System -> CurrentControlSet -> Services -> Tcpip6 -> Parameters -> DisabledComponents<br>  - To establish the recommended configuration, set the following Registry value to 0xff (255) (DWORD) |

| | |
|---|---|
| server specific vulns | Active Directory (if Domain Controller)<br><br>⊞ + r → “dsa.msc”<br><br>Check privileged groups: Domain Admins, Enterprise Admins, Schema Admins, Administrators, Remote Desktop Users, Backup Operators.<br>Right-click group → Properties → Members → Remove unauthorized users.<br><br>Group Policy Management (⊞ + r → “gpmc.msc”)<br><br>● Default Domain Policy → confirm password/lockout policies.<br>● Default Domain Controllers Policy → enable auditing for logon events, account management, directory service access.<br><br>Server Roles & Features<br><br>Server Manager → Manage → Remove Roles and Features<br><br>Uncheck roles not required by README (e.g., DHCP, IIS, Print Services).<br>Keep only required roles (e.g., Apache, MariaDB, DNS).<br>Features → uncheck legacy features: SMBv1, Simple TCP/IP Services, Telnet, TFTP.<br><br>Remote Desktop & Remote Management<br><br>⊞ + r → “sysdm.cpl”<br><br>Remote tab → Enable RDP with Network Level Authentication.<br>⊞ + r → “lusrmgr.msc” → Groups → Remote Desktop Users → remove unauthorized users, add only those listed in README.<br><br>⊞ + r → “gpedit.msc”<br>Computer Config → Admin Templates → Windows Components → Remote Desktop Services → Remote Desktop Session Host → Security<br><br>● Require secure RPC communication = Enabled<br>● Set client connection encryption level = High<br><br>WinRM (if required): lusrmgr.msc → Groups → Remote Management Users → add only authorized users.<br><br>Advanced Logging & Auditing<br><br>⊞ + r → “gpedit.msc”<br><br>Computer Config → Admin Templates → Windows Components → Windows PowerShell |

- Enable Script Block Logging
- Enable Module Logging

Computer Config → Windows Settings → Security Settings → Advanced Audit Policy Configuration

- Enable Object Access auditing for C:\Windows\System32 and C:\Apache24\htdocs

File Shares & Permissions

⊞ + r → “fsmgmt.msc”

Shares → remove unauthorized shares (e.g., greybeard, C: drive share).
Keep only ADMIN$, C$, IPC$.

File Explorer → right-click sensitive directories → Properties → Security tab

- Remove “Everyone: Full Control”
- Ensure only SYSTEM and Administrators have Full Control.

Server-Specific Services

⊞ + r → “services.msc”

Disable: SMTP, FTP, SNMP Trap, Remote Registry, RIP Listener, SSDP Discovery, UPnP.
Double-click service → Startup type = Disabled → Stop → Apply.

Ensure required services are running: Windows Update, Event Log, DNS (if server role), Apache/MariaDB (if required).

Registry & Network Stack Hardening

⊞ + r → “regedit”

Navigate: HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Tcpip\Parameters

- SynAttackProtect = 2 (DWORD)
- EnableICMPRedirect = 0 (DWORD)
- DisableIPSourceRouting = 2 (DWORD)

⊞ + r → “gpedit.msc”
Computer Config → Admin Templates → Network → DNS Client → Enable “Turn Off Multicast Name Resolution”

NIC Properties → IPv4 → Advanced → WINS tab → Disable NetBIOS over TCP/IP.

Server Application Security

IIS/Apache:

- Remove default pages (iisstart.htm, test.php).
- Disable directory browsing.
- Restrict bindings to required IPs only.

SQL/MariaDB:

- Remove test databases.
- Ensure no blank passwords.
- Restrict remote access unless required.

**All of this and below are do not do unless told by the read me!**

Disable LM & NTLMv1 Authentication
(Don't do this unless told by the read me!)
Method 1: Local Security Policy
1. ⊞ + r ⟶ type ⟶ Enter
2. Navigate:
3. Find: Network security: LAN Manager authentication level
4. Set to: Send NTLMv2 response only. Refuse LM & NTLM

Method 2: Registry Editor
1. ⊞ + r ⟶ type ⟶ Enter
2. Navigate:
3. Create/modify DWORD:
4. Set value =

Restrict Anonymous Access
(Don't do this unless told by the read me!)
Registry Editor
1. ⊞ + r ⟶
2. Navigate:
3. Create/modify DWORD:
4. Set value =

Rename or Disable Built-in Administrator Account
(Don't do this unless told by the read me!)
Method 1: Local Security Policy
1. ⊞ + r ⟶
2. Navigate:
3. Find: Accounts: Rename administrator account
4. Rename to a non-obvious name

Method 2: Disable Account

1. Same path → Accounts: Administrator account status → Disabled

Enable Credential Guard
(Don't do this unless told by the read me!)
Group Policy
1. ⊞ + r →
2. Navigate:
3. Enable Turn On Virtualization Based Security
4. Configure Credential Guard = Enabled with UEFI lock

Disable SMBv1
(Don't do this unless told by the read me!)
Method 1: Windows Features
1. ⊞ + r →
2. Uncheck SMB 1.0/CIFS File Sharing Support
Method 2: PowerShell

Disable Remote Registry Service
(Don't do this unless told by the read me!)
Services Console
1. ⊞ + r →
2. Find Remote Registry
3. Startup type = Disabled

Disable Print Spooler (if not a print server)
(Don't do this unless told by the read me!)
Services Console
1. ⊞ + r →
2. Find Print Spooler
3. Startup type = Disabled

Restrict PowerShell Remoting
(Don't do this unless told by the read me!)
PowerShell

Enable Command Line Logging
(Don't do this unless told by the read me!)
Group Policy
1. ⊞ + r →
2. Navigate:
3. Enable Include command line in process creation events

Enable Advanced Auditing

| | |
|---|---|
| | (Don’t do this unless told by the read me!)<br>Group Policy<br>1. ⊞ + r ⟶<br>2. Navigate:<br>3. Enable:<br>• Audit Logon/Logoff > Logon (Success/Failure)<br>• Audit Object Access > File System<br>• Audit Policy Change > Audit Policy Change<br><br>Protect LSASS (RunAsPPL)<br>(Don’t do this unless told by the read me!)<br>Registry Editor<br>1. ⊞ + r ⟶<br>2. Navigate:<br>3. Create DWORD:<br>4. Set value =<br>5. Reboot<br><br>Restrict System32 Permissions<br>(Don’t do this unless told by the read me!)<br>Command Prompt (Admin)<br><br>(Ensure SYSTEM and Administrators retain full control)<br><br>Disable LLMNR<br>(Don’t do this unless told by the read me!)<br>Group Policy<br>1. ⊞ + r ⟶<br>2. Navigate:<br>3. Enable Turn Off Multicast Name Resolution<br><br>Enable SYN Flood Protection<br>(Don’t do this unless told by the read me!)<br>Registry Editor<br>1. ⊞ + r ⟶<br>2. Navigate:<br>3. Create DWORD:<br>4. Set value = 2<br><br>End of do not do section |

CyberChef

Cisco!314159!

# COMP 1: 25-26:

Windows 11:
Read me keep nopad++ and update
RDP is needed
Forensics 1 Answer: I know you are a fraud!
Forensics 2 answer: there are 4RDP group managers that were not meant to be in that group
Every one in the remote desktop group is there
Wireshark removed, Ncap removed
automatic for RDP
Added edarby
Managed user accounts.
Found 2 vires they were iscacs
Went back to user policies
UAC
TCP IP NetBios helper
SMB Direct

# COMP 2: 25-26:

**Windows 11:**

Forensic 1: used internet information services to find root server directory

Forensic 2: used user rights assignment in secpol.msc to find users able to log on through Remote desktop

Updated software: libre office, 7zip,

Double check services

Ran windows script

Manually changed administrators

# COMP 4 Gold Semifinals:

Windows 11:

Read me
It is company policy to use only Windows 11 on this computer. Management has decided that the default web browser for all users on this computer should be the latest stable version of Google Chrome. Other business related software includes Notepad++, 7-Zip, and Wireshark. These should remain installed and kept up-to-date. Please ensure that the below services are kept in the original install location. Due to time restraints, management requests that you do NOT install Windows Updates. However, you should ensure that the computer is configured to automatically install updates.

Due to a recent security breach, the company has migrated the web application located on the Linux Mint web server to this system. Apache2 and MariaDB are installed and running on this computer. These services must remain installed at their current locations of C:\Apache24 and C:\MariaDB respectively. The web application is located in the "C:\Apache24\htdocs" directory. You must keep this web application running and accessible. Please only make minimal changes to the code when instructed.

Currently, the web application uses the MariaDB database "ecorp_directory". Please ensure that this database remains intact and data is not altered. During the original attack, the database somehow lost all of its tables. Please find and fix the issue to prevent further data loss.

In order to temporarily manage this system, this system has Windows Remote Management (WinRM) enabled. The following users should be granted access to this system via WinRM: ealderson, lchong, tcolby, sknowles, and twellick.

Users:
Authorized Administrators:
twellick (you)
password: 3Corp3x3cutive
jplofe
password: AuditM4n@g3r
pmccleery
password: root
wbraddock
password: NetworkB0ss
ealderson
password: samsep10l
lchong
password: t3chn1t!on
sswailem
password: data


Authorized Users:
pprice


sknowles
tcolby
jchutney
sweinsberg
sjacobs
lspencer
mralbern
jrobinson
gsheldern
coshearn
jlaslen
kshelvern
jtholdon
belkarn
bharper

Are you sure you want to uninstall eclipse temuring Jdk with hotspot 21.0.5+

Need to have installed Apache24 and MariaDB
Lchong, Tcolby, twellick, Elderson, and sknowles need to have access to winRM

**Updated notepad++**
**Removed unnecessary users**
Notes: user Nmap to and run a command ip address from wire shark
Wire shark needs more learning






Windows server 2022:

Plane company:

# COMP 3 Gold:

**Windows Server 2019:**

Updated filezilla*, wireshark, chrome, notepad++, winrar*
Uninstalling: Nmap, java 8, cclearer.exe, abyss server *, meterpreter,

Forensic 1:
Given MD5 hash
Answer as: directory path

Forensic 2:*
Exclusion for windows scan
Answer: (sysinternals.exe)
Deleted scan exclusion of that file*

Forensic 3:
Secret message in data transfer

Deleted plain text file in shared documents*

Windows update: done*
firewall*


Changed accounts: cmoss*, dealderson*, hamburgerman*, romeo”,

Policies: Passwords*, Local policies*, audit*, user rights(comeback later), security options*, advanced audit*,
network access: Do not allow anonymous enumeration of SAM accounts and shares: Enable

Lusrmg.msc: user, change password on log on, set new password (C1sc0!314159???),
Looked at shares all normal
Services: auto update,
disabled: snmp trap,
Removed: remote desktop, auto play, ipv6

**Windows 10:**
**Ran a malware scan, malware removed**
**Sharp chrome malware removed**
**Removed IOtransfer**
**Points for removing the http file server and turning on the firewall**
**Points for updating thunderbird**
**Points for keeping a sufficient password history**
**Points for a secure account being locked down**
**Points for removing hamburgerman**
**Points for deleting romeo**
**Points for “Chrome blocks intrusive ads”**
**Points for changing cmoss to not an administrator**
**Points for changing dalderson**
**Points for audit computer account management**
Forensic 1:
Answer:6.22.0
Answer2:
Forensic 2:
Answer:64 43 6F 64 65 20 41 53 43 49 49 @+@A)5+11))
Forensic 3:4AB27250D85CE1187FC97F34D38E01648B6114E1
e302a1b9e317659052c83f56033d4a85c74b12e85ef63b628b82fb02b10ab1
one-time pad
SHA-1
64 43 6F 64 65 20 41 53 43 49 49

b76ac4cb863704e237e85e3a745c33f6e73f7b8b359f5505abe1976dd261c2
4AB27250D85CE1187FC97F34D38E01648B6114E1
4AB2750D85CE1187FC97F34D38E01648B6114E1
Google chrome no pad plus nuzela
Apple mobile device support
M-ware tools
S




# COMP 2:

Lucas E. note taker
Forensic1:
    Port of anydesk:
    Resource monitor: 7070, 50001
Forensic2:
    Search for finders affected pro of the cisco bug cve-2024-20432
    cisco id: CSCwj10299
    Cisco Nexus Dashboard Fabric Controller

Nate Dunlap, Cisco Advanced Security Initiatives Group

Account Policy: DONE


Account managing: DONE

Local Policy:Done

Advanced Audit Policy Configuration: DONE

Users:

Changed password for swallen




# COMP 1:

Forensic 2:

(vulnerabilities of notepad + v8.5.7)

Answers:

CVE-2023-40031

CVE-2023-40036

CVE-2023-40164

CVE-2023-40166

Forensic 1:

()

Answers: Games Games Games

Accounts:

Remove:

Hamburgerman,

Trent.

Changed type:

Twellick. (adm. > normal)

Davis, (adm. > normal)

Changed password policy

Changed audit policy:

All: (Success, failure)

Security policy:

Limit local account use of blank password. (enabled)

Allow undock without having to log on (disable)

Do not require ctrl-alt-delete for login (disable)

Do not display last signed-in (enable)

Passwords:

C1sc0!314159???

# windows server 2022 semifinals:

- removed:
  - ITUNES
  - VMware
  - Apple Mobile device support
  - Apple software update
  - Bonjour
  - Google Drive
  - Microsoft Edge
  - Deepfreeze Enterprise
- updated:
  - chrome
  - wireshark
  - notepad++
  - 7zip
- Turned on:
  - allow auto updates, immediate installation
  - powershell script block logging
  - powershell transaction
- turned off:

    - administrator account
    - guest account

- Forensics 1;
    - server authentication, client authentication
- forensics 2:

- forensics 3:

    REM When we lose our principles, we invite chaos.
    Deleted users.bat