- 1. Выполнить запрос с WHERE не использующим ПК. Выполнить запрос с WHERE использующим ПК. Сравнить text_log запросов, предоставить строки лога относящиеся к пробегу основного индекса.
- 2. Показать тот же индекс через EXPLAIN

```
EMPLATA indexes: a 1
SELECT **
FROM movies
WHERE id 3 100
LIMIT 10

Query id::S88380d-d223-4467-bed3-52ff78853cf6

Query id::S88380d-d223-4467-bed3-52ff78853cf6

Query id::S88380d-d223-4467-bed3-52ff78853cf6

(ch) 2004.07.07 15:33:00, 838332 [ 10213 ] (c008380d-d023-4467-bed3-52ff78853cf6) (Pack Planer: Query SELECT _cable.ind AS id, _table.iname AS name, _table.iname AS rank FROM indb.movies

(ch) 2004.07.07 15:33:00, 833320 [ 10213 ] (c008380d-d023-4467-bed3-52ff78853cf6) (Pack Planer: Query SELECT _cable.ind AS id, _table.iname AS name, _table.iname AS rank FROM indb.movies

(ch) 2004.07.07 15:33:00, 833320 [ 10213 ] (c008380d-d023-4467-bed3-52ff78853cf6) (Frace Planer: Query SELECT _cable.ind AS id, _table.iname AS name, _table.iname AS rank FROM indb.movies

(ch) 2004.07.07 15:33:00, 833330 [ 10213 ] (c008380d-d023-4467-bed3-52ff78855cf6) (Frace Planer: Query SELECT _cable.ind AS id, _table.iname AS name, _table.iname AS name,
```