Get all eatery list by address

Bring all eatery list from BEatery Server.

Method

Get

URL

http://api.beatery.com/api/public/v1.0/eatery/list/address/[my_idx]/[country_code]/get?&admin_are a=[admin_area]&city=[city]&thoroughfare=[thoroughfare]&sub_thoroughfare=[sub_thoroughfare] &page=[page]&page_lows=[page_lows]

Parameters

Parameter	Required	Default	Description	
my_idx	true		the App user ID Index issued from BEatery Server and it's a unique value. It has long type value like below: - my_idx: 110687943 (Unique value)	
country_code	true		the country code : - 2 digit code(ISO 3166-2) See here : https://en.wikipedia.org/wiki/ISO_3166-2	
admin_area	true		the locality of the address: - The admin area is brought from GPS Locale-Geocoder (Android Location package: android.location) Example: Mountain View, Secho	
city	true		the administrative area name of the address: - The admin area is brought from GPS Locale-Geocoder (Android Location package: android.location) Example: CA, seoul	
thoroughfare	true		the thoroughfare name of the address: - The admin area is brought from GPS Locale-Geocoder (Android Location package: android.location) Example: 1600 Ampitheater Parkway, 32 Sinbanpo Road	
sub_thoroughf are	optional		the sub thoroughfare name of the address: - The admin area is brought from GPS Locale-Geocoder (Android Location package: android.location) Example: Grave Apt, 30-201, Sinbanpo Apt, 22-302	
page	true		the page number to bring the eatery information list	

page_lows	true	the item count in a page: - Default item count in a page : 20
		Boldan nom oddin in a page : 20

Example Call and Response

Call: Get

http://api.beatery.com/api/public/v1.0/eatery/list/address/110687943/KR/get?admin_area=Seoul&cit y=Seocho&thoroughfare=16-1, Sinbanpo Road&sub_thoroughfare=Sinbanpo Apt, 22-302&page=1&page_lows=20

Response

Field	Sub Field	Value	Description	
		Constant	Value	
code	None	CODE_SUCCESS	4000	It means the response is successful
		CODE_BLOCKED_USER	5001	It means the user got blocked
		CODE_PROCESS_DONE	6001	It means the process is done
		CODE_AUTH_FAIL	9999	It means the user auth is failed
		CODE_AUTH_FAIL_UNKNOWN_ USER	9908	It means the user is unknown user the auth is failed
		CODE_SERVER_UPDATE	8000	It means BEatery Server is updating
		CODE_NONE_USER	5002	It means he/she is none user
		CODE_NETWORK_ERROR	5100	It means the network error did occur
		CODE_GENERAL_ERROR	5101	It means the general error did occur
message	None	the String value		the message from BEatery Server

entity	None	the list value - Refer to example	the real response data from BEatery Server - List type
option	remaining _rows	the Integer value	the remaining item count - Integer type
	remaining _pages	the Integer value	the remaining page count - Integer type

Response format - JSON

```
Example:
```

```
{
       "code": "1000",
       "message": "",
       "entity": [
       {
              "id": 4324343,
              "country_code": "KR",
              "name": "RiverSide Honey",
              "best_menu": "Fish Soup, BBQ, Pork stew",
              "address": "Riverside 11th road, Hansin 3 dong, Seocho-Gu, Seoul",
              "telephone": +82 02 521 4432,
              "website": "www.riverside.com",
              "type": "Korean Traditional Restaurant",
              "logo": {
                      "id": 156043543,
```

```
"width": 64,
               "height": 64,
               "mime_type": "image/png",
               "key": "eatery_logo",
               "name": "riverside_logo",
               "description": "riverside's main logo-the 50-year-old tradition of making..."
       },
        "preference": 4,
        "information": "A Brooklyn Heights favorite, this sleepy American tavern is a.....",
        "detail_information": "Exposed brick walls covered with old-fashioned clocks.....",
        "has_event": true,
        "has_gallery": true,
        "comment_count": 304,
        "like_count": 107,
        "latitude": 37.516733,
        "longitude": 127.113557,
},
{
        "id": "7706879",
        . . . . .
},
```

"url": "http://www.riverside.com/logo/156043543_logo.png",

```
{
                 . . . . .
        },
        {
                 . . . . .
        },
        {
                 . . . . .
        }
        ],
        "option": {
                 "remaining_rows": 1000,
                 "remaining_pages": 200
        }
}
```

Get all eatery list by GPS coordinates

Bring all eatery list from BEatery Server.

Method

Get

URL

http://api.beatery.com/api/public/v1.0/eatery/list/coordinates/[my_idx]/[count_code]/get?latitude=[latitude]&longitude=[longitude]&page=[page]&page_lows=[page_lows]

Parameters

Parameter	Required	Default	Description	
my_idx	true		the App user ID Index issued from BEatery Server and it's a unique value. It has long type value like below: - my_idx: 110687943 (Unique value)	
country_code	true		the country code : - 2 digit code(ISO 3166-2) See here : https://en.wikipedia.org/wiki/ISO_3166-2	
latitude	true		the latitude, in degrees : - The latitude is brought from GMS Location service (Android Location package: com.google.android.gms.location)	
longitude	true		the longitude, in degrees : - The latitude is brought from GMS Location service (Android Location package: com.google.android.gms.location)	
page	true		the page number to bring the eatery information list	
page_lows	true		the item count in a page: - Default item count in a page : 20	

Example Call and Response

Call: Get

http://api.beatery.com/api/public/v1.0/eatery/list/coordinates/110687943/KR/get?latitude=126.97796 90&longitude=37.5665350&page=1&page_lows=20

Response

Field	Sub	Value	Description
-------	-----	-------	-------------

	Field	Constant	Value	
code None		CODE_SUCCESS	4000	It means the response is successful
		CODE_BLOCKED_USER	5001	It means the user got blocked
		CODE_PROCESS_DONE	6001	It means the process is done
		CODE_AUTH_FAIL	9999	It means the user auth is failed
		CODE_AUTH_FAIL_UNKNOWN_ USER	9908	It means the user is unknown user the auth is failed
		CODE_SERVER_UPDATE	8000	It means BEatery Server is updating
		CODE_NONE_USER	5002	It means he/she is none user
		CODE_NETWORK_ERROR	5100	It means the network error did occur
		CODE_GENERAL_ERROR	5101	It means the general error did occur
message	None	the String value		the message from BEatery Server
entity	None	the list value - Refer to example	the real response data from BEatery Server - List type	
option	remaining _rows	the Integer value		the remaining item count - Integer type
	remaining _pages	the Integer value		the remaining page count - Integer type

Response format - JSON

Example:

```
{
       "code": "1000",
       "message": "",
       "entity": [
       {
               "id": 4324343,
               "country_code": "KR",
               "name": "RiverSide Honey",
               "best_menu": "Fish Soup, BBQ, Pork stew",
               "address": "Riverside 11th road, Hansin 3 dong, Seocho-Gu, Seoul",
               "telephone": +82 02 521 4432,
               "website": "www.riverside.com",
               "type": "Korean Traditional Restaurant",
               "logo": {
                      "id": 156043543,
                      "url": "http://www.riverside.com/logo/156043543_logo.png",
                      "width": 64,
                      "height": 64,
                      "mime_type": "image/png",
                      "key": "eatery_logo",
                      "name": "riverside_logo",
                      "description": "riverside's main logo-the 50-year-old tradition of making..."
```

```
},
        "preference": 4,
        "information": "A Brooklyn Heights favorite, this sleepy American tavern is a.....",
        "detail_information": "Exposed brick walls covered with old-fashioned clocks.....",
        "has_event": true,
        "has_gallery": true,
        "comment_count": 304,
        "like_count": 107,
        "latitude": 37.516733,
        "longitude": 127.113557
},
{
        "id": "7706879",
        . . . . .
},
{
        . . . . .
}
{
        . . . . .
},
{
```

```
. . . . .
},
{
         . . . . .
},
{
         . . . . .
},
{
         . . . . .
}
],
"option": {
         "remaining_rows": 1000,
         "remaining_pages": 200
}
```

}