

Get the eatery's information

Bring the eatery's information from BEatery Server.

Method

Get

URL

[http://api.beatery.com/api/public/v1.0/eatery/information/\[my_idx\]/\[country_code\]/\[id\]](http://api.beatery.com/api/public/v1.0/eatery/information/[my_idx]/[country_code]/[id])

Parameters

Parameter	Required	Default	Description
my_idx	true		the App user ID Index issued from BEatery Server and it's a unique value. It has long type value like below: - my_idx : 110687943 (Unique value)
countr_code	true		the country code : - 2 digit code(ISO 3166-2) See here : https://en.wikipedia.org/wiki/ISO_3166-2
id	true		the eatery id issued from BEatery Server and it's a unique value. (Please refer to the response example in Get all eatery list by address) It has long type value like below - eatery_id : 4324343 (Unique value)

Example Call and Response

Call: Get

<http://api.beatery.com/api/public/v1.0/eatery/information/110687943/KR/4324343>

Response

Field	Sub Field	Value		Description
		Constant	Value	
code	None	CODE_SUCCESS	4000	It means the response is

				successful
		CODE_BLOCKED_USER	5001	It means the user got blocked
		CODE_PROCESS_DONE	6001	It means the process is done
		CODE_AUTH_FAIL	9999	It means the user auth is failed
		CODE_AUTH_FAIL_UNKNOWN_USER	9908	It means the user is unknown user the auth is failed
		CODE_SERVER_UPDATE	8000	It means BEatery Server is updating
		CODE_NONE_USER	5002	It means he/she is none user
		CODE_NETWORK_ERROR	5100	It means the network error did occur
		CODE_GENERAL_ERROR	5101	It means the general error did occur
message	None	the String value		the message from BEatery Server
entity	None	the list value - Refer to example		the real response data from BEatery Server - List type
option	remaining_rows	the Integer value		the remaining item count - Integer type
	remaining_pages	the Integer value		the remaining page count - Integer type

Response format - JSON

Example:

```
{
  "code": "1000",
```

```
"message": "",

"entity": [

{

  "id": 110687943,

  "country_code": "KR",

  "name": "RiverSide Honey",

  "best_menu": "Fish Soup, BBQ, Pork stew",

  "address": "Riverside 11th road, Hansin 3 dong, Seocho-Gu, Seoul",

  "telephone": +82 02 521 4432,

  "website": "www.riverside.com",

  "type": "Korean Traditional Restaurant",

  "logo": {

    "id": 156043543,

    "url": "http://www.riverside.com/logo/156043543_logo.png",

    "width": 64,

    "height": 64,

    "mime_type": "image/png",

    "key": "eatery_logo",

    "name": "riverside_logo",

    "description": "riverside's main logo-the 50-year-old tradition of making..."

  },

  "preference": 4,
```

```
    "information": "A Brooklyn Heights favorite, this sleepy American tavern is a.....",  
    "detail_information": "Exposed brick walls covered with old-fashioned clocks.....",  
    "has_event": true,  
    "has_gallery": true,  
    "comment_count": 304,  
    "like_count": 107,  
    "latitude": 37.516733,  
    "longitude": 127.113557  
  },  
  ],  
  "option": null  
}
```