




Camouflage Antenna

Date: 20/Feb/2025

www.ProseTechnologies.com

Contacto: Ing. Jesus Alvarado
Meta Technology Global
+507-6674-3062

PROSE
CONNECT THE EVERYDAY




Camouflage Antenna

PROSE has been providing telecommunication antennas and solutions to mobile operators since 2008. Focusing on integrated camouflage antenna solutions, PROSE can transform antennas, feeding cables, poles and other equipment into more environment friendly sites with less visual impact. The products cover CDMA, GSM, DCS, UMTS and LTE, supporting BTS, repeater and indoor coverage applications.





Contents





Base Station Camouflage Antenna

Cluster Antenna

- ✓ One antenna structure, three sectors with each independent antenna
- ✓ Simple geometry with integrated antenna design
- ✓ Rooftop of buildings or on ground with supporting pole
- ✓ Provision of maintenance door and remote control unit for electrical down tilt adjustment
- ✓ White color available

Frequency (MHz)	Gain (dBi)	Ref. Cross Section size (mm)	Ref. Height (mm)	Ref. Weight (kg)
790-960	15	φ500	1900	60
1710-2170	15	φ200	1200	10
1710-2170	18	φ200	1900	23
1710-2690	15	φ160	1200	13
1710-2690	17	φ200	1900	20
820-960/1710-2170	15/17	φ500	1900	76
790-960/1710-2690	15/17	φ530	1900	92.5
1710-2170/1710-2170	17/17	φ500	1900	75
1710-2170/1710-2170	17/17	φ530	1900	85
820-960/1710-2170/1710-2170	15/17/17	φ650	1900	135
820-960/1710-2170/1710-2170	15/17/17	φ650	1900	158






Base Station Camouflage Antenna

Exhaust Pipe Antenna

- ✓ Single sector coverage
- ✓ Camouflages civil exhaust pipe with small profile and high levels of concealment
- ✓ Rooftop of buildings
- ✓ Provision of maintenance door and remote control unit for electrical down tilt adjustment
- ✓ White color available

Frequency (MHz)	Gain (dBi)	Ref. Cross Section size (mm)	Ref. Height (mm)	Ref. Weight (kg)
790-960	15	Φ200	1600	12
1710-2170	18	φ200	1600	12
1710-2690	18	φ200	1600	12
820-960/1710-2170	15/17	φ200	1660	15
790-960/1710-2690	15/17	φ200	1660	15
1710-2170/1710-2170	17/17	Φ315	1600	32
1710-2690/1710-2690	17/17	Φ315	1600	32
820-960/1710-2170/1710-2170	15/17/17	Φ315	3000	38
820-960/1710-2690/1710-2690	15/17/17	Φ315	3000	38






Base Station Camouflage Antenna

Square Column Antenna

- ✓ Single sector coverage
- ✓ Antenna blends with the surrounding environment
- ✓ Rooftop of building
- ✓ Provision of maintenance door and remote control unit for electrical down tilt adjustment
- ✓ Single or multiple colors

Frequency (MHz)	Gain (dBi)	Ref. Cross Section size (mm)	Ref. Height (mm)	Ref. Weight (kg)
790-960	15	400x400	1900	35
1710-2170	18	400x400	1900	35
1710-2690	18	400x400	1900	35
820-960/1710-2170	15/17	400x400	1900	40
790-960/1710-2690	15/17	400x400	1900	40
1710-2170/1710-2170	17/17	400x400	1900	40
1710-2690/1710-2690	17/17	400x400	1900	40





Base Station Camouflage Antenna

Cylinder Antenna

- ✓ Single sector coverage
- ✓ Antenna blends with the surrounding environment
- ✓ Rooftop of building
- ✓ Provision of maintenance door and remote control unit for electrical down tilt adjustment
- ✓ Single or multiple colors

Frequency (MHz)	Gain (dBi)	Ref. Cross Section size (mm)	Ref. Height (mm)	Ref. Weight (kg)
790-960	15	φ400	1900	38
1710-2170	18	φ400	1900	36
1710-2690	18	φ400	1900	36
820-960/1710-2170	15/17	φ400	1900	43
790-960/1710-2690	15/17	φ400	1900	43
1710-2170/1710-2170	17/17	φ400	1900	42
1710-2690/1710-2690	17/17	φ400	1900	42





Base Station Camouflage Antenna

Water Pipe Antenna

- ✓ Single sector coverage
- ✓ Camouflages as civil water pipe
- ✓ On the exterior wall of buildings
- ✓ Provision of maintenance door and remote control unit for electrical down tilt adjustment
- ✓ White color available

Frequency (MHz)	Gain (dBi)	Ref. Cross Section size (mm)	Ref. Height (mm)	Ref. Weight (kg)
790-960	15	φ200	2300	18
1710-2170	18	φ200	2300	18
1710-2690	18	φ200	2300	18
820-960/1710-2170	15/17	φ200	2250	25
790-960/1710-2690	15/17	φ200	2250	25
1710-2170/1710-2170	17/17	φ200	3500	30
1710-2690/1710-2690	17/17	φ200	3500	30





Base Station Camouflage Antenna

Air Conditioning Antenna


- ✓ Single sector coverage
- ✓ Antenna camouflages as civil air conditioning unit
- ✓ Rooftop of building
- ✓ Provision of maintenance door and remote control unit for electrical down tilt adjustment
- ✓ White color available

Frequency (MHz)	Gain (dBi)	Ref. Cross Section size (mm)	Ref. Height (mm)	Ref. Weight (kg)
790-960	15	750x350	1800	50
1710-2170	18	750x350	1800	47
1710-2690	18	750x350	1800	45
820-960/1710-2170	15/17	750x350	1800	52
790-960/1710-2690	15/17	750x350	1800	52
1710-2170/1710-2170	17/17	750x350	1800	52
1710-2690/1710-2690	17/17	750x350	1800	52





Contents



Contacto: Ing. Jesus Alvarado
Meta Technology Global
+507-6674-3062



Community Camouflage Antenna

Spotlight Antenna

- ✓ Single sector coverage
- ✓ On outdoor grounds or building rooftop
- ✓ Replica shape real spotlight
- ✓ Do not have the spotlight function

Frequency (MHz)	Gain (dBi)	Ref. Cross Section size (mm)	Ref. Height (mm)	Ref. Weight (kg)
820-960	15	Mechanical adjusting $\pm 45^\circ$	540x540x235	5.5
1710-2170	15	Mechanical adjusting $\pm 45^\circ$	360x340x125	4.0
1710-2690	15	Mechanical adjusting $\pm 45^\circ$	360x340x125	3.3
1710-2690	13	Mechanical adjusting $\pm 45^\circ$	430x420x135	3.0
790-960/1710-2690	7/9	Mechanical adjusting $\pm 45^\circ$	360x340x125	4.0
790-960/1710-2690	13/15	Mechanical adjusting $\pm 45^\circ$	540x540x235	6.0
790-960/1710-2690	11/13	Mechanical adjusting $\pm 45^\circ$	430x430x135	3.2





Community Camouflage Antenna

Billboard Antenna

- ✓ Single sector coverage
- ✓ On outdoor grounds
- ✓ The shape of antenna blends with the surrounding environment
- ✓ With dual function of antenna and advertising board

Frequency (MHz)	Gain (dBi)	Ref. Cross Section size (mm)	Ref. Height (mm)	Ref. Weight (kg)
820-960/1710-2690	8/10	0	550x400x80	19
820-960/1710-2690	8/10	0	600x400x170	21
820-960/1710-2690	8/10	0	420x250x60	3
820-960/1710-2690	8/10	0	400x250x60	11





Community Camouflage Antenna

Other typical shape for selection

- ✓ Single omni-directional coverage
- ✓ On outdoor grounds or poles
- ✓ The shape of antenna blends with the surrounding environment

Street Lamp type



Outdoor surveillance type



Lawn Lamp type




Mushroom type





Contents



Contacto: Ing. Jesus Alvarado
Meta Technology Global
+507-6674-3062



Indoor Camouflage Antenna

- ✓ Single omni or directional coverage,
- ✓ Install on the wall or ceiling
- ✓ Camouflages as normal parts indoor
- ✓ Only antenna, without other function,

Type	Frequency (MHz)	Gain (dBi)	Ref. Weight (kg)	Ref. Dimension(mm)	Ref. Picture
Ceiling Lamp	820-960/1710-2690	2/4	1	φ320x110	
Smoke Detector	820-960/1710-2690	4/6	0.21	φ115x73.5	
Switch	820-960/1710-2690	3/5	0.2	86x86x40	
Wall Lamp	820-960/1710-2690	6/8	2	362x281x55	

THANK YOU!

www.ProseTechnolgoies.com

PROSE
CONNECT THE EVERYDAY

Contacto: Ing. Jesus Alvarado
Meta Technology Global
+507-6674-3062