



Dolby® Media Producer Suite v2.0 Installation Guide

15 October 2015

Dolby Laboratories, Inc.

Corporate Headquarters

Dolby Laboratories, Inc.
100 Potrero Avenue
San Francisco, CA 94103-4813 USA
Telephone 415-558-0200
Fax 415-863-1373
www.dolby.com

European Headquarters

Dolby International AB
Apollo Building, 3E
Herikerbergweg 1-35
1101 CN Amsterdam Zuidooost
The Netherlands
Telephone 31-20-651-1800
Fax 31-20-651-1801

DISCLAIMER OF WARRANTIES:

PRODUCTS MANUFACTURED BY DOLBY ARE WARRANTED AGAINST DEFECTS IN MATERIALS AND WORKMANSHIP FOR A PERIOD OF ONE YEAR FROM THE DATE OF PURCHASE. IN THE CASE OF SOFTWARE, THE MEDIA ON WHICH THE SOFTWARE IS FURNISHED IS WARRANTED AGAINST DEFECTS IN MATERIALS AND WORKMANSHIP FOR A PERIOD OF 60 DAYS FROM THE DATE OF PURCHASE. ALL OTHER WARRANTIES, CONDITIONS AND OTHER TERMS (WHETHER EXPRESS OR IMPLIED), INCLUDING, BUT NOT LIMITED TO, THOSE RELATING TO NON-INFRINGEMENT OF THIRD-PARTY RIGHTS (INCLUDING, BUT NOT LIMITED TO, PATENT AND COPYRIGHT RIGHTS), SATISFACTORY QUALITY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE, TO THE FULLEST EXTENT PERMITTED BY LAW, EXCLUDED FROM THESE EQUIPMENT TERMS OF SALE.

LIMITATION OF LIABILITY:

IT IS UNDERSTOOD AND AGREED THAT DOLBY LABORATORIES' LIABILITY, WHETHER IN CONTRACT, IN TORT, UNDER ANY WARRANTY, IN NEGLIGENCE, OR OTHERWISE, SHALL NOT EXCEED THE COST OF REPAIR OR REPLACEMENT OF THE DEFECTIVE COMPONENTS OR ACCUSED INFRINGING DEVICES, AND UNDER NO CIRCUMSTANCES SHALL DOLBY LABORATORIES BE LIABLE FOR INCIDENTAL, SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, DAMAGE TO SOFTWARE OR RECORDED AUDIO OR VISUAL MATERIAL), COST OF DEFENSE, OR LOSS OF USE, REVENUE, OR PROFIT, EVEN IF DOLBY LABORATORIES OR ITS AGENTS HAVE BEEN ADVISED, ORALLY OR IN WRITING, OF THE POSSIBILITY OF SUCH DAMAGES.

PATENT LISTING FOR THE DOLBY MEDIA PRODUCER SUITE:

www.dolby.com/us/en/professional/software/bluray-and-dvd-content-creation/dolby-media-producer-suite.html.

Dolby, Dolby Atmos, Pro Logic, and the double-D symbol are registered trademarks of Dolby Laboratories. Dolby Digital Plus and MLP Lossless are trademarks of Dolby Laboratories. All other trademarks remain the property of their respective owners.
© 2015 Dolby Laboratories. All rights reserved.

Introduction to the Dolby Media Producer Suite Installation Guide

This guide describes how to install Dolby® Media Producer Suite v2.0 software on a qualified computer in an audio disc authoring environment. This guide is for content professionals and others who install and set up the Dolby Media Producer Suite.

1.1 About Dolby Media Producer Suite v2.0

Dolby Media Producer Suite v2.0 includes three software applications: Dolby Media Encoder Client, Dolby Media Encoder Server, and Dolby Media Decoder.

In this release, Dolby Media Encoder adds support for encoding from a Dolby Atmos® master file set (home theater master), to create a Dolby TrueHD or Dolby Digital Plus™ bitstream with Dolby Atmos, or a Dolby TrueHD, Dolby Digital Plus, or Dolby Digital bitstream.

In this release, Dolby Media Decoder supports decoding, playback, and monitoring of Dolby TrueHD and Dolby Digital Plus bitstreams carrying Dolby Atmos audio and associated metadata, and standard channel-based Dolby TrueHD, Dolby Digital Plus, Dolby Digital, and MLP (for DVD-Audio) bitstreams as well.

Dolby Media Producer Suite v2.0 does not include the following legacy suite applications: Dolby Datarate Estimator, Dolby Media Tools, Dolby Branchpoint Preview Player, and Dolby TrueHD Quality and Conformance Tool. For more information, see [Section 2.5](#).



Note: As of Dolby Media Producer Suite v1.1.2, Dolby Media Encoder SE (stand-alone) version is no longer included, as the more-powerful Client/Server version is now installed in all configurations. For more information, see [Section 2.5](#).

1.2 Dolby Media Producer Suite and Authoring Disc Audio Workflow

A typical workflow for authoring disc audio requires Dolby Media Encoder and Dolby Media Decoder software applications.

Each Dolby Media Producer application can be used on its own, as needed, or as part of a full start-to-finish workflow.

Dolby Media Encoder (Dolby Media Producer v2.0)

Use Dolby Media Encoder to encode from audio source files or a Dolby Atmos master file set to a supported Dolby audio format in preparation for delivery on various media targets.

Depending on the source material, the encoder supports encoding to Dolby Digital, Dolby Digital Plus, Dolby TrueHD, and MLP Lossless. Depending on the format, the encoder supports encodes targeted for Blu-ray Discs™, streaming and downloadable media, DVD-Video, and DVD-Audio.

The Dolby Media Encoder application accesses and sends jobs to a Dolby Media Encoder Server application, either on the same machine running the encoder, or a separate machine running the Dolby Media Encoder Server on a LAN.

The Dolby Media Encoder Server application does the actual work of encoding. It runs as a background process on a local machine or a remote server.

Dolby Media Decoder (Dolby Media Producer v2.0)

Use Dolby Media Decoder to decode, play back, and monitor multiple consumer listening modes in a professional monitoring environment.

Dolby Media Decoder supports Dolby TrueHD and Dolby Digital Plus bitstreams carrying Dolby Atmos audio and associated metadata, and Dolby TrueHD, Dolby Digital Plus, Dolby Digital, and MLP (for DVD-Audio) bitstreams.

1.3 Accessing Dolby Media Producer Suite Documentation

Dolby Media Producer Suite provides documentation for use during installation and after.

The Dolby Media Producer Suite documentation set includes two manuals for use prior to installation. These are included with the downloaded compressed file (.zip):

- *Dolby Media Producer Suite Installation Guide*
- *What's New in Dolby Media Producer Suite*

Software v2.0 installation adds two application manuals:

- *Dolby Media Decoder User's Manual*
- *Dolby Media Encoder User's Manual*

To access documentation after installation:

- Go to /Applications/Dolby/Dolby Media Producer, and double-click a documentation file. This folder includes the full documentation set.
- From within an application, choose **Help** and then the name of the application manual.
The application manual opens.

1.4 Contacting Dolby

You can contact Dolby regarding this product and its supporting documentation.

If you have technical questions about this product, please contact dmpSupport@dolby.com.

If you have questions or comments about this document, please contact [technical publications](#).

Installing Dolby Media Producer Suite

Use the Dolby® Media Producer Suite installer package provided by Dolby to install Dolby Media Producer Suite v2.0 applications.

2.1 Installation Overview

Complete installation of Dolby Media Producer Suite v2.0 includes authorizing the Dolby Media Producer Suite v2.X license on your iLok™ (if it is not already authorized), downloading and installing the MATLAB® Compiler Runtime (MCR) application release R2014b (8.4), reviewing considerations for your current software, and installing the software.

Before starting installation, review [System Requirements](#).

Dolby Media Producer Suite v2.0 installs the following applications, which have been updated:

- Dolby Media Encoder Client v2.0
- Dolby Media Encoder Server v2.0
- Dolby Media Decoder v2.0



Note: Dolby Media Producer Suite v2.0 does not include updates for any other of the applications from older Dolby Media Producer Suite versions. See [Section 2.5](#).

2.2 System Requirements

Before installing Dolby Media Producer Suite, you should review the minimum system requirements and compatibility information, to verify that your system supports the release and that you are ready to begin installation.

Minimum System Requirements

Dolby Media Producer Suite has the following minimum system requirements:

- Computer: Mac® Apple® Pro 4,1 or more recent (6,1 preferred).
- Processor: 2 x 2.26 GHz Quad-Core Intel Xeon or better.
- RAM: Minimum 8 GB, greater than or equal to 1066 MHz DDR3 (16 GB recommended for encoding to Dolby TrueHD with Dolby Atmos).
- Mac OS version: Mac OS® X® 10.8.5 or 10.9.5.

Dolby Media Producer v2.0 will run on Apple Mac OS X 10.10, but has not been fully tested for all legacy and Dolby Atmos® workflows.

- System HDD: 20 GB of free space per hour of source material.
- Data HDD: Greater than or equal to 256 GB free on additional drive for input and output media storage (SSD preferred).

Dolby Media Decoder Audio Hardware Compatibility

Dolby Media Decoder has been validated on the following audio hardware:

- Avid® Pro Tools|HDX 3
 - Pro Tools|HD MADI
 - Mac OS X 10.8.5
 - Pro Tools 10 drivers
 - Mac OS X 10.9.5
 - Pro Tools 11 drivers
- Avid Pro Tools|HD Native, Pro Tools|HD I/O, or Pro Tools|HD OMNI
 - Mac OS X 10.8.5
 - Pro Tools 10 drivers
 - Mac OS X 10.9.5
 - Pro Tools 11 drivers
- RME Fireface UFX
 - Firewire 400 and USB 2.0
 - Mac OS X 10.8.5 and 10.9.5
- MOTU® 16A
 - USB
 - Mac OS X 10.8.5 and 10.9.5
- Universal Audio Apollo
 - Firewire 800
 - Mac OS X 10.8.5

2.3 Authorizing the Dolby Media Producer Suite v2.X License on Your iLok

The Dolby Media Encoder Server and Dolby Media Decoder applications use PACE iLok antipiracy software. A Dolby Media Producer Suite v2.X license stored on an iLok USB key (not supplied) authorizes your system to use the server and decoder applications. Additionally, Dolby Media Encoder Client uses drivers included with PACE iLok License Manager.



Note: If you previously participated in our beta program for this software, a new iLok authorization for the official v2.0 release is required.

The Dolby sales team or your engineering support contact will provide you with the codes that are required to authorize all of the systems that you need to run in your location. You may install the Dolby Media Producer Suite v2.X on multiple computers, and move the iLok keys to other computers, as needed.

Before you activate your license, make sure that you meet all hardware and software prerequisites:

- Make sure you have a physical iLok USB smart key (not supplied) and that it is inserted on a USB port on the computer where Dolby Media Producer Suite will be installed.
- If you do not have an existing iLok account, go to ilok.com and follow the directions to sign up for a free account.
- If you do not have iLok License Manager v2.5.x or later installed on your computer, go to ilok.com and follow the directions to download and install the current version. The iLok License Manager, downloadable from the iLok website (ilok.com), enables you to manage the licenses for all of your iLok-protected applications in one place. The iLok License Manager also installs drivers required to run Dolby Media Producer Suite applications. The iLok License Manager must be installed before installing the Dolby Media Producer Suite.
- Make sure you have the codes that are required to authorize all of the systems that you need to run in your location. These are provided by the Dolby sales team or your engineering support contact.

To activate your licenses:

1. Launch the **iLok License Manager**.
2. In the iLok License Manager window, sign in to your account, and then click (highlight) your account name in the navigation bar.
3. Click the **Redeem License Code** navigation link at the top of the page (to the right of the search field), or select this option from the **Licenses** menu in the menu bar.
4. In the **Enter Activation Code** dialog, copy and paste one of the license codes that were provided by Dolby.
5. Click **Next** in the dialog.
6. In the **Select an Activation Location** dialog, review the name of the license activation to be redeemed, and then select the iLok you have inserted into the computer as the destination for the new license.
7. Click the **Activate** button in the lower right-hand corner.
8. When prompted to confirm the activation and the destination iLok, click **OK**.

9. Verify that the new Dolby Media Producer Suite v2.X license activation is shown in the list for your account, and then click the bar for your iLok in the left-hand column to show the list of licenses stored on that iLok.

You should see the Dolby Media Producer Suite v2.X license in that list, too.

10. Repeat the preceding steps with additional iLoks, using the remaining supplied coupon codes.



Note: If you intend to move the iLok keys to other computers in order to run Dolby Media Producer Suite, verify that the latest version of the iLok License Manager application is installed on those computers.

The iLok License Manager, downloadable from the iLok website (ilok.com), installs drivers required to run Dolby Media Producer Suite applications.

You are now ready to install the MATLAB Compiler Runtime application.

2.4 Installing the MATLAB Compiler Runtime (MCR) Application

Prior to installing and using Dolby Media Producer Suite v2.0, you must install the MATLAB Compiler Runtime (MCR) application from MathWorks®. The Dolby TrueHD encoder in Dolby Media Encoder v2.0 uses the MCR application to run parts of the encoding algorithm.



Note: Dolby Media Producer Suite v2.0 requires MATLAB Compiler Runtime (MCR) application release R2014b (8.4).

To install the MCR application:

1. Navigate to the MCR download website:
<http://www.mathworks.com/products/compiler/mcr/>
2. Download release R2014b (8.4) for Mac, Intel® 64 bit.
3. Double click the installer, and follow onscreen instructions.



Note: When prompted to choose a location for the application, choose the default location. If the MCR application is installed to a different location, it will not support the Dolby TrueHD encoder.

2.5 Considerations for Existing Dolby Media Producer Suite Software

If you are updating from a previous version of Dolby Media Producer Suite, we recommend that you review how updating affects existing Dolby Media Producer Suite software on your computer.

When you install Dolby Media Producer Suite v2.0, the existing versions of Dolby Media Encoder Client, Dolby Media Encoder Server, and Dolby Media Decoder are replaced.

Following installation, Dolby Media Encoder v2.0 is ready for encoding from a Dolby Atmos master file set or PCM source audio .wav or .aif files. Additionally, Dolby Media Decoder v2.0 is ready for decoding and monitoring Dolby TrueHD and Dolby Digital Plus™ bitstreams carrying Dolby Atmos audio and associated metadata, as well as Dolby TrueHD, Dolby Digital Plus, Dolby Digital, and MLP (DVD-Audio) bitstreams.

If you have previously installed Dolby Media Producer Suite applications other than Dolby Media Encoder Client, Dolby Media Encoder Server, and Dolby Media Decoder, those applications will remain where they were installed. These include Dolby Datarate Estimator, Dolby Media Tools, Dolby Branchpoint Preview Player, and Dolby TrueHD Quality and Conformance Tool. You can continue to use these applications, although they have not been fully qualified to support Dolby Atmos content. Using Dolby Media Tools with Dolby TrueHD or Dolby Digital Plus bitstreams with Dolby Atmos is not supported.

Shortcuts and Quick-Launch Icons

If you have created any shortcuts to the default location of v1.1.x of Dolby Media Encoder or Dolby Media Decoder, or quick-launch icons on the Mac OS X dock, they will now work for the default location of the updated version. If you have created any shortcuts to the default location of v1.0.x of Dolby Media Encoder or Dolby Media Decoder, or quick-launch icons on the Mac OS X dock, they should be updated to point to the default location of the updated version (in /Applications/Dolby/Dolby Media Producer).

2.6 Installing Dolby Media Producer Suite v2.0

You can install Dolby Media Producer Suite v2.0 applications on any Apple Mac OS X 10.8 or 10.9 computer qualified and set up for Dolby Media Producer Suite.

For guidance on system setup after the software has been installed, refer to the user manual for each installed software application. You can access the user manual from within an application by choosing **Help** and then the name of the application manual.

To install Dolby Media Producer Suite on a Mac:

1. Make sure the downloaded compressed file (.zip) is on your local hard drive, and not on a network drive.
2. Double-click the downloaded .zip file to unzip it.
3. Double-click the Dolby Media Producer Suite installer package (.pkg) to begin installation.
4. Follow the onscreen instructions to install the software.
 - When the **Custom Install** dialog appears, click (check) the applications you would like to install.



Note: The Dolby Encoder Server is required to encode with the Dolby Media Encoder. It runs as a background process on the machine it is installed on.

Ensure that the machine with the Dolby Encoder Server installed has an iLok with the Dolby Media Producer Suite v2.X license loaded on it (see [Section 2.3](#)).

5. When prompted, restart your system to complete installation.

6. After installation has completed, verify that an iLok USB key with the licenses for Dolby Media Producer on it is inserted on a USB port on the computer (as described in [Section 2.3](#)).

The license authorizes your computer to use the Dolby Media Producer Suite software applications.

7. Repeat the preceding steps to install the suite on any other Mac OS X computers in your facility.

Ten license codes are provided so that you can run Dolby Media Encoder and Dolby Media Decoder on up to ten computers at one time. You may install the suite on more than ten different computers, and move the iLok keys to other computers, as needed.



Note: If you intend to move the iLok keys to other computers in order to run Dolby Media Producer Suite, verify that the iLok License Manager is installed on those computers.

You are now ready to use Dolby Media Producer Suite v2.0.