

RWorksheet_Lumahan#4B

2023-11-08

#1. Using the for loop, create an R script that will display a 5x5 matrix as shown in Figure 1. It must

```
vec0 <- c(0)
mat0 <- matrix(vec0, nrow = 5, ncol = 5)
```

```
mat0
```

```
##      [,1] [,2] [,3] [,4] [,5]
## [1,]    0    0    0    0    0
## [2,]    0    0    0    0    0
## [3,]    0    0    0    0    0
## [4,]    0    0    0    0    0
## [5,]    0    0    0    0    0
```

```
vecA <- c(1,2,3,4,5)
mat_A <- matrix(vecA, nrow = 5, ncol = 5)
```

```
for(i in 1:length(vecA)){
  mat0[i, ] <- abs(vecA - vecA[i] )
}
```

```
print(mat0)
```

```
##      [,1] [,2] [,3] [,4] [,5]
## [1,]    0    1    2    3    4
## [2,]    1    0    1    2    3
## [3,]    2    1    0    1    2
## [4,]    3    2    1    0    1
## [5,]    4    3    2    1    0
```

#2.

```
for(i in 1:5){
  starstar <- rep(" ",i)
  print(starstar)
}
```

```
## [1] " "
## [1] " " " "
## [1] " " " " " "
## [1] " " " " " " " "
## [1] " " " " " " " "
```

#3.

```
n <- as.numeric(readline(prompt = "Enter a number to start the Fibonacci sequence: "))
```

```
## Enter a number to start the Fibonacci sequence:
```

```
a <- 0
b <- 1
```

```
c <- a + b
```

```
repeat {  
  if (c > 500) {  
    break  
  }  
  if (a == 0 & b == 1) {  
    cat(b, " ")  
  }  
  cat(c, " ")  
  a <- b  
  b <- c  
  c <- a + b  
}
```

```
## 1 1 2 3 5 8 13 21 34 55 89 144 233 377
```

```
#4.
```

```
ShoesData <- read.csv("Shoe sizes.csv")
```

```
#4b.
```

```
maleSub <- subset(ShoesData, Gender == "M")
```

```
femSub <- subset(ShoesData, Gender == "F")
```

```
cat("The number of observation in male subset:", nrow(maleSub), "\n")
```

```
## The number of observation in male subset: 14
```

```
cat("The number of observation in female subset:", nrow(femSub), "\n")
```

```
## The number of observation in female subset: 14
```

```
#4c.
```

```
GenderMF <- table(ShoesData$Gender)
```

```
barplot(GenderMF,  
  main = "Number of Male and Female in Household Data",  
  xlab = "Gender",  
  ylab = "Count" ,  
  col = c("red", "green"),  
  legend.text = c("Female", "Male"))
```

Number of Male and Female in Household Data




#5.

```
Incomemonth <- c(60,10,5,25)
```

```
pie(Incomemonth, labels = paste0(Incomemonth, "%"),
    main = "Dela Cruz Family Expenses", col = rainbow(length(Incomemonth)))
```

```
legend("topleft", legend = c("Food", "Electricity", "Savings", "Miscellaneous"),
    fill = rainbow(length(Incomemonth)))
```

Dela Cruz Family Expenses



#6.

```
data(iris)
```

```
str(iris)
```

```
## 'data.frame':    150 obs. of  5 variables:
## $ Sepal.Length: num  5.1 4.9 4.7 4.6 5 5.4 4.6 5 4.4 4.9 ...
## $ Sepal.Width : num  3.5 3 3.2 3.1 3.6 3.9 3.4 3.4 2.9 3.1 ...
## $ Petal.Length: num  1.4 1.4 1.3 1.5 1.4 1.7 1.4 1.5 1.4 1.5 ...
## $ Petal.Width : num  0.2 0.2 0.2 0.2 0.2 0.4 0.3 0.2 0.2 0.1 ...
## $ Species      : Factor w/ 3 levels "setosa","versicolor",...: 1 1 1 1 1 1 1 1 1 1 ...
```

#there are 150 observation and 5 variables in iris dataset. there are numeric measurements in sepal.wid

#6b.

```
data(iris)
```

```
meaniris <- colMeans(iris[, 1:4])
```

```
meaniris
```

```
## Sepal.Length Sepal.Width Petal.Length Petal.Width
##      5.843333      3.057333      3.758000      1.199333
```

#6c.


```
data(iris)
```

```
species <- table(iris$Species)
```

```
pie(species, labels = names(species),
    col = rainbow(length(species)),
    main = "Species Distribution")
```

```
legend("topright", legend = names(species),
    fill = rainbow(length(species)), title = "Species")
```

Species Distribution



#6d.

```
data(iris)
```

```
setosa_subs <- subset(iris, Species == "setosa")
```

```
versicolor_subs <- subset(iris, Species == "versicolor")
```

```
virginica_subs <- subset(iris, Species == "virginica")
```

```
#to display the last 6 rows of each species
```

```
tail(setosa_subs)
```

```
##      Sepal.Length Sepal.Width Petal.Length Petal.Width Species
## 45           5.1         3.8         1.9         0.4   setosa
## 46           4.8         3.0         1.4         0.3   setosa
## 47           5.1         3.8         1.6         0.2   setosa
## 48           4.6         3.2         1.4         0.2   setosa
## 49           5.3         3.7         1.5         0.2   setosa
## 50           5.0         3.3         1.4         0.2   setosa
```

```
tail(versicolor_subs)
```

```
##      Sepal.Length Sepal.Width Petal.Length Petal.Width   Species
## 95           5.6         2.7         4.2         1.3 versicolor
## 96           5.7         3.0         4.2         1.2 versicolor
## 97           5.7         2.9         4.2         1.3 versicolor
## 98           6.2         2.9         4.3         1.3 versicolor
## 99           5.1         2.5         3.0         1.1 versicolor
## 100          5.7         2.8         4.1         1.3 versicolor
```

```
tail(virginica_subs)
```

```
##      Sepal.Length Sepal.Width Petal.Length Petal.Width   Species
## 145           6.7         3.3         5.7         2.5 virginica
## 146           6.7         3.0         5.2         2.3 virginica
## 147           6.3         2.5         5.0         1.9 virginica
## 148           6.5         3.0         5.2         2.0 virginica
## 149           6.2         3.4         5.4         2.3 virginica
## 150           5.9         3.0         5.1         1.8 virginica
```

```
#6e.
```

```
data(iris)
```

```
iris$Species <- as.factor(iris$Species)
```


```
colors <- c("setosa" = "#66c2a5", "versicolor" = "#fc8d62", "virginica" = "#8da0cb")
```

```
symbols <- c("setosa" = 16, "versicolor" = 17, "virginica" = 18)
```

```
plot(iris$Sepal.Length, iris$Sepal.Width,
     col = colors[iris$Species],
     pch = symbols[iris$Species],
     main = "Iris Dataset",
     sub = "Sepal Width and Length",
     xlab = "Sepal Length",
     ylab = "Sepal Width")
```

```
legend("topright", legend = levels(iris$Species), col = colors, pch = symbols, title = "Species")
```

Iris Dataset



```
#6e
#by factoring the species, it will be represents as a categories in R.
```

```
#7.
library(readxl)

alexadata<- read_excel("alexa_file.xlsx")

alexadata
```

```
## # A tibble: 3,150 x 5
##   rating date          variation      verified_reviews      feedback
##   <dbl> <dtm>          <chr>          <chr>          <dbl>
## 1     5 2018-07-31 00:00:00 Charcoal Fabric Love my Echo!          1
## 2     5 2018-07-31 00:00:00 Charcoal Fabric Loved it!              1
## 3     4 2018-07-31 00:00:00 Walnut Finish  Sometimes while play~  1
## 4     5 2018-07-31 00:00:00 Charcoal Fabric I have had a lot of ~  1
## 5     5 2018-07-31 00:00:00 Charcoal Fabric Music              1
## 6     5 2018-07-31 00:00:00 Heather Gray Fabric I received the echo ~  1
## 7     3 2018-07-31 00:00:00 Sandstone Fabric Without having a cel~  1
## 8     5 2018-07-31 00:00:00 Charcoal Fabric I think this is the ~  1
## 9     5 2018-07-30 00:00:00 Heather Gray Fabric looks great          1
## 10    5 2018-07-30 00:00:00 Heather Gray Fabric Love it! I've listen~  1
## # i 3,140 more rows
```

```
#7a.
#black
alexadata$variation <- gsub("Black Dot", "BlackDot", alexadata$variation)
alexadata$variation <- gsub("Black Plus", "BlackPlus", alexadata$variation)
```

```
alexadata$variation <- gsub("Black Show", "BlackShow", alexadata$variation)
alexadata$variation <- gsub("Black Spot", "BlackSpot", alexadata$variation)
```

```
#white
```

```
alexadata$variation <- gsub("White Dot", "WhiteDot", alexadata$variation)
alexadata$variation <- gsub("White Plus", "WhitePlus", alexadata$variation)
alexadata$variation <- gsub("White Show", "WhiteShow", alexadata$variation)
alexadata$variation <- gsub("White Spot", "WhiteSpot", alexadata$variation)
```

```
alexadata
```

```
## # A tibble: 3,150 x 5
```

```
##   rating date          variation      verified_reviews      feedback
##   <dbl> <dtm>          <chr>          <chr>          <dbl>
## 1     5 2018-07-31 00:00:00 Charcoal Fabric Love my Echo!          1
## 2     5 2018-07-31 00:00:00 Charcoal Fabric Loved it!            1
## 3     4 2018-07-31 00:00:00 Walnut Finish   Sometimes while play~  1
## 4     5 2018-07-31 00:00:00 Charcoal Fabric I have had a lot of ~  1
## 5     5 2018-07-31 00:00:00 Charcoal Fabric Music                1
## 6     5 2018-07-31 00:00:00 Heather Gray Fabric I received the echo ~  1
## 7     3 2018-07-31 00:00:00 Sandstone Fabric Without having a cel~  1
## 8     5 2018-07-31 00:00:00 Charcoal Fabric I think this is the ~  1
## 9     5 2018-07-30 00:00:00 Heather Gray Fabric looks great      1
## 10    5 2018-07-30 00:00:00 Heather Gray Fabric Love it! I've listen~  1
## # i 3,140 more rows
```

```
#7b.
```

```
library("dplyr")
```

```
##
```

```
## Attaching package: 'dplyr'
```

```
## The following objects are masked from 'package:stats':
```

```
##
```

```
##   filter, lag
```

```
## The following objects are masked from 'package:base':
```

```
##
```

```
##   intersect, setdiff, setequal, union
```

```
var_DATA <- alexadata %>%
  count(alexadata$variation)
```

```
var_DATA
```

```
## # A tibble: 16 x 2
```

```
##   `alexadata$variation`      n
##   <chr>          <int>
## 1 Black          261
## 2 Black Dot      516
## 3 Black Plus     270
## 4 Black Show     265
## 5 Black Spot     241
## 6 Charcoal Fabric 430
## 7 Configuration: Fire TV Stick 350
## 8 Heather Gray Fabric 157
```

```
## 9 Oak Finish 14
## 10 Sandstone Fabric 90
## 11 Walnut Finish 9
## 12 White 91
## 13 White Dot 184
## 14 White Plus 78
## 15 White Show 85
## 16 White Spot 109
```

```
save(var_DATA, file= "variations.RData")
```

```
#7c.
```


```
load("variations.RData")
```

```
var_DATA
```

```
## # A tibble: 16 x 2
##   `alexadata$variation`      n
##   <chr>                  <int>
## 1 Black                  261
## 2 Black Dot              516
## 3 Black Plus             270
## 4 Black Show             265
## 5 Black Spot             241
## 6 Charcoal Fabric        430
## 7 Configuration: Fire TV Stick 350
## 8 Heather Gray Fabric    157
## 9 Oak Finish             14
## 10 Sandstone Fabric      90
## 11 Walnut Finish         9
## 12 White                 91
## 13 White Dot             184
## 14 White Plus            78
## 15 White Show            85
## 16 White Spot            109
```

```
namevar <- var_DATA$`alexadata$variation`
```


```
alexaplot <- barplot(var_DATA$n,
  names.arg = namevar,
  main = "Total number of variations",
  xlab = "Name of Variations",
  ylab = "Total of each variations",
  col = 1:16,
  space = 0.1,
  cex.names = 0.5,
  las = 2)
```

```
png("varvincedata.png")
dev.off()
```

```
## pdf
## 2
```

```
knitr::include_graphics("/cloud/project/RWorksheet_Lumahan#4A/varvincedata.png")
```



```

#7d.
library(RColorBrewer)

par(mfrow = c(1,2))


blackvarplot <- barplot(height = c(261,270,265,241,516),
                        names.arg = c("Black","BlackPlus","BlackShow","BlackSpot","BlackDot"), main = "Black Variations",
                        col = 1:5,
                        space = 0.5,
                        xlab = "Variation",
                        ylab = "Count")

png("blackvarplot.png")
dev.off()

## pdf
## 2

knitr::include_graphics("/cloud/project/RWorksheet_Lumahan#4A/blackvarvince.png")


```



```

whitevarplot <- barplot(height = c(91,184,78,85,109),
                        names.arg = c("White", "WhiteDot", "WhitePlus", "WhiteShow", "WhiteSpot"),
                        main = "White Variations",
                        space = 0.5,
                        col = 6:10,
                        xlab = "Variation",
                        ylab = "Count",)

```



```
png("whitevarplot.png")
dev.off()

## pdf
## 2

knitr::include_graphics("/cloud/project/RWorksheet_Lumahan#4A/whitevarvince.png")
```

