


# SUN






# SUN



In fact,  
art and beauty

is what all along pursuing. But to us the most  
important thing is that we must think human-  
oriented structure.

SUN



DL74149/7W

LED: Prolight SMD  
Power: 7W  
Flux(Lm): 418Lm  
Angle: 24°+ 25°/30°+ 25°  
CTN: 30  
Material: Aluminum

DL74150/7W

LED: Prolight SMD  
Power: 7W  
Flux(Lm): 418Lm  
Angle: 24°+ 25°/30°+ 25°  
CTN: 30  
Material: Aluminum

DLC78052/7W

LED: Prolight SMD  
Power: 7W  
Flux(Lm): 418Lm  
Angle: 24°+ 25°/30°+ 25°  
CTN: 12  
Material: Aluminum




Colortemperature



Color



SUN



DL74230/7W

LED: Bridgelux COB  
Power: 7W  
Flux(Lm): 410Lm  
Angle: 24°/30°/40°  
CTN: 30  
Material: Aluminum

DL74231/7W

LED: Bridgelux COB  
Power: 7W  
Flux(Lm): 410Lm  
Angle: 24°/30°/40°  
CTN: 20  
Material: Aluminum

DLC78054/7W

LED: Bridgelux COB  
Power: 7W  
Flux(Lm): 410Lm  
Angle: 24°/30°/40°  
CTN: 12  
Material: Aluminum


Colortemperature



Color



## SUN








## SUN



SUN

SUN



DL73076/7W

LED: Bridgelux COB  
Power: 7W  
Flux(Lm): 411Lm  
Angle: 110°  
CTN: 30  
Material: Aluminum

DL73077/7W

LED: Bridgelux COB  
Power: 7W  
Flux(Lm): 411Lm  
Angle: 110°  
CTN: 20  
Material: Aluminum

DLC79026/7W

LED: Bridgelux COB  
Power: 7W  
Flux(Lm): 411Lm  
Angle: 110°  
CTN: 12  
Material: Aluminum

Colortemperature




Color (DDL73076/77)

□ Sand White

Color (DLC79026)

□ Sand White  
■ Sand Black+White



DL73074/7W

LED: Bridgelux SMD  
Power: 3W  
Flux(Lm): 210Lm  
Angle: 100°  
CTN: 30  
Material: Aluminum

DL73075/7W

LED: Bridgelux SMD  
Power: 3W  
Flux(Lm): 210Lm  
Angle: 100°  
CTN: 20  
Material: Aluminum

Colortemperature



Color

□ Sand White  
■ Sand Black

