

DIVA
light & form
LUCE

www.divaluce.com


DECORATIVE

24 | 25
ARCHITECTURAL⁺

DIVA LUCE
light & form

ARCHITECTURAL LIGHTING +

STIPO series



LINA series



ONON series



CANDLE series



ENMO series



MOON series



COBRA series



MACARON series



PINA series



SATURN series



DOMO series



NOVA series



OMRI series



ENTO series



DAS series



HALO series








STRIPO series

PENDANT LIGHT

DECORATIVE

STRIPO series



12W | 18W | Ra >90 | UGR <19 | IP20 | |

	Light Source	Power	Voltage	Beam Angle	Code
Pendant Light	SMD LED	12W	AC220-240V	50°	DLF-005-S-12-50-K-P-W DLF-005-S-12-50-K-P-B DLF-005-S-12-50-K-P-G
Pendant Light	SMD LED	18W	AC220-240V	50°	DLF-005-S-18-50-K-P-W DLF-005-S-18-50-K-P-B DLF-005-S-18-50-K-P-G

Color Temperature: K (3000K 4000K)


Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: W-White B-Black G-Gold


Controller: On / Off, Dimmable, DALI

DIMENSION
unit:mm

DLF-005-S-12-50






DLF-005-S-18-50





STRIPO series



12W | 18W | Ra >90 | UGR <19 | IP20 | |

	Light Source	Power	Voltage	Beam Angle	Code
Pendant Light	SMD LED	12W	AC220-240V	120°	DLF-005-S-12-120-K-P-W DLF-005-S-12-120-K-P-B DLF-005-S-12-120-K-P-G
Pendant Light	SMD LED	18W	AC220-240V	120°	DLF-005-S-18-120-K-P-W DLF-005-S-18-120-K-P-B DLF-005-S-18-120-K-P-G



Color Temperature: K (3000K 4000K)

Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: W-White B-Black G-Gold

Controller: On / Off, Dimmable, DALI

DIMENSION
unit:mm





LINA series

PENDANT LIGHT

LINA series



24W | 36W | 36° | 50° | Ra >90 | UGR <19 | IP20 | **3** | **CE**

	Light Source	Power	Voltage	Beam Angle	Code
Pendant Light	SMD LED	24W	AC220-240V	50°	DLF-005-S-24-50-K-P-W DLF-005-S-24-50-K-P-B
Pendant Light	SMD LED	36W	AC220-240V	50°	DLF-005-S-36-50-K-P-W DLF-005-S-36-50-K-P-B
Pendant Light	SMD LED	24W	AC220-240V	36°	DLF-005-S-24-36-K-P-W DLF-005-S-24-36-K-P-B

Color Temperature: K (3000K - 4000K)

Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: W-White B-Black

Controller: On / Off, Dimmable, Dali

DIMENSION

unit:mm

DLF-005-S-24-50



DLF-005-S-36-50



DLF-005-S-24-36






ONON series

PENDANT LIGHT

ONON series



24W | 40W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Ceiling Light	SMD LED	24W	AC220-240V	DLF-029-C-24-K-P-BB DLF-029-C-24-K-P-BG DLF-029-C-24-K-P-WB DLF-029-C-24-K-P-WG
Ceiling Light	SMD LED	40W	AC220-240V	DLF-029-C-40-K-P-BB DLF-029-C-40-K-P-BG DLF-029-C-40-K-P-WB DLF-029-C-40-K-P-WG
Pendant Light	SMD LED	24W	AC220-240V	DLF-029-S-24-K-P-BB DLF-029-S-24-K-P-BG DLF-029-S-24-K-P-WB DLF-029-S-24-K-P-WG
Pendant Light	SMD LED	40W	AC220-240V	DLF-029-S-40-K-P-BB DLF-029-S-40-K-P-BG DLF-029-S-40-K-P-WB DLF-029-S-40-K-P-WG

Color Temperature: K (3000K 4000K)

Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: W-White B-Black Inner Ring Colour: B-Black G-Gold

Controller: On / Off, Dimmable, DALI


DIMENSION

unit:mm

DLF-029-C-24
DLF-029-C-40



DLF-029-S-24
DLF-029-S-40



DECORATIVE

CANDLE series

PENDANT LIGHT



DECORATIVE



PENDANT LIGHT

CANDLE series



8W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Pendant Light	SMD LED	8W	AC220-240V	DLF-010-S-08-K-P-B DLF-010-S-08-K-P-W DLF-010-S-08-K-P-R DLF-010-S-08-K-P-G
Pendant Light	SMD LED	3x8W	AC220-240V	DLF-010-S-24-L-K-P-B DLF-010-S-24-L-K-P-W DLF-010-S-24-L-K-P-R DLF-010-S-24-L-K-P-G
Pendant Light	SMD LED	3x8W	AC220-240V	DLF-010-S-24-T-K-P-B DLF-010-S-24-T-K-P-W DLF-010-S-24-T-K-P-R DLF-010-S-24-T-K-P-G
Color Temperature: K (3000K 4000K)				
Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)				
Colour Finish: B-Black W-White R-Red G-Green				
Controller: On / Off, Dimmable, Dali				

DIMENSION unit:mm


DLF-010-S-08



DLF-010-S-24-L



DLF-010-S-24-T



CANDLE series



8W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Pendant Light	SMD LED	8W	AC220-240V	DLF-010-SS-08-K-P-B DLF-010-SS-08-K-P-W DLF-010-SS-08-K-P-R DLF-010-SS-08-K-P-G
Pendant Light	SMD LED	3x8W	AC220-240V	DLF-010-SS-24-L-K-P-B DLF-010-SS-24-L-K-P-W DLF-010-SS-24-L-K-P-R DLF-010-SS-24-L-K-P-G
Pendant Light	SMD LED	3x8W	AC220-240V	DLF-010-SS-24-T-K-P-B DLF-010-SS-24-T-K-P-W DLF-010-SS-24-T-K-P-R DLF-010-SS-24-T-K-P-G
Color Temperature: K (3000K 4000K)				
Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)				
Colour Finish: B-Black W-White R-Red G-Green				
Controller: On / Off, Dimmable, Dali				

DIMENSION unit:mm

DLF-010-SS-08



DLF-010-SS-24-L



DLF-010-SS-24-T



CANDLE series



CANDLE series

TABLE LIGHT / FLOOR LIGHT



8W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Table Light	SMD LED	8W	AC220-240V	DLF-010-T-08-K-P-B DLF-010-T-08-K-P-W DLF-010-T-08-K-P-R DLF-010-T-08-K-P-G
Floor Light	SMD LED	8W	AC220-240V	DLF-010-F-08-K-P-B DLF-010-F-08-K-P-W DLF-010-F-08-K-P-R DLF-010-F-08-K-P-G
				Color Temperature: K (3000K - 4000K)


Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: B-Black W-White R-Red G-Green

Controller: On / Off, Dimmable, Dali

DIMENSION
unit:mm

DLF-010-T-08



DLF-010-F-08





ENMO series

PENDANT LIGHT

ENMO series



24W | 36W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Ceiling Light	SMD LED	24W	AC220-240V	DLF-006-C-24-K-P-BG DLF-006-C-24-K-P-WG DLF-006-C-24-K-P-DC
Ceiling Light	SMD LED	24W	AC220-240V	DLF-006-C-36-K-P-BG DLF-006-C-36-K-P-WG DLF-006-C-36-K-P-DC
Pendant Light	SMD LED	24W	AC220-240V	DLF-006-S-24-K-P-BG DLF-006-S-24-K-P-WG DLF-006-S-24-K-P-DC
Pendant Light	SMD LED	24W	AC220-240V	DLF-006-S-36-K-P-BG DLF-006-S-36-K-P-WG DLF-006-S-36-K-P-DC

Color Temperature: K (3000K 4000K)


Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: WG-Bluish Grey WG-Whitish Grey DG-Dark Grey

Controller: On / Off, Dimmable, Dali

DIMENSION unit:mm

DLF-006-C-24
DLF-006-C-36



DLF-006-S-24
DLF-006-S-36



DLF-006-S-24
DLF-006-S-36

DECORATIVE

DECORATIVE

MOON series



PENDANT LIGHT

MOON series



20W | Ra >90 | UGR <19 | IP20 | |

	Light Source	Power	Voltage	Code
Pendant Light	SMD LED	20W	AC220-240V	DLF-018-SA-20-K-P-B
Pendant Light	SMD LED	20W	AC220-240V	DLF-018-SB-20-K-P-B
Pendant Light	SMD LED	2x20W	AC220-240V	DLF-018-SB-40-K-P-B
Pendant Light	SMD LED	3x20W	AC220-240V	DLF-018-SB-60-K-P-B

Color Temperature: K (3000K 4000K)


Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: B-Black


Controller: On / Off, Dimmable, Dali

DIMENSION
unit:mm


DLF-018-SA-20




DLF-018-SB-20



DLF-018-SB-40



DLF-018-SB-60



MOON series



10W | Ra >90 | UGR <19 | IP20 | |

	Light Source	Power	Voltage	Code
Table Light	SMD LED	10W	AC220-240V	DLF-018-T-10-K-P-B
Floor Light	SMD LED	2x10W	AC220-240V	DLF-018-F-20-K-P-B

Color Temperature: K (3000K 4000K)

Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)


Colour Finish: B-Black

Controller: On / Off, Dimmable, Dali




DIMENSION
unit:mm

DLF-018-T-10



DLF-018-F-20





COBRA series

COBRA series



12W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Ceiling Light	SMD LED	20W	AC220-240V	DLF-009-C-12-K-P-B
Pendant Light	SMD LED	20W	AC220-240V	DLF-009-S-12-K-P-B
Floor Light	SMD LED	2x20W	AC220-240V	DLF-009-F-12-K-P-B

Color Temperature: K (3000K 4000K)


Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: B-Black


Controller: On / Off, Dimmable, DALI

DIMENSION unit:mm


DLF-009-C-12



DLF-009-S-12



DLF-009-F-12





MACARON series

CEILING LIGHT

MACARON series



DECORATIVE

8W | 12W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Ceiling Light	SMD LED	8W	AC220-240V	DLF-001-C-08-K-P-W DLF-001-C-08-K-P-G DLF-001-C-08-K-P-R
Ceiling Light	SMD LED	12W	AC220-240V	DLF-001-C-12-K-P-W DLF-001-C-12-K-P-G DLF-001-C-12-K-P-R
Ceiling Light	SMD LED	24W	AC220-240V	DLF-001-C-24-K-P-W DLF-001-C-24-K-P-G DLF-001-C-24-K-P-R

Color Temperature: K (3000K 4000K)

Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)


Colour Finish: W-White G-Green R-Red

Controller: On / Off, Dimmable, DALI


DIMENSION

unit:mm


DLF-001-C-08



DLF-001-C-12



DLF-001-C-24



DECORATIVE

MACARON series

8W | 12W | Ra >90 | UGR <19 | IP20 |

DECORATIVE



MACARON series

PENDANT LIGHT



	Light Source	Power	Voltage	Code
Pendant Light	SMD LED	8W	AC220-240V	DLF-001-S-08-K-P-W DLF-001-S-08-K-P-G DLF-001-S-08-K-P-R
Pendant Light	SMD LED	12W	AC220-240V	DLF-001-S-12-K-P-W DLF-001-S-12-K-P-G DLF-001-S-12-K-P-R
Pendant Light	SMD LED	18W	AC220-240V	DLF-001-S-18-K-P-W DLF-001-S-18-K-P-G DLF-001-S-18-K-P-R

Color Temperature: K (3000K 4000K)

Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: W-White G-Green R-Red


Controller: On / Off, Dimmable, DALI

DIMENSION
unit:mm


DLF-001-S-08



DLF-001-S-12



DLF-001-S-18



MACARON series

FLOOR LIGHT



TABLE LIGHT



MACARON series



DECORATIVE

DECORATIVE



12W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Table Light	SMD LED	12W	AC220-240V	DLF-001-T-12-K-P-W DLF-001-T-12-K-P-B DLF-001-T-12-K-P-G DLF-001-T-12-K-P-R
Floor Light	SMD LED	12W	AC220-240V	DLF-001-F-12-K-P-W DLF-001-F-12-K-P-B DLF-001-F-12-K-P-G DLF-001-F-12-K-P-R

Color Temperature: K (3000K 4000K)

Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)


Colour Finish: W-White B-Black G-Green R-Red

Controller: On / Off, Dimmable, DALI




DIMENSION
unit:mm

DLF-001-T-12



DLF-001-F-12



DECORATIVE

DECORATIVE

PINA series

WALL LIGHT



CEILING LIGHT



PINA series

PENDANT LIGHT

PINA series



8W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Ceiling Light	SMD LED	8W	AC220-240V	DLF-013-C-08-K-P-B DLF-013-C-08-K-P-W DLF-013-C-08-K-P-R DLF-013-C-08-K-P-W DLF-013-C-08-K-P-B
Pendant Light	SMD LED	8W	AC220-240V	DLF-013-S-08-K-P-B DLF-013-S-08-K-P-W DLF-013-S-08-K-P-R DLF-013-S-08-K-P-W DLF-013-S-08-K-P-B
Wall Light	SMD LED	8W	AC220-240V	DLF-013-W-08-K-P-B DLF-013-W-08-K-P-W DLF-013-W-08-K-P-R DLF-013-W-08-K-P-W DLF-013-W-08-K-P-B

Color Temperature: K (3000K - 4000K)


Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: B-Black W-White R-Red W-Whitish Grey B-Bluish Grey


Controller: On / Off, Dimmable, Dali

DIMENSION
unit:mm


DLF-013-C-08



DLF-013-S-08



DLF-013-W-08





SATURN series



24W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Ceiling Light	SMD LED	24W	AC220-240V	DLF-004-C-24-K-P-W DLF-004-C-24-K-P-G DLF-004-C-24-K-P-R
Pendant Light	SMD LED	24W	AC220-240V	DLF-004-S-24-K-P-W DLF-004-S-24-K-P-G DLF-004-S-24-K-P-R

Color Temperature: K (3000K - 4000K)


Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: W-White G-Green R-Red


Controller: On / Off, Dimmable, DALI

DIMENSION unit:mm

DLF-004-C-24



DLF-004-S-24



DOMO series

CEILING LIGHT



PENDANT LIGHT

DOMO series



24W | 36W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Ceiling Light	SMD LED	24W	AC220-240V	DLF-002-C-24-K-P-BB DLF-002-C-24-K-P-WB
Ceiling Light	SMD LED	36W	AC220-240V	DLF-002-C-36-K-P-BB DLF-002-C-36-K-P-WB
Ceiling Light	SMD LED	24W	AC220-240V	DLF-002-CC-24-K-P-BB DLF-002-CC-24-K-P-WB
Ceiling Light	SMD LED	36W	AC220-240V	DLF-002-CC-36-K-P-BB DLF-002-CC-36-K-P-WB
Pendant Light	SMD LED	24W	AC220-240V	DLF-002-S-24-K-P-BB DLF-002-S-24-K-P-WB
Pendant Light	SMD LED	36W	AC220-240V	DLF-002-S-36-K-P-BB DLF-002-S-36-K-P-WB

Color Temperature: K (3000K - 4000K)

Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: BB-Black/Black W-White/Black


Controller: On / Off, Dimmable, DALI

DIMENSION
unit:mm

DLF-002-C-24
DLF-002-C-36

DLF-002-CC-24
DLF-002-CC-36

DLF-002-S-24
DLF-002-S-36





DOMO series



40W | 80W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Ceiling Light	SMD LED	40W	AC220-240V	DLF-002-C-40-K-P-BB DLF-002-C-40-K-P-WB
Ceiling Light	SMD LED	80W	AC220-240V	DLF-002-C-80-K-P-BB DLF-002-C-80-K-P-WB

Color Temperature: K (3000K - 4000K)


Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: BB-Black/Black W-White/Black


Controller: On / Off, Dimmable, Dali

DIMENSION
unit:mm

DLF-002-C-40



DLF-002-C-80





NOVA series



24W | 36W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Ceiling Light	SMD LED	24W	AC220-240V	DLF-002-CD-24-K-P-BG DLF-002-CD-24-K-P-WG
Ceiling Light	SMD LED	36W	AC220-240V	DLF-002-CD-36-K-P-BG DLF-002-CD-36-K-P-WG
Ceiling Light	SMD LED	24W	AC220-240V	DLF-002-CE-24-K-P-BG DLF-002-CE-24-K-P-WG
Ceiling Light	SMD LED	36W	AC220-240V	DLF-002-CE-36-K-P-BG DLF-002-CE-36-K-P-WG
Pendant Light	SMD LED	24W	AC220-240V	DLF-002-SS-24-K-P-BG DLF-002-SS-24-K-P-WG
Pendant Light	SMD LED	36W	AC220-240V	DLF-002-SS-36-K-P-BG DLF-002-SS-36-K-P-WG

Color Temperature: K (3000K - 4000K)

Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: BG-Black/Gold WG-White/Gold


Controller: On / Off, Dimmable, DALI




DIMENSION

unit:mm


DLF-002-CD-24
DLF-002-CD-36



DLF-002-CE-24
DLF-002-CE-36



DLF-002-SS-24
DLF-002-SS-36





NOVA series



40W | 80W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Ceiling Light	SMD LED	40W	AC220-240V	DLF-002-CC-40-K-P-BG DLF-002-CC-40-K-P-WG
Ceiling Light	SMD LED	80W	AC220-240V	DLF-002-CC-80-K-P-BG DLF-002-CC-80-K-P-WG

Color Temperature: K (3000K - 4000K)


Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: BG-Black/Gold WG-White/Gold


Controller: On / Off, Dimmable, Dali

DIMENSION
unit:mm

DLF-002-CC-40



DLF-002-CC-80







OMRI series



24W | 36W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Ceiling Light	SMD LED	24W	AC220-240V	DLF-017-C-24-K-P-WB DLF-017-C-24-K-P-BB
Ceiling Light	SMD LED	36W	AC220-240V	DLF-017-C-36-K-P-WB DLF-017-C-36-K-P-BB
Pendant Light	SMD LED	24W	AC220-240V	DLF-017-S-24-K-P-WB DLF-017-S-24-K-P-BB
Pendant Light	SMD LED	36W	AC220-240V	DLF-017-S-36-K-P-WB DLF-017-S-36-K-P-BB

Color Temperature: K (3000K - 4000K)


Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: WB-White/Black BB-Black/Black


Controller: On / Off, Dimmable, Dali

DIMENSION
unit:mm

DLF-017-C-24
DLF-017-C-36



DLF-017-S-24
DLF-017-S-36




DECORATIVE



ENTO series

CEILING LIGHT

DECORATIVE



PENDANT LIGHT

ENTO series

DECORATIVE



20W | Ra >90 | UGR <19 | IP20 | |

	Light Source	Power	Voltage	Code
Ceiling Light	SMD LED	20W	AC220-240V	DLF-003-C2-20-S-K-P-C DLF-003-C2-20-S-K-P-B DLF-003-C2-20-S-K-P-R DLF-003-C2-20-S-K-P-B
Ceiling Light	SMD LED	20W	AC220-240V	DLF-003-C2-20-M-K-P-C DLF-003-C2-20-M-K-P-B DLF-003-C2-20-M-K-P-R DLF-003-C2-20-M-K-P-B
Ceiling Light	SMD LED	20W	AC220-240V	DLF-003-C2-20-L-K-P-C DLF-003-C2-20-L-K-P-B DLF-003-C2-20-L-K-P-R DLF-003-C2-20-L-K-P-B

Color Temperature: K (3000K 4000K)


Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: C-Cream B-Blue R-Red B-Black


Controller: On / Off, Dimmable, Dali

DIMENSION
unit:mm


DLF-003-C2-20-S



DLF-003-C2-20-M



DLF-003-C2-20-L



ENTO series

DECORATIVE



20W | Ra >90 | UGR <19 | IP20 | |

	Light Source	Power	Voltage	Code
Pendant Light	SMD LED	20W	AC220-240V	DLF-003-S2-20-S-K-P-C DLF-003-S2-20-S-K-P-B DLF-003-S2-20-S-K-P-R DLF-003-S2-20-S-K-P-B
Pendant Light	SMD LED	20W	AC220-240V	DLF-003-S2-20-M-K-P-C DLF-003-S2-20-M-K-P-B DLF-003-S2-20-M-K-P-R DLF-003-S2-20-M-K-P-B
Pendant Light	SMD LED	20W	AC220-240V	DLF-003-S2-20-L-K-P-C DLF-003-S2-20-L-K-P-B DLF-003-S2-20-L-K-P-R DLF-003-S2-20-L-K-P-B

Color Temperature: K (3000K 4000K)


Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: C-Cream B-Blue R-Red B-Black


Controller: On / Off, Dimmable, Dali

DIMENSION
unit:mm


DLF-003-S2-20-S



DLF-003-S2-20-M



DLF-003-S2-20-L





DAS series

PENDANT LIGHT

DAS series



E27 | Ra >90 | UGR <19 | IP20 |

	Light Source	Voltage	Code
Pendant Light	E27	AC220-240V	DLF-026-S-K-P-C DLF-026-S-K-P-B
Pendant Light	E27	AC220-240V	DLF-026-S1-K-P-C DLF-026-S1-K-P-B
Pendant Light	E27	AC220-240V	DLF-026-S3-K-P-C DLF-026-S3-K-P-B
Pendant Light	E27	AC220-240V	DLF-026-S4-K-P-C DLF-026-S4-K-P-B

Color Temperature: K (3000K - 4000K)

Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: C-Cream B-Black


Controller: On / Off, Dimmable, DALI

DIMENSION
unit:mm

DLF-026-S	DLF-026-S1	DLF-026-S3	DLF-026-S4
350 Ø280	400 Ø350	350 Ø350	400 Ø130



HALO series



DECORATIVE



HALO series

PENDANT LIGHT

DECORATIVE



CEILING LIGHT



HALO series

DECORATIVE

HALO series



12W | Ra >90 | UGR <19 | IP20 |

	Light Source	Power	Voltage	Code
Ceiling Light	SMD LED	12W	AC220-240V	DLF-019-C-12-K-P-W DLF-019-C-12-K-P-B
Pendant Light	SMD LED	12W	AC220-240V	DLF-019-P-12-K-P-W DLF-019-P-12-K-P-B
Table Light	SMD LED	12W	AC220-240V	DLF-019-T-12-K-P-W DLF-019-T-12-K-P-B
Floor Light	SMD LED	12W	AC220-240V	DLF-019-F-12-K-P-W DLF-019-F-12-K-P-B

Color Temperature: K (3000K 4000K)

Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: W-White B-Black

Controller: On / Off, Dimmable, Dali

DIMENSION
unit:mm

DLF-019-C-12	DLF-019-P-12	DLF-019-T-12	DLF-019-F-12