

DIVA LUCE
light & form

www.divaluce.com

LUCE BRIDGE
Collection



DIVA LUCE
light & form


ARCHITECTURAL LIGHTING +

LUCE BRIDGE




LUCE BRIDGE

where unique
design means
innovative engineering



giving DIY
a designer feel



bring to
life one of
a kind creations



LUCE BRIDGE



PRODUCT:
PSU Bridge 1

LUCE BRIDGE

PRODUCT:
PSU Bridge 2




INTEGRATION:
Luce Bridge - Dexterous










break free from
the traditional
constraints of design
with creative lighting

Living Room



LUCE BRIDGE

Bedroom



LUCE BRIDGE



Dining Room





Example 1

Product List

	① LB-PSU001	PSU Bridge 1	x1
	② LB-003	BRIDGE Track	x1
	③ LB-XTM-9J-90W	LINEAR Diffuser	x1
	④ LB-SP-022-12W	MILA Spot Bridge	x2
	⑤ LB-YQBL15-5W-24V	SPHERE Ball Bridge	x2
	⑥ LB-004	Support Bracket	x5



LUCE BRIDGE

LUCE BRIDGE

Product List



1
LB-PSU001

PSU Bridge 1 x2



2
LB-PSU002

PSU Bridge 2 x2



3
LB-003

BRIDGE Track x1



4
LB-300A-27W

TUBE Bridge x2



5
LB-TD7-10W


BOX Spot Bridge x2



6
LB-004

Support Bracket x4

Example 2



Product List

	1 LB-PSU002	PSU Bridge 2	x1
	2 LB-003	BRIDGE Track	x1
	3 LB-XTD-R108T-90W	LINEAR Blade Bridge	x2
	4 LB-TD2-7W	SILO Spot Bridge	x6
	5 LB-004	Support Bracket	x8

Layout Example 3

LUCE BRIDGE

LUCE Bridge is revolutionary technology, that isn't compatible with just any light. Below you will find all of the lighting currently available for the LUCE Bridge range, from spot lights to pendant lights and many more options that will allow you to unleash your creativity, and fill your space with unlimited designs.



LINEAR BLADE BRIDGE

Model	LB-XTD-R24T-20W	20W	494*23*42.8mm
	LB-XTD-R48T-40W	40W	925*23*42.8mm
	LB-XTD-R84T-70W	70W	1572*23*42.8mm
	LB-XTD-R108T-90W	90W	2003.5*23*42.8mm
Angle	24°/36°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum		



MILA SPOT BRIDGE

Model	LB-SP-021-7W	7W	D45*H100mm
	LB-SP-022-12W	12W	D55*H115mm
	LB-SP-023-18W	18W	D65*H135mm
Angle	15°/24°/36°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum		



MILA SPOT 2 BRIDGE

Model	LB-SP-062-6W	6W	D40*H100mm
	LB-SP-063-12W	12W	D52*H120mm
	LB-SP-064-18W	18W	D63*H140mm
Angle	15°/24°/36°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum+PA66		



ZOOM SPOT BRIDGE

Model	LB-SP-032-10W	10W	D55*H115mm
	LB-SP-033-18W	18W	D65*H135mm
Angle	Adjustable 10°-55°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum+PA66		



MILA BLADE BRIDGE

Model	LB-BXQD-21-6W	6W	L112*W23*H87mm
	LB-BXQD-22-12W	18W	L220*W23*H87mm
Angle	24°/36°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum+PA66		

MILA DIFFUSER BRIDGE



Model	LB-BXQM-11-6W LB-BXQM-12-12W	6W 12W	L118*W23*H87mm L231*W23*H87mm
Angle	100°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum+PA66		

TUBE BRIDGE



Model	LB-G18-100A-10W LB-G18-150A-14W LB-G18-200A-19W LB-G18-300A-27W	10W 14W 19W 27W	D1.8*L100mm D1.8*L150mm D1.8*L200mm D1.8*L300mm
Angle	360°		
CRI	Ra≥90		
CCT	3000K / 4000K / 6000K		
Material	Aluminum+Silicone		

SNAP SPOT BRIDGE



Model	LB-DW02-R72-12W LB-DW02-R92-18W	12W 18W	D72*H108mm D92*H130mm
Angle	15°/24°/36°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum+PA66		

TUBA PENDANT BRIDGE



Model	LB-CD-01-6W	6W	D40*H203mm
Angle	30°		
CRI	Ra≥90		
CCT	3000K / 4000K / 6000K		
Material	Aluminum+PA66		

SNAP FIXED SPOT BRIDGE



Model	LB-DW01-R55-6W LB-DW01-R75-12W LB-DW01-R94-18W LB-DW01-R115-24W	6W 12W 18W 24W	D55*H142mm D75*H172mm D94*H192mm D115*H202mm
Angle	15°/30°/45°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum+PA66		

PARC PENDANT BRIDGE



Model	LB-CD-04-6W	6W	D80*H120mm
Angle	45°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum+PA66		

SHUTTLE PENDANT BRIDGE



Model	LB-CD-05-6W	6W	D60*H120mm
Angle	24°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum+PA66		

SPHERE BALL BRIDGE



Model	LB-YQBL15-5W-24V	5W	Φ150mm
	LB-YQBL18-5W-24V	5W	Φ180mm
Angle	350°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Glass+Aluminum		

KINI PENDANT BRIDGE




Model	LB-CD-06-6W	6W	D100*H100mm
Angle	50°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum+PA66		

CONE PENDANT BRIDGE




Model	LB-DD2-5W	5W	D195*H180mm
Angle	180°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum+PC		

BALL PENDANT BRIDGE



Model	LB-CD-07-12W	12W	D100*H100mm
Angle	Adjustable 10°-55°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum+PA66		



MEDO CONE BRIDGE

Model	LB-DD3-7W	7W	D70*H110mm
Angle	180°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum+PC		