

DOMO series

CEILING LIGHT



PENDANT LIGHT



DOMO series

DOMO series



24W
36W | Ra
>90 | UGR
<19 | IP20 |  

	Light Source	Power	Voltage	Code
Ceiling Light	SMD LED	24W	AC220-240V	DLF-002-C-24-K-P-BB DLF-002-C-24-K-P-WB
Ceiling Light	SMD LED	36W	AC220-240V	DLF-002-C-36-K-P-BB DLF-002-C-36-K-P-WB
Ceiling Light	SMD LED	24W	AC220-240V	DLF-002-CC-24-K-P-BB DLF-002-CC-24-K-P-WB
Ceiling Light	SMD LED	36W	AC220-240V	DLF-002-CC-36-K-P-BB DLF-002-CC-36-K-P-WB
Pendant Light	SMD LED	24W	AC220-240V	DLF-002-S-24-K-P-BB DLF-002-S-24-K-P-WB
Pendant Light	SMD LED	36W	AC220-240V	DLF-002-S-36-K-P-BB DLF-002-S-36-K-P-WB

Color Temperature: K (3000K 4000K)

Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: BB-Black/Black W-White/Black

Controller: On / Off, Dimmable, Dali

DIMENSION
unit:mm

DLF-002-C-24
DLF-002-C-36



DLF-002-CC-24
DLF-002-CC-36



DLF-002-S-24
DLF-002-S-36





DOMO series
CEILING LIGHT

DOMO series



40W
80W

Ra
>90

UGR
<19

IP20

3
YEAR
WARRANTY

CE

	Light Source	Power	Voltage	Code
Ceiling Light	SMD LED	40W	AC220-240V	DLF-002-C-40-K-P-BB DLF-002-C-40-K-P-WB
Ceiling Light	SMD LED	80W	AC220-240V	DLF-002-C-80-K-P-BB DLF-002-C-80-K-P-WB

Color Temperature: K (3000K 4000K)


Power Supply: P (1-On / Off 2-Phase Dim 3-DALI Dim 4-1-10V Dim)

Colour Finish: BB-Black/Black W-White/Black

Controller: On / Off, Dimmable, Dali

DIMENSION
unit:mm

DLF-002-C-40



DLF-002-C-80

