



NexusEngine Guide

Core architecture, composition, integration, and migration reference

Version 0.0.4

Core registry SHA-256: 8bb0900127eded3eba62ade325c4b3f488b70b62e78c625be184fa2b2b83cbb8

Guide content SHA-256: 568dd75c66852116b269b6a4d0592ee1417d34e65a5912256f8ba27df4dbf4d4

Canonical source: modular Markdown declared by docs/guide/book.json

Contents

01	Start Here	11	Testing And Proof
02	The NexusEngine Mental Model	12	Migrating To 0.0.4
03	Build A First Runtime	13	ProtoKit Extraction
04	Domains And Atomic Kits	14	Release And Operating Model
05	State, Lifecycle, And Idempotence	15	Generated Domain Index
06	Composition And Recipes	16	Generated Dependency Table
07	MCP Agent Workflow	17	Generated Atomic API Reference
08	Registries And Security	18	Generated Ownership Ledger
09	Hosts, Providers, And Adapters	19	Generated Restored Behavior Migration
10	Build Projects And Targets	20	Generated Root Migration Map
		21	Generated ProtoKit Extraction Summary

GUIDE CHAPTER

Start Here

NexusEngine is the reusable Core beneath games, simulations, editors, and agents. It supplies deterministic runtime primitives and universal semantic capabilities. It does not supply every useful feature.

The shortest correct rule is:

NexusEngine	universal Core behavior
NexusEngine-Kits	reusable optional behavior
Experiments and games	authored product behavior
Hosts and adapters	platform and vendor implementations

Who This Guide Is For

- Application developers who need to assemble a runtime.
- Kit authors who need to choose an owner and dependency contract.
- Host authors who connect browsers, renderers, storage, networks, or SDKs.
- Agents that inspect and plan compositions through MCP.
- Maintainers migrating code to the 0.0.4 semantic Domain model.

Reading Paths

Build something: read First Runtime, Domains And Atomic Kits, then Composition And Recipes.

Integrate a platform: read Registries And Security, then Hosts, Providers, And Adapters.

Use an agent: read Composition And Recipes, then MCP Agent Workflow.

Maintain Core: read State, Lifecycle, And Idempotence, Testing And Proof, and Migrating To 0.0.4.

The Non-Negotiable Boundary

A Core atom has one responsibility, is product-neutral, installs idempotently, owns explicit state, supports snapshot and reset, isolates nondeterminism, and has direct proof. If any requirement is unknown, the behavior remains outside Core until proved.

This fail-closed rule keeps Core small enough to understand and flexible enough to compose.

Sources Of Truth

1. Domain manifest v2 records and the source they reference.
2. Generated catalog, package exports, ownership ledger, and registry hash.
3. This modular guide.
4. Migration and extraction ledgers.

Historical plans, generated run packets, and the retired ProtoKit repository are evidence. They do not override the active manifest catalog.

GUIDE CHAPTER

The NexusEngine Mental Model

NexusEngine separates meaning from implementation. A Domain names a semantic owner. An atomic Kit installs one capability. A provider performs work behind a contract. An adapter translates between boundaries. A recipe selects and configures atoms without becoming a new runtime owner.

The Vocabulary

Term	Meaning	Example
Engine	Runtime container for state, systems, events, resources, and installed Kits	<code>createEngine()</code>
Domain	Semantic ownership boundary	<code>n:object</code> , <code>n:simulation:motion</code>
Atomic Kit	One installable, idempotent responsibility	Object registry or placement
Provider	Replaceable implementation of a Domain contract	Physics backend or speech synthesis
Adapter	Translation across two public contracts	Motion plan to physics drive request
Recipe	Data selecting Domains, Kits, and settings	Object plus Placement composition
Registry	Non-executable metadata describing exact sources	Package, version, commit, integrity
Host	Application-owned lifecycle and platform boundary	Editor, browser application, server

State Has One Owner

Every durable concept has one state owner. Other Domains refer to that state through descriptors, identifiers, commands, events, or public APIs. They do not keep shadow copies that can drift.

For example, Object owns object identity and intrinsic geometry meaning. Placement owns where an object is placed. A renderer may project both into a scene, but renderer objects are not Core state.

Composition Is Additive

Atoms declare `requires` and `provides` tokens. Composition resolves those edges into an ordered plan. Local idempotence makes repeated installation safe; the composition receipt makes the complete accepted plan exactly-once across process restarts.

Core Does Not Mean Default

A capability may be universal and still opt-in. Core means the behavior satisfies the ownership contract. It does not mean every engine instance installs it automatically.

Data Is Not A Runtime Owner

Authored presets, balance values, levels, quests, materials, and complete game loops remain recipe or product data. Core can define the schema and deterministic evaluator while the product owns the authored values.

GUIDE CHAPTER

Build A First Runtime

Install the package, import only the semantic surfaces you need, construct the Engine, then advance it with explicit time.

Minimal Engine

The runnable source for this example is `examples/guide/basic-engine.mjs`.

```
import { createEngine } from "nexusengine";

const engine = createEngine({ kits: [] });
engine.tick(1 / 60);
console.log(engine.clock.frame);
```

The root API is intentionally small. Domain factories and atoms are imported from generated semantic subpaths.

Add Object And Placement

The runnable source is `examples/guide/object-placement.mjs`.

```
import { createEngine } from "nexusengine";
import { createObjectRegistryKit } from "nexusengine/domains/object/registry";
import { createObjectPlacementKit } from "nexusengine/domains/object/placement";

const engine = createEngine({
  kits: [createObjectRegistryKit(), createObjectPlacementKit()]
});
```

Placement requires the Object descriptor contract. Composition can resolve that provider automatically; direct construction requires you to install both.

Inspect Installed Surfaces

Domain Service Kits register semantic paths and named APIs. Use the engine's addressability APIs instead of reaching into private state.

```
engine.n.path("n:object");
engine.n.path("n:object:placement");
engine.n.ownerOf("n:object");
engine.n.paths();
engine.n.apis();
```

Keep Time Explicit

Pass elapsed time into `tick`. Do not read wall-clock time inside deterministic Core systems. A host may sample a clock, but it converts that sample into explicit runtime input before Core processes it.

Save And Restore

Each stateful atom exposes its manifest-declared snapshot and reset behavior. Applications should persist the complete host composition receipt beside application state so the accepted runtime can be reconstructed after restart.

GUIDE CHAPTER

Domains And Atomic Kits

The semantic path tells you where a responsibility belongs. The manifest tells tools and humans what that owner may and may not do.

Domain Manifest V2

Every top-level semantic Domain declares:

- stable identity, path, immediate parent, label, version status
- one responsibility and explicit owned meaning
- forbidden responsibilities
- owned state and schema
- inputs, systems, outputs, and lifecycle
- required and optional dependencies
- public atomic Kits, providers, and adapters
- settings schema and proof references

Generation fails when a public atom lacks source or proof. Compliance is never inferred from a folder name.

Semantic Families

Family	Main paths
Runtime	<code>n:runtime</code> , realtime, data, transaction, persistence, sequence, startup
Composition	<code>n:composition</code> , <code>n:mcp</code> , <code>n:policy</code>
World	<code>n:spatial</code> , scale, <code>n:object</code> , <code>n:world</code> , navigation, generation, terrain, water, scene, weather, asset
Simulation	<code>n:simulation</code> , physics, recovery, motion, economy, operations, hazard, pursuit, progression, <code>n:compute</code> , model
Actors	<code>n:actor</code> , creature, character, player, <code>n:agent</code>
Interaction	<code>n:interaction</code> , input
Presentation	output, graphics, camera, animation, audio, UI, speech, capture, sky
Infrastructure	<code>n:network</code> , <code>n:diagnostics</code> , contract-only <code>n:host</code>

The generated Domain Index appendix contains every active path.

Canonical Physics Foundation

`n:physics` owns the canonical Physics identity. Its `n:physics:contracts` subdomain owns the portable provider, state, command, event, and query boundaries. Each boundary is an independently installable atomic Kit with one generated public subpath.

Contract records are strict and JSON-portable. They reject unknown top-level fields, non-finite numbers, functions, platform handles, cycles, and non-plain objects, then normalize accepted records into deterministic key order. The contract package does not claim body ownership, collision detection, solving, or provider execution; those capabilities promote only with their own proof.

The existing `n:simulation:physics` surface remains separate during the staged 0.0.5 implementation. Its eventual cutover is not implied by the presence of the new contract package.

`n:physics:lifecycle` is the next canonical subdomain. It separates six reasons to change:

- Installation owns aggregate phase and provider identity.
- Startup owns readiness requests and provider receipts.
- Step owns strict step ordering and provider-neutral frame receipts.
- Shutdown owns stop requests and completion receipts.
- Reset restores the composed lifecycle through public APIs.
- Snapshot captures and restores those APIs atomically.

The lifecycle does not call a solver or install a concrete provider. A later provider package consumes its portable requests and supplies the reviewed receipts. Failed coordinated mutations restore every touched lifecycle state.

`n:physics:material` separates six physical material responsibilities:

- Friction normalizes static, dynamic, rolling, spinning, and anisotropic data.
- Restitution normalizes bounce coefficient and activation threshold.
- Density uses positive kilograms-per-cubic-meter records.
- Surface owns physical classification and portable tags only.
- Combine Policy resolves two materials symmetrically without solving contact.
- Physics Material owns immutable IDs and exact-once registry mutations.

The material registry depends on the five specialist capabilities through public tokens. A material record contains no shader, texture, sound, particle, collider, solver impulse, or provider handle. Those concerns remain separate even when a product maps one physical surface to visual and audio effects.

`n:physics:world` separates seven solver-facing environment responsibilities:

- World Settings normalizes coordinate handedness, length units, up axis, optional bounds, and out-of-bounds policy.
- Gravity Field owns uniform and point-gravity acceleration records.
- Force Field owns non-gravity force or acceleration records.
- Wind Field owns uniform, deterministic gust, and corridor flow velocity.
- Time Scale combines explicit Physics-only scale records deterministically.
- Simulation Region resolves physical simulate, sleep, or disable behavior.
- Physics World owns immutable world IDs and references the six capabilities.

World sampling is read-only and provider-neutral. It returns portable acceleration, force, wind velocity, region, bounds, and scaled-delta records. Authored weather stays under `n:world:weather`; atmosphere corridors and game routes stay with World or the product; Runtime owns clocks and schedules; later Body and Solver packages consume the Physics output.

Restored Behavior Shape

Twenty-six historical source modules become 27 atomic behaviors because the old World Physics module mixed contact and recovery ownership. Those behaviors are now separate World Contact and Soft Respawn atoms. None of the historical root aliases return.

The restoration ledger validates each historical source checksum, every old export, its corrected semantic owner, and its proof. A behavior with a game-adjacent name can remain Core only when its manifest describes a universal primitive without authored rules, presets, rendering ownership, or hidden cross-Domain effects.

Atomicity Test

An atom should have one reason to change. If a module owns inventory, combat, rendering, and progression together, it is a composition or product feature, not an atom.

Splitting is semantic, not file-count driven. Several source files may implement one indivisible lifecycle. Conversely, one legacy file may contain several owners and must be separated.

Dependency Tokens

Use capability tokens for behavior dependencies and Domain paths for semantic presence. Requirements must describe what the atom consumes; providers list what they supply. Composition rejects missing providers, cycles, identity collisions, and changed content.

Public Imports

Only generated package exports are public. Production code does not import private files from sibling Domains. Cross-Domain collaboration goes through a public subpath or an explicit adapter.

GUIDE CHAPTER

State, Lifecycle, And Idempotence

Idempotence means repeating an accepted operation does not create a second effect. It is enforced locally by each atom and globally by the composition controller.

Install

An atomic Kit has a stable identity and manifest fingerprint. Installing matching content again returns the installed API without adding state, systems, or subscriptions. Reusing the same identity with different content is a hard conflict.

Commands

State-changing commands need a stable idempotency key when they may be retried. The state owner records the accepted key and result. Repeating the same command returns the original result. Reusing the key with changed content fails before mutation.

Snapshot

A snapshot contains portable semantic state. It excludes renderer objects, functions, sockets, file handles, GPU resources, and vendor SDK instances. Providers snapshot their own implementation state behind their contract when necessary.

Reset

Reset restores the configured baseline. Calling reset twice returns the same snapshot and must not duplicate resources or lifecycle hooks.

Physics Lifecycle

The canonical Physics lifecycle uses explicit stages rather than treating installation as proof that a provider is ready:

```
uninstalled -> installed -> starting -> ready -> stopping -> installed  
          \-> failed <-/
```

Every mutation carries an `operationId`. Exact replay returns the original receipt; changed content under the same ID fails before mutation. Installation owns the phase. Startup, Step, Shutdown, Reset, and Snapshot own separate state resources and coordinate only through public capability APIs. Multi-API reset and restore operations capture pre-call snapshots and roll every component back when any validation or load fails.

Physics Materials

Physical material descriptors are immutable under one material ID. Defining a new record requires an `operationId`; exact replay returns the original receipt, changed command content fails before mutation, and a different command cannot replace an existing ID with different material content. Removal follows the same exact-once rule.

Friction, restitution, density, surface, and combine-policy normalization are read-only. Pair resolution does not mutate either material or policy state and returns byte-equivalent output when the two material arguments are reversed. Snapshots contain only portable records, sorted IDs, revisions, and receipts.

Physics Worlds

Gravity, force, wind, time-scale, simulation-region, and Physics world records use immutable IDs and exact-once mutation receipts. Repeating an accepted definition returns the original receipt. Reusing its operation ID with changed content, or redefining a record ID with different content, fails before state changes.

Field, region, scale, and aggregate world sampling are read-only. A world snapshot stores only normalized records, sorted IDs, revisions, and receipts; it never stores provider worlds, native handles, clocks, weather objects, or query diagnostics. Loading a world snapshot validates every capability reference before replacing state.

Replay

Deterministic replay starts from an accepted snapshot and applies the same ordered inputs. Any nondeterministic source is injected by the host and recorded as input. Random behavior uses explicit seeds or provider receipts.

Composition-Level Exactly-Once

The controller hashes the normalized request, dependency plan, exact Kit source descriptors, configuration, and resolved executable fingerprints. The resulting plan ID is reviewed by a human. After apply, its receipt is persisted. Repeating the same plan returns that receipt without invoking the host again.

Transactional Failure

Before apply, the host supplies a snapshot. If host mutation or receipt persistence fails, the controller restores both host and controller state. A failed plan has no success receipt.

GUIDE CHAPTER

Composition And Recipes

Composition turns semantic intent into a deterministic, reviewable installation order.

Registry First

Core discovery starts from merged registry metadata generated from manifests. It never scans the filesystem at runtime. Imported registries may add identities but may not replace Core records or collide with an existing Domain path.

Selection Inputs

A request may select:

- individual atomic Kit IDs
- Domain IDs, which select the Domain's public atoms
- recipe IDs, which select declared Domains and Kits
- a scoped composition tree
- per-Kit configuration and allowed statuses

The retired `bundles` request key is rejected. Use recipes for declarative composition.

Validate Before Plan

Validation checks identity, dependencies, provider availability, status policy, cycles, and ordering without resolving executable code.

The runnable inspection example is `examples/guide/composition-inspection.mjs`.

```
const validation = engine.n.composition.planning.validate({
  kits: ["object-placement-kit"]
});

if (!validation.ok) throw new Error("Composition is invalid");
```

Plan

Planning adds required providers and returns a stable dependency order. MCP planning also asks the application host to preflight exact executable sources. Preflight is read-only.

Recipe Ownership

A recipe is data. It can express a useful combination without creating a new state owner. Reusable optional recipes belong in a trusted Kit registry. Complete game recipes belong with the game.

Core includes six data-only recipes for proving the restored universal graph:

- `procedural-navigation`
- `terrain-character-traversal`
- `management-operations`
- `vehicle-rescue-logistics`
- `spatial-guidance`
- `hazard-pursuit`

These recipes select atoms and adapters; they do not contain authored levels, economies, objectives, or tuning. Applications provide that data themselves.

Apply

Apply requires the exact reviewed plan ID and explicit authorization. The controller resolves the same metadata, rejects drift, applies through the host, persists a receipt, and returns the original receipt on replay.

GUIDE CHAPTER

MCP Agent Workflow

MCP makes the semantic catalog inspectable by an agent. It does not make the agent the runtime owner and does not authorize mutation by itself.

Opt-In Boundary

An application installs the MCP registry Domain, registers the Composition provider, supplies a transactional host, and chooses a transport. Without those steps, the package exposes no live MCP server.

Read Tools

Tool	Purpose
<code>domains_list</code> , <code>domain_get</code>	Discover semantic ownership
<code>kits_list</code> , <code>kit_explain</code>	Preserve the existing Kit-oriented inspection surface
<code>atoms_list</code> , <code>atom_get</code>	Page through atomic capabilities and dependency evidence
<code>recipes_list</code> , <code>recipe_get</code>	Inspect declarative compositions
<code>registry_sources_list</code>	Review package, version, commit, integrity, environment, permissions, and status
<code>composition_validate</code>	Check a request without resolving code
<code>composition_plan</code>	Resolve exact sources and produce a stable plan ID

Mutation Tool

`composition_apply` is the only mutation tool in the provider. It requires explicit authorization for the exact plan ID. A transport or application may impose additional policy.

Review Sequence

```
inspect relevant Domains and atoms
-> validate the request
-> plan exact sources
-> show commit, integrity, permissions, and capability changes
-> human approves the exact plan ID
-> apply once
-> persist receipt
-> runtime continues after MCP disconnects
```

Prompts

The provider exposes exactly two short prompts: `inspect-and-plan` and `review-and-apply`. They route the workflow; they do not embed the full guide.

Resources

Registry records and guide chapters are individual MCP resources. An agent reads only the records and chapters relevant to its current decision. The complete PDF is for humans, not prompt context.

GUIDE CHAPTER

Registries And Security

A registry record is metadata. Reading, searching, merging, or validating it must not execute package code.

Exact Source Identity

An executable Kit record includes:

- package name and exact version
- canonical package subpath and export name
- immutable 40-character source commit
- SHA-256 integrity
- environments and requested permissions
- requires and provides tokens
- status and settings schema

Moving branches, tags, and unpinned URLs are not executable identities.

Resolution Rules

The host verifies that paths stay inside the resolved package root, imports the declared export only, compares integrity, and computes an executable fingerprint. Browser modules require immutable commit URLs. Local and package paths cannot escape their package root.

No Runtime Installation

Core never runs a package manager during composition. When required code is absent, planning returns a structured installation receipt with the exact package and version. Installation is a separate human-controlled operation; planning is repeated afterward.

Collision Rules

- An imported registry cannot replace a Core identity.
- Two Domains cannot claim the same semantic path.
- One Kit ID cannot refer to changed content.
- A repeated accepted plan returns its original receipt.
- Integrity mismatch, wrong export, path escape, or missing source fails before mutation.

Trust Boundary

Integrity proves identity, not benevolence. Approved JavaScript still runs with the permissions of its host. Review source ownership, commit, permissions, and environment before approval. Use process or platform isolation when untrusted code must run.

GUIDE CHAPTER

Hosts, Providers, And Adapters

Core owns semantic contracts. Concrete platform work belongs at a leaf boundary.

Host

The host owns application lifecycle, package availability, executable resolution, runtime construction, persistence, and rollback. Core retains only portable host capability contracts under `n:host`.

Browser, Node, native, editor, terminal, repository, filesystem, storage, transport, and vendor SDK implementations are outside Core.

Provider

A provider implements one Domain contract. Examples include physics solving, model inference, speech synthesis, asset retrieval, or capture rendering. Core can own request and result schemas while the provider owns vendor handles, caches, and external effects.

For Physics, `nexusengine/domains/physics/provider-contract` validates a provider's lifecycle and execution methods without installing or executing the provider. Provider capability metadata must be portable; backend worlds, native handles, caches, and solver state remain provider-owned. State, commands, events, and query records cross the boundary through the sibling contract Kits under `n:physics:contracts`.

The provider does not become ready merely because it was selected. `n:physics:lifecycle` emits explicit startup, step, shutdown, reset, and snapshot requests. The provider executes the relevant operation and returns a portable receipt. Core owns sequencing and replay; the provider owns backend worlds, handles, solver state, and platform effects.

Physical material records cross the provider boundary as portable input. Core owns their identity, validated coefficients, surface classification, and deterministic pair policy. A provider may translate those records into native backend materials, but native handles and caches never enter Core snapshots. The provider executes the resulting contact response; `n:physics:material` does not calculate impulses or silently map physical surfaces to renderer or audio assets.

Physics world records also cross the provider boundary as portable input. Core resolves world settings, gravity acceleration, generic fields, physical flow, time scale, and simulation-region policy. A provider applies those records to its native world, bodies, broad phase, and solver. Provider handles and cached native field objects never enter Core snapshots.

`n:world:weather` remains the authored weather authority. A product or explicit adapter may translate accepted weather or atmosphere descriptors into a physical wind-field command. That translation does not transfer weather, rendering, or gameplay ownership into `n:physics:world`.

For Render, `nexusengine/domains/render/provider-contract` validates resource and frame execution methods without installing or invoking the provider. Portable resource, frame, resolved-pass, shader-interface, and event records cross the sibling contract Kits under `n:render:contracts`. Native devices, GPU handles, compiled shaders, command encoders, caches, and platform surfaces remain provider- or host-owned.

`n:render:lifecycle` records which provider composition is selected and tracks its startup, shutdown, reset, snapshot, and recovery receipts. It never retains the provider object or invokes its methods. A ready recovery receipt may return the lifecycle to `ready`; a nonready receipt returns it to `installed`, after which the provider must complete a new startup. Runtime lifecycle remains the owner of engine ticking and generic Kit installation.

`n:render:device` records the portable identity and accepted capabilities of a device returned by that provider. Separate atoms own feature declarations, numeric limits, capability profiles, semantic memory reservations, logical queue submissions, acquisition state, loss records, and read-only diagnostics. Provider receipts are explicit command inputs. GPU handles, real allocation, command encoding, queue execution, and repair never enter these Core records.

`n:render:resource` records exact execution-resource identities, references, portable residency, integrity evidence, accounting, and provider operation receipts. `n:render:buffer` builds portable logical Buffer descriptors, explicit layouts, and typed views over those exact identities. Buffer updates refer to Device queue submissions and accept explicit provider

receipts; Core never retains source bytes or performs allocation, mapping, transfer, command submission, or repair.

`n:render:texture` builds portable Texture formats, exact Texture records, typed subresource views, mip plans, stream requests, and residency evidence on those Resource and Buffer contracts. A stream names the exact source-provided mip content, a bounded copy-source staging Buffer range, and one Device queue submission. Completion records a matching provider receipt; only completed streams may establish resident subresources. Asset still owns source content and decoding, Presentation owns visual and authored shadow meaning, Pipeline and Frame own attachment execution, and providers own allocation, upload, mip generation, eviction, repair, and backend format mapping.

`n:render:shader` records portable language capabilities, immutable source and include revisions, module and program topology, deterministic variants, bounded permutations, logical compile state, normalized reflection, and cache links to resident `shader-program` Resources. Compile requests name an exact SHA-256 module/source/include closure and a matching Device queue submission; completion accepts only an explicit provider receipt for the same device, submission, and compile identity. The existing Shader interface schema remains under `n:render:contracts`. Core does not preprocess, parse, compile, link, retain binaries or GPU programs, execute backend reflection, or repair source.

`n:render:material` associates exact portable Material slots with Shader interfaces, typed parameter values, resident Texture views and subresources, sampler descriptors, complete instances, and Shader variants. Validation names one completed compile and matching reflection record, while cache records point to resident `material` Resources with the same composition hash. Current resolution always rechecks Texture lifecycle and subresource residency, so an eviction makes dependent validation and cache use stale without changing stored Material state. Presentation still owns authored visual meaning, and providers own GPU bind groups, sampler objects, uploads, binding commands, execution, and repair.

A Presentation render-layer graph expresses visual meaning and ordering policy. It is not a GPU command graph. A later explicit bridge resolves an accepted Presentation graph into strict Render pass records; the Render Pass contract does not silently take ownership of semantic layers or reorder them.

Adapter

An adapter translates two public contracts without becoming the state owner of either. Its manifest names both requirements and the capability it provides. Adapters import public semantic subpaths, never private sibling files.

The restored behavior graph uses nine optional adapters:

- locomotion contact response
- camera world occlusion
- vehicle water response
- lifecycle economy
- lifecycle facility
- facility economy
- occupant request
- transport request
- request economy

Each atom remains useful without its adapters. Installing an adapter never installs another atom and never turns a read-only query into a hidden mutation.

Presentation Boundary

Presentation Core contains renderer-neutral descriptors and policies. Three.js objects, WebGL resources, browser audio, native widgets, and authored presets belong in renderer, host, Kit, or product repositories.

Example Ownership Decisions

- Generic sky descriptors: `n:presentation:sky`.
- Authored sunset preset: recipe or product data.
- Speech request lifecycle: `n:presentation:speech`.

- PocketTTS implementation: external provider Kit.
- Motion trajectory: `n:simulation:motion`.
- Animation clip descriptor: `n:presentation:animation`.
- Two-bone pose solving: `n:simulation:motion`.

GUIDE CHAPTER

Build Projects And Targets

`n:build` is NexusEngine's isolated build-time Domain. It is physically shipped with the Engine so projects do not own compiler, toolchain, platform host, packaging, artifact, or receipt logic. It is not installed by `createEngine()` and cannot be imported by runtime Domains.

Boundary

project (read only)	~/.nexusengine (Build owned)
├─ src	├─ sources/<sha256>
├─ content	├─ toolchains/<identity>
├─ assets	├─ builds/<plan-hash>/<target>
├─ tests	├─ artifacts/<project>/<plan-hash>
└─ package.json	└─ receipts/<plan-hash>.json

Build fingerprints every project file before planning and immediately before execution. It fingerprints the project again after every aggregate run. Any changed, added, or removed source path fails project immutability proof.

Large repositories may declare exact target entrypoints and an analysis include set in `package.json`. Paths are literal repository-relative paths, not globs. Excluded files remain part of the whole-project immutability fingerprint but do not enter target compilation graphs.

```
{
  "nexusengineBuild": {
    "include": ["index.html", "src"],
    "entries": {
      "web-static": "src/main.js",
      "android-xr": "src/native-main.js",
      "pcvr": "src/native-main.js"
    }
  }
}
```

Commands

```
nexusengine inspect ./project

nexusengine plan ./project \
  --profile native-preferred \
  --target web-live \
  --target web-static \
  --target android-xr \
  --target pcvr

nexusengine build ./project \
  --profile native-preferred \
  --out /absolute/artifact/root \
  --approve-plan sha256:<exact-plan-hash> \
  --target web-static
```

At least one repeated `--target` is required. Order and duplicates normalize to one sorted target set, so they do not change the plan hash. An interactive terminal may confirm the displayed exact plan. Noninteractive execution always requires `--approve-plan`.

Pipeline

```
read-only project inventory
-> SHA-256 source fingerprint
-> TypeScript compiler AST and typed diagnostics
-> AST-derived module, effect, and dependency analysis
-> Kit IR
-> deterministic Execution IR
-> whole-Kit portability classification
-> target capability and fallback selection
-> exact plan approval
-> isolated target stages
-> artifact integrity and project immutability proof
-> persistent receipt
```

The four whole-Kit execution modes are `native`, `native-adapter`, `javascript`, and `unsupported`. JavaScript is not silently translated into native behavior. A module must explicitly declare portable-native intent and pass semantic parity before native lowering can be accepted.

Targets

- `web-live` copies the local immutable module closure and generates a service worker that verifies every SHA-256 before populating a content cache.
- `web-static` emits a self-contained local directory and rejects unresolved external browser packages.
- `android-xr` shares OpenXR runtime, action, view, and submission contracts, then creates an external Android ARM64 Gradle/NDK stage and validates the APK closure without installing it on a device.
- `pcvr` shares the same OpenXR contracts, then adds Windows x64 host, generated-runtime linking, PE packaging, and no-runtime validation.

Native planning is not native proof. Supported numeric Kit IR lowers into deterministic Rust; other whole Kits may use the QuickJS-NG sandbox only when their requested capabilities are supported. OpenXR and QuickJS-NG source comes from exact commits with verified archive SHA-256 values. A native target is `package-proven` only after its target compiler and package validator succeed. The release requires Linux Android XR and Windows PCVR package jobs; runtime and headset execution remain separate `hardware: false` evidence for `0.0.4`. Every Web artifact also contains `nexusengine-build-diagnostics.json` with its exact plan, registry, target, closure, source, Engine dependency, and linker identity for a product diagnostic view.

Source Security

Build accepts npm registry integrity, crates.io checksums, exact Git commits, versioned vendor installers, and immutable HTTPS ESM URLs. Metadata discovery does not execute source. Moving references, absent licenses, integrity mismatches, path escapes, incomplete dependency closure, and duplicate source identities fail before target execution.

Exact `git+https` lock entries and npm's exact `git+ssh://git@github.com/...#<commit>` lock spelling resolve to one canonical GitHub HTTPS source identity inside isolated npm stages. Credentials, non-GitHub SSH sources, and moving refs remain rejected. Build retains any caller-provided rewrites used by a controlled local source mirror.

The base npm install performs no Build downloads. Network provisioning is a separate approved operation and caches verified bytes by content hash.

MCP

The opt-in Build provider exposes:

```
build_targets_list  
build_inspect  
build_plan  
build_apply  
build_receipt_get
```

`build_apply` requires MCP authorization and the exact reviewed plan hash. Repeated successful apply returns the existing receipt without rebuilding. During a partial failure, successful target stages remain cached while blocked or failed targets remain visible in the aggregate failed receipt.

GUIDE CHAPTER

Testing And Proof

Tests prove contracts at the level where failure would matter. A green unit test is not enough when a change affects package exports, composition, consumers, or rendered output.

Manifest Proof

Validate unique IDs, normalized paths, immediate parents, one owner per public module, source paths, export names, schemas, lifecycle declarations, dependencies, and proof references.

Atomic Lifecycle Proof

For each stateful atom:

1. Install twice and prove no duplicate state or systems.
2. Apply the same command twice and compare state and result.
3. Reuse an idempotency key with changed content and require failure.
4. Snapshot, load, and compare equality.
5. Reset twice and compare equality.
6. Replay ordered inputs from the same snapshot.

Composition Proof

Test missing providers, cycles, collisions, status rejection, stable ordering, repeated apply, process restart, receipt persistence, host rollback, and continued runtime operation after MCP disconnect.

Restoration Proof

The restoration generator checks 26 historical source checksums against the last complete Git snapshot, requires exactly 27 replacement atoms, nine adapters, and six recipes, and confirms every proof path exists. Regression tests cover each named historical defect, JSON-portable snapshot boundaries, exact-once operations, deterministic ties, large-delta advancement, and side-effect-free queries.

The root disposition ledger must classify those exact 26 sources as `core-restored`. A source returning to `external-kit`, a missing old export, or a replacement that is no longer manifest-reachable fails documentation and migration checks.

Combination Coverage

Test each atom alone, every declared dependency edge, pairwise cross-Domain combinations, official recipes, high-risk three-way stacks, and installation-order permutations. Do not attempt every mathematical combination.

Registry Security Proof

Prove that metadata reads cannot execute code. Reject moving refs, integrity mismatch, path escape, wrong export, missing package, duplicate identity, and changed-content replay before mutation.

Consumer Proof

Install the packed Engine tarball in clean temporary directories. Then prove Kits, Editor, and Simulator against that exact artifact without local symlinks. Browser-facing workflows require Playwright and human-view inspection in addition to DOM assertions.

Documentation Proof

Regenerate all derived files, run drift checks, execute guide examples, resolve links, render the PDF, verify every page contains content, and visually inspect rendered page images for clipping or overlap.

GUIDE CHAPTER

Migrating To 0.0.4

0.0.4 is a hard semantic cutover. Old paths and root symbols are removed in the same change as their replacements. There are no runtime forwarding exports.

Import Strategy

Keep root imports for bootstrap and runtime contracts. Import Domain factories and atoms from generated semantic subpaths.

```
import { createEngine } from "nexusengine";
import { createMotionKit } from "nexusengine/domains/simulation/motion";
import { createPhysicsKit } from "nexusengine/domains/simulation/physics";
```

Do not use `n:core-*`, `nexusengine/core-kits/*`, or private source paths.

Runtime Paths

Use semantic paths such as `n:object`, `n:runtime:transaction`, and `n:presentation:graphics`. Immediate parent relationships are validated by manifests.

Removed Implementations

Concrete hosts, renderers, shaders, platform storage, model mocks, speech engines, authored sky presets, genre rules, and complete games moved outside Core or became caller-owned data. Universal behavior from 26 removed modules is restored through 27 corrected semantic atoms. The Restored Behavior Migration appendix lists every old export, configuration change, snapshot change, event change, optional adapter, and proof.

Physics Name Collision

The historical `createPhysicsKit` from `src/world-physics-kit.js` and the current provider-neutral `createPhysicsKit` do not provide the same behavior. Migrate the historical behavior to `createWorldContactKit` plus `createSoftRespawnKit`. Use the current factory only for Physics contracts and providers. There is no alias or legacy snapshot coercion between them.

Consumer Migration Order

1. Replace old imports with generated semantic package subpaths.
2. Replace old runtime paths with semantic paths.
3. Install explicit atoms that were formerly implicit defaults.
4. Move platform implementations into the host or an external Kit.
5. Replace compatibility aliases with the owning Domain API.
6. Run from a packed Engine artifact in a clean directory.

Consumer changes are intentionally separate from the Engine-local restoration wave. A migration row marked `outside-restoration-wave` does not mean the Core replacement is missing; it means the consumer has not yet been changed.

Changelog Contract

The changelog and migration map explain replacements. They are not compatibility code. A removed symbol stays removed.

GUIDE CHAPTER

ProtoKit Extraction

ProtoKits is retired as an active development destination. Its history remains evidence for reconstructing useful behavior with Core atoms, external Kits, recipes, and game-owned code.

Frozen Source

Extraction uses a clean read-only worktree at one immutable remote default-branch commit. The inventory records the remote, commit, file count, and source snapshot SHA-256. A stale or dirty local checkout is never canonical evidence.

Unit Of Classification

Folder count is not capability count. The extractor records folders, files, exports, factories, manifests, tests, dependencies, state, lifecycle signals, commands, events, providers, adapters, and consumers. Every discovered source surface receives exactly one disposition.

Dispositions

Disposition	Meaning
core-reuse	Existing Core atom already owns the behavior
core-composition	Existing atoms reproduce it through composition
core-new-atom	A missing universal atom passed every promotion gate
external-kit	Reusable but optional, niche, platform, or vendor behavior
recipe-data	Authored data or declarative composition
game-owned	Complete product or gameplay behavior
duplicate	Semantically identical to a named canonical owner
rejected-unproven	Insufficient evidence for a safe owner

New Atom Gate

A candidate must have one indivisible responsibility, deterministic behavior or isolated nondeterminism, product neutrality, snapshot and reset support, no concrete presentation ownership, and two semantically different consumers. Failure of one condition keeps it outside Core.

Reconstruction

Useful behavior is preserved as a recipe: source lineage, required Core atoms, external owner, data, policy, and proof status. Preserving behavior does not require preserving the old package shape.

Archive Boundary

Writers and automations remain disabled. Archiving the remote repository is a separate external mutation that requires explicit approval after extraction coverage is complete.

GUIDE CHAPTER

Release And Operating Model

Release proof is performed against committed, reproducible sources. Local-green evidence is necessary but is not the same as a release.

Generated Truth

The Core catalog, package exports, ownership ledger, API reference, guide indexes, MCP chapter resources, and guide identify the same registry SHA-256. Generate mode writes them; check mode rejects drift.

Required Gates

```
npm ci --ignore-scripts --no-audit --no-fund
npm run core:check
npm run ownership:generate
npm run migrations:check
npm run protokits:check
npm run guide:check
npm run guide:examples
npm test
npm run test:release
npm run boundaries:check
npm run docs:check
npm pack --dry-run --json
```

Consumer repositories must install the exact packed or committed Engine source. Local symlinks and sibling private imports invalidate clean-consumer proof.

Human Approval

After every local and hosted gate passes, present the repository identity, previous numeric branch, derived next version, exact default-branch SHA, checks, and warnings. Approval applies only to that tuple.

Immediately before branch creation, refetch the remote and confirm the default branch still points to the approved SHA. Create the immutable numeric branch with a non-force exact-SHA push, then read the remote ref back and compare it byte for byte.

Outside This Guide Build

This documentation build does not push, publish, archive ProtoKits, mutate Google Drive, create a GitHub Release, publish npm, or create the numeric version branch. Each action has its own approval gate.

GENERATED REFERENCE

Domain Index

Registry SHA-256: 8bb0900127eded3eba62ade325c4b3f488b70b62e78c625be184fa2b2b83cbb8

- `n:actor` : Own neutral embodied actor identity and shared actor references.
- `n:actor:creature` : Own neutral creature embodiment definitions and references.
- `n:actor:character` : Own active embodied character identity and neutral runtime bindings.
- `n:actor:player` : Own neutral player identity, possession, control authority, and spawn generations.
- `n:agent` : Own product-neutral observation, proposal, decision-cycle, execution receipt, and replay evidence contracts.
- `n:asset` : Own asset identity, manifests, bundles, content-addressed jobs, readiness, and provider contracts.
- `n:build` : Own isolated build-time source analysis, compilation, toolchains, targets, artifacts, receipts, and proof without entering application runtime composition.
- `n:build:source` : Own read-only project source, immutable dependency identities, content caches, fingerprints, and module graphs.
- `n:build:analysis` : Own real syntax, type, effect, and dependency analysis for build inputs.
- `n:build:ir` : Own serializable Kit IR, Execution IR, validation, and source lineage maps.
- `n:build:classification` : Own whole-Kit portability, capability resolution, and fallback selection.
- `n:build:orchestration` : Own normalized requests, target sets, deterministic plans, approvals, execution, and receipts.
- `n:build:compile` : Own deterministic Rust lowering, JavaScript fallback descriptors, runtime ABI, and native link plans.
- `n:build:toolchain` : Own immutable toolchain sources, discovery, approved provisioning, isolated stages, and process execution.
- `n:build:target` : Own target registration and target-specific build providers.
- `n:build:artifact` : Own content-addressed artifact caches, manifests, integrity, and external output.
- `n:build:proof` : Own project immutability, runtime parity, and target validation evidence.
- `n:build:target:web-live` : Own verified live ESM loading and content-hash browser caching.
- `n:build:target:web-static` : Own self-contained static Web artifact materialization.
- `n:build:target:openxr` : Own shared native OpenXR session, input, frame, view, swapchain, and submission contracts.
- `n:build:target:android-xr` : Own Android ARM64 OpenXR host generation, Gradle packaging, and APK validation.
- `n:build:target:pcvr` : Own Windows x64 OpenXR host generation, executable packaging, and validation.
- `n:composition` : Own deterministic Domain and Kit discovery, dependency planning, plan identity, and exactly-once apply receipts.
- `n:compute` : Own parallel compute descriptors, dependency graphs, dispatch plans, and provider contracts.
- `n:compute:model` : Own model descriptors, registries, inference requests/results, and model provider contracts.
- `n:diagnostics` : Own renderer-neutral telemetry, health, determinism, performance, replay, and debug evidence descriptors.
- `n:host` : Own host capability descriptors and fallback contracts without platform implementation.
- `n:interaction` : Own targets, affordances, activation progress, semantic requirements, prompts, and completion results.
- `n:interaction:input` : Own semantic input actions, axes, contexts, bindings, dead zones, and adapter contracts.
- `n:interaction:assistance-target` : Own assistance target urgency, attachment, completion, loss, and deterministic selection.
- `n:interaction:environmental-affordance` : Own portable affordance proximity and activation state.
- `n:interaction:request` : Own portable request queue and fulfillment boundaries.
- `n:interaction:request:queue` : Own queued request patience, fulfillment, expiry, and effect descriptors.
- `n:interaction:request:fulfillment` : Own spatial request destination, deadline, completion, expiry, and reward state.
- `n:interaction:transfer-zone` : Own portable transfer-zone acceptance, dwell, capacity, occupancy, and completion state.
- `n:mcp` : Own opt-in transport-neutral MCP contracts, provider registration, authorization, and protocol dispatch.

- `n:network` : Own session, peer, message, synchronization, authority, latency, reconnect, and collaboration contracts.
- `n:object` : Own renderer-neutral object identity, intrinsic geometry meaning, fidelity, vegetation identity, and placement.
- `n:object:shape` : Own source and derived geometric shapes, provider jobs, qualification, and fallback.
- `n:object:fidelity` : Own valid object forms, fidelity packages, readiness, and contextual adaptation.
- `n:object:vegetation` : Own rooted plant species, instances, lifecycle, and deterministic variation.
- `n:object:vegetation:tree` : Own deterministic tree structure, canopy, growth, and fidelity descriptors.
- `n:object:vegetation:foliage` : Own deterministic foliage structure and descriptors.
- `n:object:vegetation:ecology` : Own deterministic vegetation suitability scoring and species selection.
- `n:object:placement` : Own deterministic placement transforms, grounding, alignment, fit, and validation receipts.
- `n:physics` : Own the canonical backend-neutral Physics boundary and compose its atomic capability subdomains.
- `n:physics:contracts` : Own portable Physics provider, state, command, event, and query boundary schemas.
- `n:physics:lifecycle` : Own deterministic installation, startup, stepping, shutdown, reset, and snapshot orchestration contracts.
- `n:physics:material` : Own portable physical material identity, coefficients, surface classification, and deterministic pair-combine policy.
- `n:physics:world` : Own portable solver-facing Physics world records, physical fields, Physics time scales, and physical simulation regions.
- `n:policy` : Own product-neutral permission, guard, sandbox, and runtime safety decisions.
- `n:presentation` : Own renderer-neutral presentation descriptors and output policy contracts.
- `n:presentation:output` : Own surface, safe-area, viewport, aspect, bar, and render-resolution policy.
- `n:presentation:graphics` : Own renderer-neutral material, lighting, VFX, reflection, quality, batch, and render graph descriptors.
- `n:presentation:camera` : Own renderer-neutral camera targets, modes, smoothing, framing, and occlusion policy.
- `n:presentation:animation` : Own animation, pose, blend, rig, and timeline descriptors.
- `n:presentation:audio` : Own audio cue, music, ambience, mix, volume, and spatial audio descriptors.
- `n:presentation:ui` : Own renderer-neutral HUD, menu, prompt, notification, focus, selection, accessibility, and scale descriptors.
- `n:presentation:speech` : Own provider-neutral speech requests, voices, utterance lifecycle, and synthesis result contracts.
- `n:presentation:capture` : Own observation requests, view sets, framing, capture jobs, progress, and result contracts.
- `n:presentation:sky` : Own generic sky, atmosphere, cloud, horizon, and celestial descriptors.
- `n:presentation:camera:third-person` : Own renderer-neutral third-person camera follow descriptors.
- `n:render` : Own the canonical backend-neutral render-execution boundary and compose its atomic capability subdomains.
- `n:render:contracts` : Own portable Render provider, resource, frame, resolved-pass, shader-interface, and event boundary schemas.
- `n:render:lifecycle` : Own provider-neutral Render composition installation, startup, shutdown, reset, snapshot, and recovery state.
- `n:render:device` : Own portable Render device contracts, capability negotiation, semantic accounting, lifecycle, loss, and diagnostics.
- `n:render:resource` : Own portable Render execution-resource identity, references, semantic residency, accounting, operation receipts, and lifecycle state.
- `n:render:buffer` : Own portable logical Buffer descriptors, explicit layouts, semantic typed views, and bounded provider update receipts.
- `n:render:texture` : Own portable logical Texture descriptors, typed views, formats, mip plans, streaming records, and proven subresource residency.
- `n:render:shader` : Own provider-neutral Shader source lineage, module and program composition, variants, compile state, reflection observations, and semantic cache links.
- `n:render:material` : Own portable backend-neutral Material execution bindings, aggregate validation, and semantic cache links.

- `n:runtime`: Own deterministic engine lifecycle, ticks, state mutation contracts, and runtime service installation.
- `n:runtime:realtime`: Own deterministic frame context and realtime phase execution.
- `n:runtime:data`: Own schemas, snapshots, selectors, migrations, deterministic random streams, and portable data envelopes.
- `n:runtime:transaction`: Own portable repeat-safe operation and transaction receipts.
- `n:runtime:persistence`: Own save/load targets, save slots, recovery records, and adapter contracts.
- `n:runtime:sequence`: Own deterministic sequence nodes, ordered execution, and frame-driven sequence state.
- `n:runtime:startup`: Own launch truth, preparation facts, continuation choice, structured failure, and readiness receipts.
- `n:runtime:sequence:schedule`: Own deterministic elapsed-time schedules and occurrence records.
- `n:simulation`: Own deterministic simulation objectives, resources, hazards, pressure, checkpoints, timers, and resolution contracts.
- `n:simulation:physics`: Own backend-neutral physical bodies, colliders, contacts, constraints, queries, and provider contracts.
- `n:simulation:physics:articulated`: Own articulated body topology, joint dynamics inputs, and backend-neutral articulation state.
- `n:simulation:motion`: Own intent-to-motion descriptors, movement modes, trajectories, velocity state, movement policies, and deterministic pose solving.
- `n:simulation:motion:articulated`: Own target poses, joint limits, articulation motion plans, and drive requests.
- `n:simulation:motion:locomotion`: Own deterministic action-to-motion intent and locomotion frame calculation.
- `n:simulation:motion:vehicle`: Own deterministic vehicle movement, boost, bounds, and impact frames.
- `n:simulation:physics:world-contact`: Own portable world-contact resolution and correction records.
- `n:simulation:recovery`: Own portable subject recovery records and deterministic recovery state.
- `n:simulation:recovery:soft-respawn`: Own exact-once portable subject recovery records.
- `n:simulation:economy`: Own portable economic account and cargo state primitives.
- `n:simulation:economy:accounts`: Own finite account balances and economy transaction records.
- `n:simulation:economy:cargo`: Own portable cargo inventory, carrying, condition, deposits, and quota state.
- `n:simulation:operations`: Own portable facility, occupant, and transport operation primitives.
- `n:simulation:operations:facility`: Own deterministic facility capacity, condition, status, cycles, and operation receipts.
- `n:simulation:operations:occupant-flow`: Own deterministic occupant spawning, patience, service, and abandonment state.
- `n:simulation:operations:transport-route`: Own deterministic transport stops, carriers, capacity, travel, and arrival receipts.
- `n:simulation:hazard-field`: Own deterministic bounded hazard state, spawning, motion, and collision queries.
- `n:simulation:pursuit-pressure`: Own coherent pursuit distance, warning bands, caught state, recovery, and transition history.
- `n:simulation:progression`: Own portable progression capability and lifecycle ownership boundaries.
- `n:simulation:progression:lifecycle`: Own prerequisite-gated lifecycle timing, completion, and portable effect descriptors.
- `n:spatial`: Own renderer-neutral transforms, coordinate spaces, bounds, zones, distance queries, and deterministic spatial math.
- `n:spatial:scale`: Own subject scale, scale anchors, proximity bands, and deterministic scale queries.
- `n:world`: Own world identity, cells, partitions, surfaces, deterministic assembly, and world state receipts.
- `n:world:scene`: Own host-neutral scene identity, lifecycle, transition, binding descriptors, and scene snapshots.
- `n:world:weather`: Own weather conditions, tendencies, regions, layers, sampling, and deterministic evolution.
- `n:world:foundation`: Own deterministic foundation contributions, composition, sampling, and cell resolution.
- `n:world:feature`: Own semantic world feature definitions, registries, lifecycle, queries, and composition.
- `n:world:feature:landform`: Own semantic elevation and landform feature descriptors.
- `n:world:feature:hydrology`: Own semantic watershed, water path, water body, and wetland feature descriptors.

- `n:world:feature:ecology` : Own semantic biome, habitat, vegetation-region, and ecotone feature descriptors.
- `n:world:feature:settlement` : Own semantic settlement, route, structure, and infrastructure feature descriptors.
- `n:world:feature:atmosphere` : Own semantic cloud, fog, wind, thermal, precipitation, and visibility feature descriptors.
- `n:world:navigation` : Own renderer-neutral navigation graphs, path queries, route fields, and landmark guidance.
- `n:world:navigation:navmesh` : Own deterministic 2D navigation cells, portals, and 3D waypoint graphs derived from walkability.
- `n:world:navigation:pathfinding` : Own deterministic path requests, A* resolution, results, and graph adapters.
- `n:world:navigation:route-field` : Own generic route marker and corridor descriptors plus deterministic proximity queries.
- `n:world:navigation:landmark-guidance` : Own reusable landmark discovery, reach, completion, priority, and proximity state.
- `n:world:generation` : Own deterministic generic region, connector, point, graph, and walkability generation.
- `n:world:terrain` : Own deterministic terrain layer evaluation, sampling, cell preparation, streaming state, and portable cell evidence.
- `n:world:water-surface` : Own renderer-neutral water zones, currents, drag, depth, wave phase, hazards, and spatial queries.

GENERATED REFERENCE

Core Dependency Table

Registry SHA-256: 8bb0900127eded3eba62ade325c4b3f488b70b62e78c625be184fa2b2b83cbb8

Owner	Requires	Optional
n:actor	-	-
n:actor:creature	n:actor	-
n:actor:character	n:actor	-
n:actor:player	n:actor:character	-
n:agent	-	-
n:asset	-	-
n:build	-	-
n:build:source	n:build	-
n:build:analysis	n:build	-
n:build:ir	n:build	-
n:build:classification	n:build	-
n:build:orchestration	n:build	-
n:build:compile	n:build	-
n:build:toolchain	n:build	-
n:build:target	n:build	-
n:build:artifact	n:build	-
n:build:proof	n:build	-
n:build:target:web-live	n:build:target	-
n:build:target:web-static	n:build:target	-
n:build:target:openxr	n:build:target	-
n:build:target:android-xr	n:build:target	-
n:build:target:pcvr	n:build:target	-
n:composition	-	n:mcp
n:compute	-	-
n:compute:model	n:compute	-
n:diagnostics	-	-
n:host	-	-
n:interaction	-	-
n:interaction:input	-	-
n:interaction:assistance-target	n:interaction	-
n:interaction:environmental-affordance	n:interaction	-
n:interaction:request	n:interaction	-
n:interaction:request:queue	n:interaction	-

Owner	Requires	Optional
n:interaction:request:fulfillment	n:interaction	-
n:interaction:transfer-zone	n:interaction	-
n:mcp	-	n:composition
n:network	-	-
n:object	-	n:asset , n:simulation:physics
n:object:shape	object:descriptor-contract	-
n:object:fidelity	object:descriptor-contract	-
n:object:vegetation	n:object	-
n:object:vegetation:tree	n:object:vegetation	-
n:object:vegetation:foliage	n:object:vegetation	-
n:object:vegetation:ecology	n:object:vegetation	-
n:object:placement	object:descriptor-contract	-
n:physics	n:runtime	-
n:physics:contracts	n:physics	-
n:physics:lifecycle	n:physics , physics:command-schema , physics:event-schema , physics:provider-contract , physics:state-schema	-
n:physics:material	n:physics , physics:command-schema , physics:event-schema , physics:state-schema	-
n:physics:world	n:physics , physics:command-schema , physics:event-schema , physics:state-schema	-
n:policy	-	-
n:presentation	-	-
n:presentation:output	n:presentation	-
n:presentation:graphics	n:presentation	-
n:presentation:camera	n:presentation	-
n:presentation:animation	n:presentation	-
n:presentation:audio	n:presentation	-
n:presentation:ui	n:presentation	-
n:presentation:speech	n:presentation	-
n:presentation:capture	n:presentation	-
n:presentation:sky	n:presentation	-
n:presentation:camera:third-person	character:resolution , motion:velocity , n:presentation:camera	-
n:render	n:runtime	-
n:render:contracts	n:render	-
n:render:lifecycle	n:render , render:provider-contract	-
n:render:device	n:render , render:installation , render:provider-contract	-

Owner	Requires	Optional
n:render:resource	n:render, render:device-contract, render:device-lifecycle, render:device-memory, render:device-queue, render:resource-schema	-
n:render:buffer	n:render, n:render:resource, render:device-queue, render:resource-identity, render:resource-lifecycle	-
n:render:texture	n:render, n:render:buffer, n:render:resource, render:buffer-resource, render:device-queue, render:resource-identity, render:resource-lifecycle	-
n:render:shader	n:render, n:render:contracts, n:render:device, n:render:resource, render:device-capability, render:device-queue, render:resource-identity, render:resource-lifecycle, render:shader-schema	-
n:render:material	n:render, n:render:resource, n:render:shader, n:render:texture, render:resource-identity, render:resource-lifecycle, render:shader-compile, render:shader-program, render:shader-reflection, render:shader-variant, render:texture-residency, render:texture-resource	-
n:runtime	-	-
n:runtime:realtime	n:runtime	-
n:runtime:data	n:runtime	-
n:runtime:transaction	n:runtime	-
n:runtime:persistence	n:runtime:data	-
n:runtime:sequence	n:runtime	-
n:runtime:startup	n:runtime	n:asset
n:runtime:sequence:schedule	n:runtime:sequence	-
n:simulation	n:runtime:realtime	-
n:simulation:physics	n:simulation	-
n:simulation:physics:articulated	n:simulation:physics	-
n:simulation:motion	n:simulation	-
n:simulation:motion:articulated	n:simulation:motion	-
n:simulation:motion:locomotion	n:simulation:motion	-
n:simulation:motion:vehicle	n:simulation:motion	-
n:simulation:physics:world-contact	n:simulation:physics	-
n:simulation:recovery	n:simulation	-
n:simulation:recovery:soft-respawn	n:simulation	-
n:simulation:economy	n:simulation	-
n:simulation:economy:accounts	n:simulation, transaction:idempotency	-

Owner	Requires	Optional
n:simulation:economy:cargo	n:simulation	-
n:simulation:operations	n:simulation	-
n:simulation:operations:facility	n:simulation	-
n:simulation:operations:occupant-flow	n:simulation	-
n:simulation:operations:transport-route	n:simulation	-
n:simulation:hazard-field	n:simulation	-
n:simulation:pursuit-pressure	n:simulation	-
n:simulation:progression	n:simulation	-
n:simulation:progression:lifecycle	n:simulation	-
n:spatial	-	-
n:spatial:scale	n:spatial	-
n:world	n:spatial	-
n:world:scene	n:world	-
n:world:weather	n:world	-
n:world:foundation	n:world	-
n:world:feature	n:world	-
n:world:feature:landform	n:world:feature	-
n:world:feature:hydrology	n:world:feature	-
n:world:feature:ecology	n:world:feature	-
n:world:feature:settlement	n:world:feature	-
n:world:feature:atmosphere	n:world:feature	-
n:world:navigation	n:world	-
n:world:navigation:navmesh	navigation:walkability-source	-
n:world:navigation:pathfinding	navigation:navmesh	-
n:world:navigation:route-field	n:world	-
n:world:navigation:landmark-guidance	n:world	-
n:world:generation	n:world	-
n:world:terrain	n:world	-
n:world:water-surface	n:world	-

GENERATED REFERENCE

Generated Core API Reference

This file is generated from Domain manifest v2 records. Do not edit it directly.

Registry SHA-256: 8bb0900127eded3eba62ade325c4b3f488b70b62e78c625be184fa2b2b83cbb8

Domains

Domain	Parent	Responsibility	Status
n:actor	-	Own neutral embodied actor identity and shared actor references.	stable-candidate
n:actor:creature	n:actor	Own neutral creature embodiment definitions and references.	stable-candidate
n:actor:character	n:actor	Own active embodied character identity and neutral runtime bindings.	stable-candidate
n:actor:player	n:actor	Own neutral player identity, possession, control authority, and spawn generations.	stable-candidate
n:agent	-	Own product-neutral observation, proposal, decision-cycle, execution receipt, and replay evidence contracts.	stable-candidate
n:asset	-	Own asset identity, manifests, bundles, content-addressed jobs, readiness, and provider contracts.	stable-candidate
n:build	-	Own isolated build-time source analysis, compilation, toolchains, targets, artifacts, receipts, and proof without entering application runtime composition.	stable-candidate
n:build:source	n:build	Own read-only project source, immutable dependency identities, content caches, fingerprints, and module graphs.	stable-candidate
n:build:analysis	n:build	Own real syntax, type, effect, and dependency analysis for build inputs.	stable-candidate
n:build:ir	n:build	Own serializable Kit IR, Execution IR, validation, and source lineage maps.	stable-candidate
n:build:classification	n:build	Own whole-Kit portability, capability resolution, and fallback selection.	stable-candidate
n:build:orchestration	n:build	Own normalized requests, target sets, deterministic plans, approvals, execution, and receipts.	stable-candidate
n:build:compile	n:build	Own deterministic Rust lowering, JavaScript fallback descriptors, runtime ABI, and native link plans.	stable-candidate

Domain	Parent	Responsibility	Status
n:build:toolchain	n:build	Own immutable toolchain sources, discovery, approved provisioning, isolated stages, and process execution.	stable-candidate
n:build:target	n:build	Own target registration and target-specific build providers.	stable-candidate
n:build:artifact	n:build	Own content-addressed artifact caches, manifests, integrity, and external output.	stable-candidate
n:build:proof	n:build	Own project immutability, runtime parity, and target validation evidence.	stable-candidate
n:build:target:web-live	n:build:target	Own verified live ESM loading and content-hash browser caching.	stable-candidate
n:build:target:web-static	n:build:target	Own self-contained static Web artifact materialization.	stable-candidate
n:build:target:openxr	n:build:target	Own shared native OpenXR session, input, frame, view, swapchain, and submission contracts.	stable-candidate
n:build:target:android-xr	n:build:target	Own Android ARM64 OpenXR host generation, Gradle packaging, and APK validation.	stable-candidate
n:build:target:pcvr	n:build:target	Own Windows x64 OpenXR host generation, executable packaging, and validation.	stable-candidate
n:composition	-	Own deterministic Domain and Kit discovery, dependency planning, plan identity, and exactly-once apply receipts.	stable-candidate
n:compute	-	Own parallel compute descriptors, dependency graphs, dispatch plans, and provider contracts.	stable-candidate
n:compute:model	n:compute	Own model descriptors, registries, inference requests/results, and model provider contracts.	stable-candidate
n:diagnostics	-	Own renderer-neutral telemetry, health, determinism, performance, replay, and debug evidence descriptors.	stable-candidate
n:host	-	Own host capability descriptors and fallback contracts without platform implementation.	stable-candidate
n:interaction	-	Own targets, affordances, activation progress, semantic requirements, prompts, and completion results.	stable-candidate
n:interaction:input	n:interaction	Own semantic input actions, axes, contexts, bindings, dead zones, and adapter contracts.	stable-candidate

Domain	Parent	Responsibility	Status
n:interaction:assistance-target	n:interaction	Own assistance target urgency, attachment, completion, loss, and deterministic selection.	stable-candidate
n:interaction:environmental-affordance	n:interaction	Own portable affordance proximity and activation state.	stable-candidate
n:interaction:request	n:interaction	Own portable request queue and fulfillment boundaries.	stable-candidate
n:interaction:request:queue	n:interaction:request	Own queued request patience, fulfillment, expiry, and effect descriptors.	stable-candidate
n:interaction:request:fulfillment	n:interaction:request	Own spatial request destination, deadline, completion, expiry, and reward state.	stable-candidate
n:interaction:transfer-zone	n:interaction	Own portable transfer-zone acceptance, dwell, capacity, occupancy, and completion state.	stable-candidate
n:mcp	-	Own opt-in transport-neutral MCP contracts, provider registration, authorization, and protocol dispatch.	stable-candidate
n:network	-	Own session, peer, message, synchronization, authority, latency, reconnect, and collaboration contracts.	stable-candidate
n:object	-	Own renderer-neutral object identity, intrinsic geometry meaning, fidelity, vegetation identity, and placement.	stable-candidate
n:object:shape	n:object	Own source and derived geometric shapes, provider jobs, qualification, and fallback.	stable-candidate
n:object:fidelity	n:object	Own valid object forms, fidelity packages, readiness, and contextual adaptation.	stable-candidate
n:object:vegetation	n:object	Own rooted plant species, instances, lifecycle, and deterministic variation.	stable-candidate
n:object:vegetation:tree	n:object:vegetation	Own deterministic tree structure, canopy, growth, and fidelity descriptors.	stable-candidate
n:object:vegetation:foliage	n:object:vegetation	Own deterministic foliage structure and descriptors.	stable-candidate
n:object:vegetation:ecology	n:object:vegetation	Own deterministic vegetation suitability scoring and species selection.	stable-candidate
n:object:placement	n:object	Own deterministic placement transforms, grounding, alignment, fit, and validation receipts.	stable-candidate
n:physics	-	Own the canonical backend-neutral Physics boundary and compose its atomic capability subdomains.	stable-candidate

Domain	Parent	Responsibility	Status
n:physics:contracts	n:physics	Own portable Physics provider, state, command, event, and query boundary schemas.	stable-candidate
n:physics:lifecycle	n:physics	Own deterministic installation, startup, stepping, shutdown, reset, and snapshot orchestration contracts.	stable-candidate
n:physics:material	n:physics	Own portable physical material identity, coefficients, surface classification, and deterministic pair-combine policy.	stable-candidate
n:physics:world	n:physics	Own portable solver-facing Physics world records, physical fields, Physics time scales, and physical simulation regions.	stable-candidate
n:policy	-	Own product-neutral permission, guard, sandbox, and runtime safety decisions.	stable-candidate
n:presentation	-	Own renderer-neutral presentation descriptors and output policy contracts.	stable-candidate
n:presentation:output	n:presentation	Own surface, safe-area, viewport, aspect, bar, and render-resolution policy.	stable-candidate
n:presentation:graphics	n:presentation	Own renderer-neutral material, lighting, VFX, reflection, quality, batch, and render graph descriptors.	stable-candidate
n:presentation:camera	n:presentation	Own renderer-neutral camera targets, modes, smoothing, framing, and occlusion policy.	stable-candidate
n:presentation:animation	n:presentation	Own animation, pose, blend, rig, and timeline descriptors.	stable-candidate
n:presentation:audio	n:presentation	Own audio cue, music, ambience, mix, volume, and spatial audio descriptors.	stable-candidate
n:presentation:ui	n:presentation	Own renderer-neutral HUD, menu, prompt, notification, focus, selection, accessibility, and scale descriptors.	stable-candidate
n:presentation:speech	n:presentation	Own provider-neutral speech requests, voices, utterance lifecycle, and synthesis result contracts.	stable-candidate
n:presentation:capture	n:presentation	Own observation requests, view sets, framing, capture jobs, progress, and result contracts.	stable-candidate
n:presentation:sky	n:presentation	Own generic sky, atmosphere, cloud, horizon, and celestial descriptors.	stable-candidate
n:presentation:camera:third-person	n:presentation:camera	Own renderer-neutral third-person camera follow descriptors.	stable-candidate

Domain	Parent	Responsibility	Status
<code>n:render</code>	-	Own the canonical backend-neutral render-execution boundary and compose its atomic capability subdomains.	stable-candidate
<code>n:render:contracts</code>	<code>n:render</code>	Own portable Render provider, resource, frame, resolved-pass, shader-interface, and event boundary schemas.	stable-candidate
<code>n:render:lifecycle</code>	<code>n:render</code>	Own provider-neutral Render composition installation, startup, shutdown, reset, snapshot, and recovery state.	stable-candidate
<code>n:render:device</code>	<code>n:render</code>	Own portable Render device contracts, capability negotiation, semantic accounting, lifecycle, loss, and diagnostics.	stable-candidate
<code>n:render:resource</code>	<code>n:render</code>	Own portable Render execution-resource identity, references, semantic residency, accounting, operation receipts, and lifecycle state.	stable-candidate
<code>n:render:buffer</code>	<code>n:render</code>	Own portable logical Buffer descriptors, explicit layouts, semantic typed views, and bounded provider update receipts.	stable-candidate
<code>n:render:texture</code>	<code>n:render</code>	Own portable logical Texture descriptors, typed views, formats, mip plans, streaming records, and proven subresource residency.	stable-candidate
<code>n:render:shader</code>	<code>n:render</code>	Own provider-neutral Shader source lineage, module and program composition, variants, compile state, reflection observations, and semantic cache links.	stable-candidate
<code>n:render:material</code>	<code>n:render</code>	Own portable backend-neutral Material execution bindings, aggregate validation, and semantic cache links.	stable-candidate
<code>n:runtime</code>	-	Own deterministic engine lifecycle, ticks, state mutation contracts, and runtime service installation.	stable-candidate
<code>n:runtime:realtime</code>	<code>n:runtime</code>	Own deterministic frame context and realtime phase execution.	stable-candidate
<code>n:runtime:data</code>	<code>n:runtime</code>	Own schemas, snapshots, selectors, migrations, deterministic random streams, and portable data envelopes.	stable-candidate
<code>n:runtime:transaction</code>	<code>n:runtime</code>	Own portable repeat-safe operation and transaction receipts.	stable-candidate
<code>n:runtime:persistence</code>	<code>n:runtime</code>	Own save/load targets, save slots, recovery records, and adapter contracts.	stable-candidate

Domain	Parent	Responsibility	Status
n:runtime:sequence	n:runtime	Own deterministic sequence nodes, ordered execution, and frame-driven sequence state.	stable-candidate
n:runtime:startup	n:runtime	Own launch truth, preparation facts, continuation choice, structured failure, and readiness receipts.	stable-candidate
n:runtime:sequence:schedule	n:runtime:sequence	Own deterministic elapsed-time schedules and occurrence records.	stable-candidate
n:simulation	-	Own deterministic simulation objectives, resources, hazards, pressure, checkpoints, timers, and resolution contracts.	stable-candidate
n:simulation:physics	n:simulation	Own backend-neutral physical bodies, colliders, contacts, constraints, queries, and provider contracts.	stable-candidate
n:simulation:physics:articulated	n:simulation:physics	Own articulated body topology, joint dynamics inputs, and backend-neutral articulation state.	stable-candidate
n:simulation:motion	n:simulation	Own intent-to-motion descriptors, movement modes, trajectories, velocity state, movement policies, and deterministic pose solving.	stable-candidate
n:simulation:motion:articulated	n:simulation:motion	Own target poses, joint limits, articulation motion plans, and drive requests.	stable-candidate
n:simulation:motion:locomotion	n:simulation:motion	Own deterministic action-to-motion intent and locomotion frame calculation.	stable-candidate
n:simulation:motion:vehicle	n:simulation:motion	Own deterministic vehicle movement, boost, bounds, and impact frames.	stable-candidate
n:simulation:physics:world-contact	n:simulation:physics	Own portable world-contact resolution and correction records.	stable-candidate
n:simulation:recovery	n:simulation	Own portable subject recovery records and deterministic recovery state.	stable-candidate
n:simulation:recovery:soft-respawn	n:simulation:recovery	Own exact-once portable subject recovery records.	stable-candidate
n:simulation:economy	n:simulation	Own portable economic account and cargo state primitives.	stable-candidate
n:simulation:economy:accounts	n:simulation:economy	Own finite account balances and economy transaction records.	stable-candidate
n:simulation:economy:cargo	n:simulation:economy	Own portable cargo inventory, carrying, condition, deposits, and quota state.	stable-candidate
n:simulation:operations	n:simulation	Own portable facility, occupant, and transport operation primitives.	stable-candidate

Domain	Parent	Responsibility	Status
n:simulation:operations:facility	n:simulation:operations	Own deterministic facility capacity, condition, status, cycles, and operation receipts.	stable-candidate
n:simulation:operations:occupant-flow	n:simulation:operations	Own deterministic occupant spawning, patience, service, and abandonment state.	stable-candidate
n:simulation:operations:transport-route	n:simulation:operations	Own deterministic transport stops, carriers, capacity, travel, and arrival receipts.	stable-candidate
n:simulation:hazard-field	n:simulation	Own deterministic bounded hazard state, spawning, motion, and collision queries.	stable-candidate
n:simulation:pursuit-pressure	n:simulation	Own coherent pursuit distance, warning bands, caught state, recovery, and transition history.	stable-candidate
n:simulation:progression	n:simulation	Own portable progression capability and lifecycle ownership boundaries.	stable-candidate
n:simulation:progression:lifecycle	n:simulation:progression	Own prerequisite-gated lifecycle timing, completion, and portable effect descriptors.	stable-candidate
n:spatial	-	Own renderer-neutral transforms, coordinate spaces, bounds, zones, distance queries, and deterministic spatial math.	stable-candidate
n:spatial:scale	n:spatial	Own subject scale, scale anchors, proximity bands, and deterministic scale queries.	stable-candidate
n:world	-	Own world identity, cells, partitions, surfaces, deterministic assembly, and world state receipts.	stable-candidate
n:world:scene	n:world	Own host-neutral scene identity, lifecycle, transition, binding descriptors, and scene snapshots.	stable-candidate
n:world:weather	n:world	Own weather conditions, tendencies, regions, layers, sampling, and deterministic evolution.	stable-candidate
n:world:foundation	n:world	Own deterministic foundation contributions, composition, sampling, and cell resolution.	stable-candidate
n:world:feature	n:world	Own semantic world feature definitions, registries, lifecycle, queries, and composition.	stable-candidate
n:world:feature:landform	n:world:feature	Own semantic elevation and landform feature descriptors.	stable-candidate
n:world:feature:hydrology	n:world:feature	Own semantic watershed, water path, water body, and wetland feature descriptors.	stable-candidate
n:world:feature:ecology	n:world:feature	Own semantic biome, habitat, vegetation-region, and ecotone feature descriptors.	stable-candidate

Domain	Parent	Responsibility	Status
n:world:feature:settlement	n:world:feature	Own semantic settlement, route, structure, and infrastructure feature descriptors.	stable-candidate
n:world:feature:atmosphere	n:world:feature	Own semantic cloud, fog, wind, thermal, precipitation, and visibility feature descriptors.	stable-candidate
n:world:navigation	n:world	Own renderer-neutral navigation graphs, path queries, route fields, and landmark guidance.	stable-candidate
n:world:navigation:navmesh	n:world:navigation	Own deterministic 2D navigation cells, portals, and 3D waypoint graphs derived from walkability.	stable-candidate
n:world:navigation:pathfinding	n:world:navigation	Own deterministic path requests, A* resolution, results, and graph adapters.	stable-candidate
n:world:navigation:route-field	n:world:navigation	Own generic route marker and corridor descriptors plus deterministic proximity queries.	stable-candidate
n:world:navigation:landmark-guidance	n:world:navigation	Own reusable landmark discovery, reach, completion, priority, and proximity state.	stable-candidate
n:world:generation	n:world	Own deterministic generic region, connector, point, graph, and walkability generation.	stable-candidate
n:world:terrain	n:world	Own deterministic terrain layer evaluation, sampling, cell preparation, streaming state, and portable cell evidence.	stable-candidate
n:world:water-surface	n:world	Own renderer-neutral water zones, currents, drag, depth, wave phase, hazards, and spatial queries.	stable-candidate

Atomic Kits

Kit	Domain	Public subpath	Responsibility
actor-registry-kit	n:actor	nexusengine/domains/actor/registry	Own neutral actor identities and embodiment references.
creature-registry-kit	n:actor:creature	nexusengine/domains/actor/creature	Register and resolve neutral creature embodiment definitions.
character-registry-kit	n:actor:character	nexusengine/domains/actor/character	Register and resolve active embodied character descriptors.
player-authority-kit	n:actor:player	nexusengine/domains/actor/player	Track player identity, possession, control authority, and spawn generations.
agent-cycle-kit	n:agent	nexusengine/domains/agent/cycle	Record observations, action proposals, decision cycles, and execution receipts.
asset-registry-kit	n:asset	nexusengine/domains/asset/registry	Resolve asset manifests and bundles through content-addressed provider jobs.

Kit	Domain	Public subpath	Responsibility
project-source-kit	n:build:source	nexusengine/domains/build/source/project-source	Read a deterministic project inventory without following links or mutating source.
source-fingerprint-kit	n:build:source	nexusengine/domains/build/source/source-fingerprint	Create the canonical SHA-256 project fingerprint.
dependency-source-kit	n:build:source	nexusengine/domains/build/source/dependency-source	Resolve exact dependency source identities and recursive lockfile closure.
source-cache-kit	n:build:source	nexusengine/domains/build/source/source-cache	Store and verify immutable source bytes by SHA-256.
module-graph-kit	n:build:source	nexusengine/domains/build/source/module-graph	Build a deterministic AST-derived module graph.
javascript-ast-kit	n:build:analysis	nexusengine/domains/build/analysis/javascript-ast	Parse JavaScript and TypeScript with a real compiler AST.
type-analysis-kit	n:build:analysis	nexusengine/domains/build/analysis/type-analysis	Run typed compiler diagnostics without emitting or mutating source.
effect-analysis-kit	n:build:analysis	nexusengine/domains/build/analysis/effect-analysis	Classify ambient capabilities and unsupported dynamic effects from AST nodes.
dependency-analysis-kit	n:build:analysis	nexusengine/domains/build/analysis/dependency-analysis	Prove relative and external dependency closure.
kit-ir-kit	n:build:ir	nexusengine/domains/build/ir/kit-ir	Create serializable high-level Kit IR with source lineage.
execution-ir-kit	n:build:ir	nexusengine/domains/build/ir/execution-ir	Create deterministic dependency-ordered Execution IR.
ir-validation-kit	n:build:ir	nexusengine/domains/build/ir/ir-validation	Reject invalid, cyclic, unsupported, or incomplete IR.
source-map-kit	n:build:ir	nexusengine/domains/build/ir/source-map	Map generated execution operations to source AST identities.
portability-classifier-kit	n:build:classification	nexusengine/domains/build/classification/portability-classifier	Classify each whole module and composition as native, native-adapter, JavaScript, or unsupported.
capability-resolution-kit	n:build:classification	nexusengine/domains/build/classification/capability-resolution	Resolve target capabilities and exact reviewed substitutions.
fallback-selection-kit	n:build:classification	nexusengine/domains/build/classification/fallback-selection	Select fail-closed whole-Kit fallback per target and profile.
build-request-kit	n:build:orchestration	nexusengine/domains/build/orchestration/build-request	Normalize one project, profile, options, and target set.
target-set-kit	n:build:orchestration	nexusengine/domains/build/orchestration/target-set	Normalize repeated target flags into one sorted unique set.
build-plan-kit	n:build:orchestration	nexusengine/domains/build/orchestration/build-plan	Create the immutable deterministic multi-target plan hash.
build-approval-kit	n:build:orchestration	nexusengine/domains/build/orchestration/build-approval	Require approval for the exact unchanged plan hash.

Kit	Domain	Public subpath	Responsibility
build-execution-kit	n:build:orchestration	nexusengine/domains/build/orchestration/build-execution	Execute shared stages once and isolated target stages with project immutability proof.
build-receipt-kit	n:build:orchestration	nexusengine/domains/build/orchestration/build-receipt	Persist aggregate and per-target exactly-once Build receipts.
rust-lowering-kit	n:build:compile	nexusengine/domains/build/compile/rust-lowering	Lower supported Execution IR into deterministic Rust source.
javascript-fallback-kit	n:build:compile	nexusengine/domains/build/compile/javascript-fallback	Execute capability-restricted whole-Kit QuickJS-NG fallback.
runtime-abi-kit	n:build:compile	nexusengine/domains/build/compile/runtime-abi	Define the stable native runtime handle and batch-operation ABI.
native-runtime-link-kit	n:build:compile	nexusengine/domains/build/compile/native-runtime-link	Create exact generated-runtime and native-library link plans.
toolchain-source-kit	n:build:toolchain	nexusengine/domains/build/toolchain/toolchain-source	Own immutable official toolchain and native dependency source records.
toolchain-discovery-kit	n:build:toolchain	nexusengine/domains/build/toolchain/toolchain-discovery	Discover installed toolchains without shell evaluation.
toolchain-provision-kit	n:build:toolchain	nexusengine/domains/build/toolchain/toolchain-provision	Provision approved exact official sources on demand after integrity and license checks.
isolated-stage-kit	n:build:toolchain	nexusengine/domains/build/toolchain/isolated-stage	Create content-addressed build stages outside projects.
process-execution-kit	n:build:toolchain	nexusengine/domains/build/toolchain/process-execution	Run argument-array commands inside an allowed Build stage.
target-registry-kit	n:build:target	nexusengine/domains/build/target/target-registry	Register explicit target providers and reject collisions.
web-live-target-kit	n:build:target:web-live	nexusengine/domains/build/target/web-live/web-live-target	Emit verified live ESM source, loader, service worker, and cache policy.
web-static-target-kit	n:build:target:web-static	nexusengine/domains/build/target/web-static/web-static-target	Emit a self-contained static Web directory.
openxr-runtime-kit	n:build:target:openxr	nexusengine/domains/build/target/openxr/openxr-runtime	Own OpenXR loader, session, spaces, frame timing, and lifecycle contracts.
openxr-input-kit	n:build:target:openxr	nexusengine/domains/build/target/openxr/openxr-input	Own OpenXR action sets, bindings, haptics, and input snapshots.
openxr-render-kit	n:build:target:openxr	nexusengine/domains/build/target/openxr/openxr-render	Own OpenXR views, swapchains, blend modes, and per-eye submission descriptors.
android-xr-target-kit	n:build:target:android-xr	nexusengine/domains/build/target/android-xr/android-xr-target	Own Android ARM64 lifecycle, SDK/NDK, Gradle, APK, and OpenXR binding stages.
pcvr-target-kit	n:build:target:pcvr	nexusengine/domains/build/target/pcvr/pcvr-target	Own Windows x64 host, OpenXR loader, executable package, and runtime validation stages.
artifact-cache-kit	n:build:artifact	nexusengine/domains/build/artifact/artifact-cache	Reuse successful immutable target artifacts by plan identity.

Kit	Domain	Public subpath	Responsibility
artifact-manifest-kit	n:build:artifact	nexusengine/domains/build/artifact/artifact-manifest	Create canonical per-target artifact manifests.
artifact-integrity-kit	n:build:artifact	nexusengine/domains/build/artifact/artifact-integrity	Verify every artifact file against SHA-256.
artifact-output-kit	n:build:artifact	nexusengine/domains/build/artifact/artifact-output	Publish immutable artifacts only outside source projects.
project-immutability-kit	n:build:proof	nexusengine/domains/build/proof/project-immutability	Compare before and after project fingerprints byte-for-byte.
cross-runtime-parity-kit	n:build:proof	nexusengine/domains/build/proof/cross-runtime-parity	Compare canonical replay outputs across target runtimes.
target-validation-kit	n:build:proof	nexusengine/domains/build/proof/target-validation	Require target-specific executable artifact validation.
web-module-linker-kit	n:build:compile	nexusengine/domains/build/compile/web-module-linker	Materialize a verified, content-addressed browser module closure from immutable project sources.
composition-registry-kit	n:composition	nexusengine/domains/composition/registry	Maintain normalized composition metadata and produce deterministic plans and receipts.
compute-graph-kit	n:compute	nexusengine/domains/compute/graph	Validate compute descriptors and create deterministic dependency-ordered dispatch plans.
model-registry-kit	n:compute:model	nexusengine/domains/compute/model	Register model descriptors and normalize provider-neutral inference requests and results.
diagnostics-kit	n:diagnostics	nexusengine/domains/diagnostics/runtime	Collect serializable telemetry, runtime health, determinism, and performance evidence.
debug-descriptor-kit	n:diagnostics	nexusengine/domains/diagnostics/debug	Record renderer-neutral rays, markers, scalars, and capture packets for diagnostics.
debug-draw-descriptor-kit	n:diagnostics	nexusengine/domains/diagnostics/debug-draw	Create stateless renderer-neutral debug draw descriptors.
host-capability-kit	n:host	nexusengine/domains/host/capabilities	Describe available host capabilities and select declarative fallback modes.
interaction-kit	n:interaction	nexusengine/domains/interaction/runtime	Manage interaction targets, affordances, activation, and results.
input-contract-kit	n:interaction:input	nexusengine/domains/interaction/input	Normalize semantic input actions, axes, contexts, and bindings.
assistance-target-kit	n:interaction:assistance-target	nexusengine/domains/interaction/assistance-target	Own assistance target urgency, attachment, terminal completion, loss, and deterministic selection.
environmental-affordance-kit	n:interaction:environmental-affordance	nexusengine/domains/interaction/environmental-affordance	Own read-only affordance proximity queries and exact-once activation progress.
request-queue-kit	n:interaction:request:queue	nexusengine/domains/interaction/request/queue	Own deterministic queued requests, patience, fulfillment, expiry, and portable effect descriptors.

Kit	Domain	Public subpath	Responsibility
request-fulfillment-kit	n:interaction:request:fulfillment	nexusengine/domains/interaction/request/fulfillment	Own spatial request destinations, deadlines, completion, expiry, and reward totals.
transfer-zone-kit	n:interaction:transfer-zone	nexusengine/domains/interaction/transfer-zone	Own accepted types, dwell, capacity, occupancy, and exact-once transfer completions.
occupant-request-adapter-kit	n:interaction:request:queue	nexusengine/domains/interaction/adapters/occupant-request	Translate Occupant Flow need records into exact-once Request Queue entries.
transport-request-adapter-kit	n:interaction:request:queue	nexusengine/domains/interaction/adapters/transport-request	Translate Transport Route arrivals into exact-once Request Queue fulfillment commands.
request-economy-adapter-kit	n:interaction:request:queue	nexusengine/domains/interaction/adapters/request-economy	Translate fulfilled or expired Request Queue outcomes into exact-once Economy transactions.
mcp-registry-kit	n:mcp	nexusengine/domains/mcp/registry	Register and dispatch schema-valid MCP providers through an explicit authorization boundary.
network-contract-kit	n:network	nexusengine/domains/network/contracts	Describe network sessions, messages, authority, and synchronization without owning transport.
object-registry-kit	n:object	nexusengine/domains/object/registry	Own object identity and renderer-neutral lifecycle records.
object-shape-kit	n:object:shape	nexusengine/domains/object/shape	Derive and qualify renderer-neutral geometric shape candidates.
object-fidelity-kit	n:object:fidelity	nexusengine/domains/object/fidelity	Package and select valid object fidelity forms.
object-vegetation-kit	n:object:vegetation	nexusengine/domains/object/vegetation	Own deterministic plant species, instances, and lifecycle state.
object-tree-kit	n:object:vegetation:tree	nexusengine/domains/object/vegetation/tree	Produce deterministic tree structure, canopy, growth, and fidelity descriptors.
object-foliage-kit	n:object:vegetation:foliage	nexusengine/domains/object/vegetation/foliage	Produce deterministic foliage structures and descriptors.
object-vegetation-ecology-kit	n:object:vegetation:ecology	nexusengine/domains/object/vegetation/ecology	Score vegetation suitability and select species deterministically.
object-placement-kit	n:object:placement	nexusengine/domains/object/placement	Create, validate, and replay deterministic object placement receipts.
object-meshoptimizer-shape-provider-kit	n:object:shape	nexusengine/domains/object/shape/meshoptimizer-provider	Resolve object shape jobs through an explicitly registered meshoptimizer-compatible provider.
object-shape-fidelity-adapter-kit	n:object:fidelity	nexusengine/domains/object/adapters/shape-fidelity	Translate qualified shape records into Object Fidelity form requests.
object-vegetation-bridge-kit	n:object:vegetation	nexusengine/domains/object/adapters/vegetation-object	Project vegetation identities into canonical Object descriptors without owning either state.

Kit	Domain	Public subpath	Responsibility
physics-domain-contract-kit	n:physics	nexusengine/domains/physics/contract	Expose the canonical backend-neutral Physics ownership and contract boundary.
physics-provider-contract-kit	n:physics:contracts	nexusengine/domains/physics/provider-contract	Describe and validate backend Physics providers without owning a concrete solver.
physics-state-schema-kit	n:physics:contracts	nexusengine/domains/physics/state-schema	Validate and normalize portable Physics snapshots for deterministic replay.
physics-command-schema-kit	n:physics:contracts	nexusengine/domains/physics/command-schema	Define deterministic, exact-once Physics command envelopes.
physics-event-schema-kit	n:physics:contracts	nexusengine/domains/physics/event-schema	Define ordered, portable Physics event envelopes.
physics-query-schema-kit	n:physics:contracts	nexusengine/domains/physics/query-schema	Define read-only portable Physics query request and result envelopes.
physics-installation-kit	n:physics:lifecycle	nexusengine/domains/physics/lifecycle/installation	Own the aggregate phase and provider identity for one installed Physics composition.
physics-startup-kit	n:physics:lifecycle	nexusengine/domains/physics/lifecycle/startup	Own deterministic startup requests and provider-readiness receipts.
physics-step-kit	n:physics:lifecycle	nexusengine/domains/physics/lifecycle/step	Own deterministic Physics step requests, completion ordering, and provider-neutral frame receipts.
physics-shutdown-kit	n:physics:lifecycle	nexusengine/domains/physics/lifecycle/shutdown	Own deterministic provider shutdown requests and completion receipts.
physics-reset-kit	n:physics:lifecycle	nexusengine/domains/physics/lifecycle/reset	Reset composed Physics lifecycle state atomically through public capability APIs.
physics-snapshot-kit	n:physics:lifecycle	nexusengine/domains/physics/lifecycle/snapshot	Capture and atomically restore portable snapshots of composed Physics lifecycle state.
friction-material-kit	n:physics:material	nexusengine/domains/physics/material/friction	Normalize portable isotropic and anisotropic physical friction descriptors.
restitution-material-kit	n:physics:material	nexusengine/domains/physics/material/restitution	Normalize physical restitution coefficient and activation-threshold descriptors.
density-material-kit	n:physics:material	nexusengine/domains/physics/material/density	Normalize positive SI physical mass-density descriptors.
surface-material-kit	n:physics:material	nexusengine/domains/physics/material/surface	Normalize renderer-neutral physical surface classification and tags.
material-combine-policy-kit	n:physics:material	nexusengine/domains/physics/material/combine-policy	Resolve physical material pairs with deterministic symmetric coefficient-combine policy.
physics-material-kit	n:physics:material	nexusengine/domains/physics/material/registry	Own immutable portable physical material records and exact-once registry mutations.

Kit	Domain	Public subpath	Responsibility
physics-world-settings-kit	n:physics:world	nexusengine/domains/physics/world/settings	Normalize portable Physics coordinate, unit, bounds, and out-of-bounds settings.
gravity-field-kit	n:physics:world	nexusengine/domains/physics/world/gravity-field	Own portable deterministic uniform and point-gravity field records and sampling.
force-field-kit	n:physics:world	nexusengine/domains/physics/world/force-field	Own portable deterministic non-gravity force and acceleration field records and sampling.
wind-field-kit	n:physics:world	nexusengine/domains/physics/world/wind-field	Own portable deterministic physical flow-velocity field records and sampling.
time-scale-kit	n:physics:world	nexusengine/domains/physics/world/time-scale	Own portable deterministic Physics-only time-scale records and delta resolution.
simulation-region-kit	n:physics:world	nexusengine/domains/physics/world/simulation-region	Own portable physical simulation activation regions and deterministic point resolution.
physics-world-kit	n:physics:world	nexusengine/domains/physics/world/registry	Own immutable Physics world records and compose public field, scale, and region capabilities into read-only samples.
policy-kit	n:policy	nexusengine/domains/policy/guard	Evaluate declarative runtime safety and permission rules.
presentation-registry-kit	n:presentation	nexusengine/domains/presentation/registry	Register renderer-neutral presentation capabilities and descriptors.
presentation-output-kit	n:presentation:output	nexusengine/domains/presentation/output	Calculate renderer-neutral surfaces, safe areas, viewports, aspect policy, and render resolution.
graphics-descriptor-kit	n:presentation:graphics	nexusengine/domains/presentation/graphics	Create renderer-neutral material, lighting, VFX, quality, batch, and terrain LOD descriptors.
render-layer-graph-kit	n:presentation:graphics	nexusengine/domains/presentation/graphics/render-graph	Validate renderer-neutral render layers, dependencies, and pass ordering.
reflection-descriptor-kit	n:presentation:graphics	nexusengine/domains/presentation/graphics/reflection	Describe renderer-neutral reflection probes, plans, and update policy.
camera-descriptor-kit	n:presentation:camera	nexusengine/domains/presentation/camera	Manage camera targets, modes, smoothing, and renderer-neutral camera policy.
camera-framing-kit	n:presentation:camera	nexusengine/domains/presentation/camera/framing	Calculate perspective and orthographic subject framing for a viewport.
camera-control-math-kit	n:presentation:camera	nexusengine/domains/presentation/camera/control-math	Calculate camera-relative yaw, orbit limits, and root handoff state.
animation-descriptor-kit	n:presentation:animation	nexusengine/domains/presentation/animation	Manage animation clips, poses, blends, transitions, and timeline descriptors.

Kit	Domain	Public subpath	Responsibility
rig-transform-kit	n:presentation:animation	nexusengine/domains/presentation/animation/rig	Create neutral joint, limb, and rig transform descriptors.
audio-descriptor-kit	n:presentation:audio	nexusengine/domains/presentation/audio	Manage renderer-neutral audio cues, mix groups, volume policy, and spatial audio descriptors.
ui-descriptor-kit	n:presentation:ui	nexusengine/domains/presentation/ui	Manage renderer-neutral UI, focus, selection, prompt, notification, and accessibility descriptors.
ui-scale-kit	n:presentation:ui	nexusengine/domains/presentation/ui/scale	Calculate deterministic reference-resolution and UI scale policy.
speech-contract-kit	n:presentation:speech	nexusengine/domains/presentation/speech	Manage provider-neutral speech requests, voices, utterance lifecycle, and synthesis results.
capture-contract-kit	n:presentation:capture	nexusengine/domains/presentation/capture	Manage observation requests, view sets, framing, capture jobs, progress, and result contracts.
sky-descriptor-kit	n:presentation:sky	nexusengine/domains/presentation/sky	Create generic sky, horizon, atmosphere, cloud, and celestial descriptors.
third-person-camera-kit	n:presentation:camera:third-person	nexusengine/domains/presentation/camera/third-person	Produce deterministic renderer-neutral third-person camera descriptors from public Character and Motion bindings.
camera-world-occlusion-adapter-kit	n:presentation:camera:third-person	nexusengine/domains/presentation/adapters/camera-world-occlusion	Constrain Third-Person Camera descriptors with public terrain and physics query results without owning camera or world state.
render-domain-contract-kit	n:render	nexusengine/domains/render/contract	Expose the canonical backend-neutral Render ownership and execution-contract boundary.
render-provider-contract-kit	n:render:contracts	nexusengine/domains/render/provider-contract	Validate concrete Render providers without executing or retaining provider code or handles.
render-resource-schema-kit	n:render:contracts	nexusengine/domains/render/resource-schema	Validate and normalize portable Render resource records without exposing backend handles.
render-frame-schema-kit	n:render:contracts	nexusengine/domains/render/frame-schema	Validate and normalize portable Render frame execution records.
render-pass-schema-kit	n:render:contracts	nexusengine/domains/render/pass-schema	Validate and normalize resolved provider-facing Render pass records without owning Presentation graph planning.
shader-schema-kit	n:render:contracts	nexusengine/domains/render/shader-schema	Validate and normalize portable shader-interface records shared by Render providers.
render-event-schema-kit	n:render:contracts	nexusengine/domains/render/event-schema	Validate and normalize ordered portable Render lifecycle and execution events.
render-installation-kit	n:render:lifecycle	nexusengine/domains/render/lifecycle/installation	Own the aggregate phase and provider identity for one installed Render composition.

Kit	Domain	Public subpath	Responsibility
render-startup-kit	n:render:lifecycle	nexusengine/domains/render/lifecycle/startup	Own deterministic startup requests and provider-readiness receipts.
render-shutdown-kit	n:render:lifecycle	nexusengine/domains/render/lifecycle/shutdown	Own deterministic provider shutdown requests and completion receipts.
render-recovery-kit	n:render:lifecycle	nexusengine/domains/render/lifecycle/recovery	Coordinate deterministic recovery from a failed Render provider lifecycle without owning provider repair execution.
render-reset-kit	n:render:lifecycle	nexusengine/domains/render/lifecycle/reset	Reset composed Render lifecycle state atomically through public capability APIs.
render-snapshot-kit	n:render:lifecycle	nexusengine/domains/render/lifecycle/snapshot	Capture and atomically restore portable snapshots of composed Render lifecycle state.
render-device-contract-kit	n:render:device	nexusengine/domains/render/device/contract	Define the portable identity and ownership boundary for one Render device.
device-feature-kit	n:render:device	nexusengine/domains/render/device/feature	Own canonical Render device feature declarations and deterministic requirement negotiation.
device-limit-kit	n:render:device	nexusengine/domains/render/device/limit	Own portable Render device limit profiles and deterministic requirement checks.
device-capability-kit	n:render:device	nexusengine/domains/render/device/capability	Compose a portable Render device identity, feature set, and limit profile into one capability record.
device-memory-kit	n:render:device	nexusengine/domains/render/device/memory	Own portable memory budgets, semantic reservations, and exact-once accounting receipts.
device-queue-kit	n:render:device	nexusengine/domains/render/device/queue	Own logical Render queue descriptors and exact-once submission and completion receipts.
device-lifecycle-kit	n:render:device	nexusengine/domains/render/device/lifecycle	Own portable acquisition, readiness, loss, failure, recovery, and release state for one selected Render device.
device-loss-kit	n:render:device	nexusengine/domains/render/device/loss	Own exact-once Render device loss incidents and externally proven resolution records.
device-diagnostics-kit	n:render:device	nexusengine/domains/render/device/diagnostics	Project deterministic read-only diagnostics from public Render device capabilities.
render-resource-contract-kit	n:render:resource	nexusengine/domains/render/resource/contract	Define portable Render execution-resource identity, lifecycle, operation, and provider receipt contracts.

Kit	Domain	Public subpath	Responsibility
resource-identity-kit	n:render:resource	nexusengine/domains/render/resource/identity	Own deterministic Render execution-resource identities, revisions, and dependency lineage.
resource-state-kit	n:render:resource	nexusengine/domains/render/resource/state	Define portable Render resource phases and legal lifecycle transitions.
resource-reference-kit	n:render:resource	nexusengine/domains/render/resource/reference	Own exact, portable references to Render execution-resource identities.
resource-integrity-kit	n:render:resource	nexusengine/domains/render/resource/integrity	Record portable integrity comparisons for exact Render resource identities.
resource-cache-kit	n:render:resource	nexusengine/domains/render/resource/cache	Index reusable provider resources by exact portable content identity and deterministic access order.
resource-budget-kit	n:render:resource	nexusengine/domains/render/resource/budget	Map exact Render resource identities to existing Device Memory reservations without duplicating capacity authority.
resource-upload-kit	n:render:resource	nexusengine/domains/render/resource/upload	Record exact Render resource upload requests, provider receipts, and failures against completed Device Queue submissions.
resource-release-kit	n:render:resource	nexusengine/domains/render/resource/release	Record exact Render resource release requests, provider receipts, and failures after reference safety checks.
resource-lifecycle-kit	n:render:resource	nexusengine/domains/render/resource/lifecycle	Own the portable lifecycle state of exact Render resource identities using explicit upload and release receipts.
buffer-resource-kit	n:render:buffer	nexusengine/domains/render/buffer/resource	Own portable logical Buffer records, exact content revisions, and bounded provider update receipts.
buffer-layout-kit	n:render:buffer	nexusengine/domains/render/buffer/layout	Own explicit portable Buffer field formats, member offsets, alignments, and stride.
vertex-buffer-kit	n:render:buffer	nexusengine/domains/render/buffer/vertex	Own logical Vertex Buffer views with exact resource, layout, count, and range validation.
index-buffer-kit	n:render:buffer	nexusengine/domains/render/buffer/index	Own logical Index Buffer views with exact resource, format, count, alignment, and range validation.
uniform-buffer-kit	n:render:buffer	nexusengine/domains/render/buffer/uniform	Own logical Uniform Buffer ranges with exact layout, size, and explicit dynamic-alignment validation.
storage-buffer-kit	n:render:buffer	nexusengine/domains/render/buffer/storage	Own logical Storage Buffer ranges with explicit access, layout, element-count, and range validation.

Kit	Domain	Public subpath	Responsibility
instance-buffer-kit	n:render:buffer	nexusengine/domains/render/buffer/instance	Own logical Instance Buffer views with exact resource, layout, count, and range validation.
indirect-buffer-kit	n:render:buffer	nexusengine/domains/render/buffer/indirect	Own logical Indirect Buffer command ranges with exact type, count, stride, alignment, and range validation.
texture-format-kit	n:render:texture	nexusengine/domains/render/texture/format	Own portable Texture format aspects, block layout, and provider-neutral capability declarations.
texture-resource-kit	n:render:texture	nexusengine/domains/render/texture/resource	Own exact logical Texture records derived from canonical Render Resource identities and portable formats.
texture-2d-kit	n:render:texture	nexusengine/domains/render/texture/2d	Own logical 2D Texture views with exact identity and mip-range validation.
texture-cube-kit	n:render:texture	nexusengine/domains/render/texture/cube	Own logical Cube Texture views with exact identity, six-face, and mip-range validation.
texture-array-kit	n:render:texture	nexusengine/domains/render/texture/array	Own logical 2D Texture Array views with exact identity, layer-range, and mip-range validation.
render-target-texture-kit	n:render:texture	nexusengine/domains/render/texture/render-target	Own logical color attachment Texture views with exact format and subresource qualification.
depth-texture-kit	n:render:texture	nexusengine/domains/render/texture/depth	Own logical depth-stencil Texture views with exact aspect, format, and subresource qualification.
shadow-texture-kit	n:render:texture	nexusengine/domains/render/texture/shadow	Own provider-neutral shadow-readable depth views without owning authored shadow policy or execution.
mipmap-kit	n:render:texture	nexusengine/domains/render/texture/mipmap	Own explicit portable Texture mip-chain plans with exact contiguous levels and source identities.
texture-stream-kit	n:render:texture	nexusengine/domains/render/texture/stream	Own exact Texture subresource stream requests and portable provider completion or failure receipts.
texture-residency-kit	n:render:texture	nexusengine/domains/render/texture/residency	Own desired and proven resident Texture subresources derived from completed stream receipts.
shader-contract-kit	n:render:shader	nexusengine/domains/render/shader/contract	Define the canonical provider-neutral Shader execution boundary and stage topology.
shader-language-kit	n:render:shader	nexusengine/domains/render/shader/language	Own portable Shader language capabilities, source kinds, stages, and feature requirements.
shader-source-kit	n:render:shader	nexusengine/domains/render/shader/source	Own immutable text or binary Shader source revisions and exact integrity.

Kit	Domain	Public subpath	Responsibility
shader-include-kit	n:render:shader	nexusengine/domains/render/shader/include	Own immutable Shader include records and a deterministic acyclic dependency graph.
shader-module-kit	n:render:shader	nexusengine/domains/render/shader/module	Own one portable Shader stage module, entry point, and exact source closure.
shader-program-kit	n:render:shader	nexusengine/domains/render/shader/program	Own linked portable Shader program topology and its canonical interface.
shader-variant-kit	n:render:shader	nexusengine/domains/render/shader/variant	Own exact Shader define and specialization selections with deterministic identity.
shader-permutation-kit	n:render:shader	nexusengine/domains/render/shader/permutation	Own bounded deterministic Shader permutation axes and read-only expansion.
shader-error-kit	n:render:shader	nexusengine/domains/render/shader/error	Normalize portable Shader diagnostics without owning compiler execution or repair.
shader-compile-kit	n:render:shader	nexusengine/domains/render/shader/compile	Own exact-once logical Shader compile requests and provider completion or failure receipts.
shader-reflection-kit	n:render:shader	nexusengine/domains/render/shader/reflection	Validate normalized provider reflection against the completed compile and program interface.
shader-cache-kit	n:render:shader	nexusengine/domains/render/shader/cache	Link completed Shader compiles to resident shader-program Render Resources and select deterministic eviction candidates.
material-contract-kit	n:render:material	nexusengine/domains/render/material/contract	Define the canonical backend-neutral Render Material execution boundary.
material-binding-kit	n:render:material	nexusengine/domains/render/material/binding	Map portable Material slots to one exact Shader program interface.
material-parameter-kit	n:render:material	nexusengine/domains/render/material/parameter	Own typed portable values for exact Material parameter slots.
texture-binding-kit	n:render:material	nexusengine/domains/render/material/texture-binding	Bind exact resident Texture views and subresources to Material slots.
sampler-binding-kit	n:render:material	nexusengine/domains/render/material/sampler-binding	Own portable sampler state for exact Material sampler slots.
material-instance-kit	n:render:material	nexusengine/domains/render/material/instance	Compose one complete portable Material execution instance from exact bindings.
material-variant-kit	n:render:material	nexusengine/domains/render/material/variant	Resolve an exact Shader variant and complete Material binding override set.
material-validation-kit	n:render:material	nexusengine/domains/render/material/validation	Prove one Material target against exact completed Shader compile and reflection records.
material-cache-kit	n:render:material	nexusengine/domains/render/material/cache	Link current Material validation to an exact resident material Render Resource.

Kit	Domain	Public subpath	Responsibility
runtime-lifecycle-kit	n:runtime	nexusengine/domains/runtime/lifecycle	Own deterministic runtime lifecycle and Kit installation receipts.
realtime-runtime-kit	n:runtime:realtime	nexusengine/domains/runtime/realtime	Create deterministic realtime frame context and phase execution.
runtime-data-kit	n:runtime:data	nexusengine/domains/runtime/data	Provide deterministic schemas, snapshots, selectors, migrations, and data envelopes.
transaction-ledger-kit	n:runtime:transaction	nexusengine/domains/runtime/transaction	Record repeat-safe operation keys and immutable transaction receipts.
persistence-contract-kit	n:runtime:persistence	nexusengine/domains/runtime/persistence	Describe save/load targets, slots, recovery records, and persistence adapter contracts.
runtime-sequence-kit	n:runtime:sequence	nexusengine/domains/runtime/sequence	Install deterministic sequence node definitions and execution state.
runtime-startup-kit	n:runtime:startup	nexusengine/domains/runtime/startup	Coordinate deterministic startup preparation and readiness receipts.
schedule-kit	n:runtime:sequence:schedule	nexusengine/domains/runtime/sequence/schedule	Advance deterministic repeatable and one-shot elapsed-time schedules without losing residual time.
simulation-state-kit	n:simulation	nexusengine/domains/simulation/runtime	Manage deterministic simulation objectives, resources, hazards, timers, and resolution receipts.
simulation-physics-contract-kit	n:simulation:physics	nexusengine/domains/simulation/physics	Describe physical bodies, colliders, contacts, constraints, queries, and provider boundaries.
articulated-physics-kit	n:simulation:physics:articulated	nexusengine/domains/simulation/physics/articulated	Manage backend-neutral articulated body topology and joint dynamics state.
motion-contract-kit	n:simulation:motion	nexusengine/domains/simulation/motion	Manage intent-to-motion descriptors, trajectories, velocity state, and movement policies.
two-bone-ik-kit	n:simulation:motion	nexusengine/domains/simulation/motion/two-bone-ik	Solve deterministic two-bone inverse-kinematics poses.
articulated-motion-kit	n:simulation:motion:articulated	nexusengine/domains/simulation/motion/articulated	Create target poses, joint limits, articulation plans, and drive requests.
articulated-motion-drive-adapter-kit	n:simulation:physics:articulated	nexusengine/domains/simulation/adapters/articulated-drive	Translate articulated motion plans into backend-neutral physics drive requests.
action-locomotion-kit	n:simulation:motion:locomotion	nexusengine/domains/simulation/motion/locomotion	Convert action commands into deterministic renderer-neutral Motion intents and locomotion frames.
vehicle-dynamics-kit	n:simulation:motion:vehicle	nexusengine/domains/simulation/motion/vehicle	Advance deterministic vehicle motion, boost, bounds, and impact state without owning surface policy.

Kit	Domain	Public subpath	Responsibility
world-contact-kit	n:simulation:physics:world-contact	nexusengine/domains/simulation/physics/world-contact	Resolve portable world contact, slope, impact, stability, and correction records without implementing a physics backend.
soft-respawn-kit	n:simulation:recovery:soft-respawn	nexusengine/domains/simulation/recovery/soft-respawn	Produce exact-once coherent subject recovery records at configured portable points.
economy-account-kit	n:simulation:economy:accounts	nexusengine/domains/simulation/economy/accounts	Own finite account balances and exact-once portable economy transaction records.
cargo-manifest-kit	n:simulation:economy:cargo	nexusengine/domains/simulation/economy/cargo	Own portable cargo inventory, capacity, condition, pickup, deposit, and quota state.
facility-operations-kit	n:simulation:operations:facility	nexusengine/domains/simulation/operations/facility	Own deterministic facility capacity, condition, status, cycle, and portable output receipts.
occupant-flow-kit	n:simulation:operations:occupant-flow	nexusengine/domains/simulation/operations/occupant-flow	Own deterministic occupant spawning, patience, service, and abandonment state.
transport-route-kit	n:simulation:operations:transport-route	nexusengine/domains/simulation/operations/transport-route	Own deterministic stops, carriers, capacity, calls, travel progress, and arrival receipts.
hazard-field-kit	n:simulation:hazard-field	nexusengine/domains/simulation/hazard-field	Own deterministic bounded hazards, verified spawn identities, motion, and read-only collision queries.
pursuit-pressure-kit	n:simulation:pursuit-pressure	nexusengine/domains/simulation/pursuit-pressure	Own coherent pursuit distance, warning bands, caught state, recovery, and transition history.
lifecycle-progression-kit	n:simulation:progression:lifecycle	nexusengine/domains/simulation/progression/lifecycle	Own prerequisite-gated lifecycle start, timing, completion, and portable effect descriptors.
locomotion-contact-response-adapter-kit	n:simulation:motion:locomotion	nexusengine/domains/simulation/adapters/locomotion-contact-response	Translate Locomotion frames and World Contact results into corrected Motion frames without owning either state.
vehicle-water-response-adapter-kit	n:simulation:motion:vehicle	nexusengine/domains/simulation/adapters/vehicle-water-response	Translate Vehicle state and Water Surface queries into portable drag, current, and buoyancy responses.
lifecycle-economy-adapter-kit	n:simulation:progression:lifecycle	nexusengine/domains/simulation/adapters/lifecycle-economy	Translate accepted Lifecycle costs and Economy effects into exact-once Economy transactions.
lifecycle-facility-adapter-kit	n:simulation:progression:lifecycle	nexusengine/domains/simulation/adapters/lifecycle-facility	Translate accepted Lifecycle facility effects into exact-once Facility Operations commands.
facility-economy-adapter-kit	n:simulation:operations:facility	nexusengine/domains/simulation/adapters/facility-economy	Translate Facility output and upkeep receipts into exact-once Economy transactions.
spatial-contract-kit	n:spatial	nexusengine/domains/spatial/contracts	Describe transforms, bounds, zones, spaces, and spatial query requests.

Kit	Domain	Public subpath	Responsibility
spatial-angle-math-kit	n:spatial	nexusengine/domains/spatial/angle-math	Normalize, compare, and interpolate angular values.
spatial-vector-math-kit	n:spatial	nexusengine/domains/spatial/vector-math	Create and operate on renderer-neutral vector values.
spatial-transform-math-kit	n:spatial	nexusengine/domains/spatial/transform-math	Calculate deterministic transforms, bases, interpolation, and planar projections.
spatial-quaternion-math-kit	n:spatial	nexusengine/domains/spatial/quaternion-math	Create, compose, normalize, rotate, and interpolate quaternions.
spatial-scale-kit	n:spatial:scale	nexusengine/domains/spatial/scale	Manage deterministic subject scale, scale anchors, proximity bands, and scale transitions.
world-state-kit	n:world	nexusengine/domains/world/runtime	Manage world identity, cells, partitions, surfaces, and deterministic assembly state.
scene-lifecycle-kit	n:world:scene	nexusengine/domains/world/scene	Manage host-neutral scene identity, lifecycle, transitions, bindings, and snapshots.
weather-state-kit	n:world:weather	nexusengine/domains/world/weather	Manage deterministic weather conditions, tendencies, regions, and sampling.
layered-weather-kit	n:world:weather	nexusengine/domains/world/weather/layers	Compose and evolve deterministic altitude-aware weather layers.
world-foundation-kit	n:world:foundation	nexusengine/domains/world/foundation	Compose deterministic world foundation definitions, contributions, sampling, and cell resolution.
world-feature-kit	n:world:feature	nexusengine/domains/world/feature	Manage semantic world feature definitions, registry, lifecycle, queries, and composition.
semantic-world-feature-kit	n:world:feature	nexusengine/domains/world/feature/semantic	Create one semantic world feature Domain Service Kit from a bounded feature specification.
landform-feature-kit	n:world:feature:landform	nexusengine/domains/world/feature/landform	Create semantic elevation and landform feature descriptors and lifecycle state.
hydrology-feature-kit	n:world:feature:hydrology	nexusengine/domains/world/feature/hydrology	Create semantic watershed, water path, water body, and wetland feature descriptors.
ecology-feature-kit	n:world:feature:ecology	nexusengine/domains/world/feature/ecology	Create semantic biome, habitat, vegetation-region, and ecotone feature descriptors.
settlement-feature-kit	n:world:feature:settlement	nexusengine/domains/world/feature/settlement	Create semantic settlement, route, structure, and infrastructure feature descriptors.
atmosphere-feature-kit	n:world:feature:atmosphere	nexusengine/domains/world/feature/atmosphere	Create semantic cloud, fog, wind, thermal, precipitation, and visibility feature descriptors.
navmesh-kit	n:world:navigation:navmesh	nexusengine/domains/world/navigation/navmesh	Build deterministic 2D navigation meshes and portable 3D waypoint graphs from walkability.

Kit	Domain	Public subpath	Responsibility
pathfinding-kit	n:world:navigation:pathfinding	nexusengine/domains/world/navigation/pathfinding	Resolve deterministic A* path requests over portable grid and navigation graph adapters.
route-field-kit	n:world:navigation:route-field	nexusengine/domains/world/navigation/route-field	Manage reusable route marker and corridor descriptors plus pure proximity queries.
landmark-guidance-kit	n:world:navigation:landmark-guidance	nexusengine/domains/world/navigation/landmark-guidance	Manage deterministic landmark discovery, reach, completion, priority, and proximity state.
procedural-generation-kit	n:world:generation	nexusengine/domains/world/generation	Generate deterministic generic regions, connectors, points, graphs, and walkability from complete normalized configuration.
terrain-kit	n:world:terrain	nexusengine/domains/world/terrain	Evaluate deterministic terrain layers and manage portable sampled terrain cells without rendering ownership.
water-surface-kit	n:world:water-surface	nexusengine/domains/world/water-surface	Manage renderer-neutral water zones, currents, drag, wave phase, hazards, and pure queries.

GENERATED REFERENCE

Kit Ownership Ledger

Generated from Domain manifest v2 and the production source inventory. Null compliance fields are intentionally unproven; they are never inferred as true.

Registry SHA-256: 8bb0900127eded3eba62ade325c4b3f488b70b62e78c625be184fa2b2b83cbb8

- Source modules: 1180
- Manifest-proven public atoms: 256
- Manifest-owned internal modules: 899
- Root contract modules: 25
- Unreviewed modules: 0
- Violations: 0

Path	Owner	Review	Destination
src/core-domains/actor/domain.manifest.js	n:actor	manifest-owned-internal	NexusEngine Core
src/core-domains/actor/index.js	n:actor	manifest-owned-internal	NexusEngine Core
src/core-domains/actor/kits/actor-registry-kit/index.js	n:actor	manifest-proven-public-atom	NexusEngine Core
src/core-domains/actor/subdomains/character/index.js	n:actor	manifest-owned-internal	NexusEngine Core
src/core-domains/actor/subdomains/character/kits/character-kit/contracts.js	n:actor	manifest-owned-internal	NexusEngine Core
src/core-domains/actor/subdomains/character/kits/character-kit/index.js	n:actor	manifest-proven-public-atom	NexusEngine Core
src/core-domains/actor/subdomains/creature/index.js	n:actor	manifest-owned-internal	NexusEngine Core
src/core-domains/actor/subdomains/creature/kits/creature-kit/contracts.js	n:actor	manifest-owned-internal	NexusEngine Core
src/core-domains/actor/subdomains/creature/kits/creature-kit/index.js	n:actor	manifest-proven-public-atom	NexusEngine Core
src/core-domains/actor/subdomains/player/index.js	n:actor	manifest-owned-internal	NexusEngine Core
src/core-domains/actor/subdomains/player/kits/player-kit/contracts.js	n:actor	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/actor/subdomains/player/kits/player-kit/index.js	n:actor	manifest-proven-public-atom	NexusEngine Core
src/core-domains/agent/domain.manifest.js	n:agent	manifest-owned-internal	NexusEngine Core
src/core-domains/agent/index.js	n:agent	manifest-owned-internal	NexusEngine Core
src/core-domains/agent/kits/agent-kit/action-proposals.js	n:agent	manifest-owned-internal	NexusEngine Core
src/core-domains/agent/kits/agent-kit/adapters.js	n:agent	manifest-owned-internal	NexusEngine Core
src/core-domains/agent/kits/agent-kit/agent-state.js	n:agent	manifest-owned-internal	NexusEngine Core
src/core-domains/agent/kits/agent-kit/decision-cycle.js	n:agent	manifest-owned-internal	NexusEngine Core
src/core-domains/agent/kits/agent-kit/execution-ledger.js	n:agent	manifest-owned-internal	NexusEngine Core
src/core-domains/agent/kits/agent-kit/index.js	n:agent	manifest-proven-public-atom	NexusEngine Core
src/core-domains/agent/kits/agent-kit/observations.js	n:agent	manifest-owned-internal	NexusEngine Core
src/core-domains/asset/domain.manifest.js	n:asset	manifest-owned-internal	NexusEngine Core
src/core-domains/asset/index.js	n:asset	manifest-owned-internal	NexusEngine Core
src/core-domains/asset/kits/asset-kit/cache-provider.js	n:asset	manifest-owned-internal	NexusEngine Core
src/core-domains/asset/kits/asset-kit/descriptors.js	n:asset	manifest-owned-internal	NexusEngine Core
src/core-domains/asset/kits/asset-kit/index.js	n:asset	manifest-proven-public-atom	NexusEngine Core
src/core-domains/asset/kits/asset-kit/provider.js	n:asset	manifest-owned-internal	NexusEngine Core
src/core-domains/build/adapters/mcp/build-mcp-provider.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/atomic-kit.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/domain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/index.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/kit-manifests.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/manifest-input.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomain-manifests.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/index.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/dependency-analysis-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/dependency-analysis-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/dependency-analysis-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/dependency-analysis-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/dependency-analysis-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/effect-analysis-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/effect-analysis-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/effect-analysis-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/analysis/kits/effect-analysis-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/effect-analysis-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/javascript-ast-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/javascript-ast-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/javascript-ast-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/javascript-ast-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/javascript-ast-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/type-analysis-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/type-analysis-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/type-analysis-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/type-analysis-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/kits/type-analysis-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/analysis/subdomain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/index.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/artifact/kits/artifact-cache-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-cache-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-cache-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-cache-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-cache-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-integrity-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-integrity-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-integrity-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-integrity-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-integrity-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-manifest-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-manifest-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-manifest-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/artifact/kits/artifact-manifest-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-manifest-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-output-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-output-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-output-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-output-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/kits/artifact-output-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/artifact/subdomain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/classification/index.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/classification/kits/capability-resolution-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/classification/kits/capability-resolution-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/classification/kits/capability-resolution-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/classification/kits/capability-resolution-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/classification/kits/capability-resolution-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/classification/kits/fallback-selection-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/classification/kits/fallback-selection-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/classification/kits/fallback-selection-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/classification/kits/fallback-selection-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/classification/kits/fallback-selection-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/classification/kits/portability-classifier-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/classification/kits/portability-classifier-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/classification/kits/portability-classifier-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/classification/kits/portability-classifier-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/classification/kits/portability-classifier-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/classification/subdomain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/index.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/compile/kits/javascript-fallback-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/javascript-fallback-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/javascript-fallback-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/javascript-fallback-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/javascript-fallback-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/native-runtime-link-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/native-runtime-link-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/native-runtime-link-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/native-runtime-link-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/native-runtime-link-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/runtime-abi-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/runtime-abi-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/runtime-abi-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/compile/kits/runtime-abi-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/runtime-abi-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/rust-lowering-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/rust-lowering-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/rust-lowering-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/rust-lowering-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/rust-lowering-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/web-module-linker-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/web-module-linker-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/web-module-linker-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/web-module-linker-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/kits/web-module-linker-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/compile/subdomain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/index.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/ir/kits/execution-ir-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/execution-ir-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/execution-ir-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/execution-ir-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/execution-ir-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/ir-validation-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/ir-validation-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/ir-validation-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/ir-validation-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/ir-validation-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/kit-ir-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/kit-ir-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/kit-ir-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/kit-ir-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/ir/kits/kit-ir-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/source-map-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/source-map-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/source-map-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/source-map-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/kits/source-map-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/ir/subdomain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/index.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-approval-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-approval-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-approval-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-approval-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-approval-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-execution-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/orchestration/kits/build-execution-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-execution-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-execution-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-execution-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-plan-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-plan-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-plan-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-plan-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-plan-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-receipt-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-receipt-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-receipt-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-receipt-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/orchestration/kits/build-receipt-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-request-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-request-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-request-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-request-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/build-request-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/target-set-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/target-set-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/target-set-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/target-set-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/kits/target-set-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/orchestration/subdomain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/proof/index.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/prooff/kits/cross-runtime-parity-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/prooff/kits/cross-runtime-parity-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/prooff/kits/cross-runtime-parity-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/prooff/kits/cross-runtime-parity-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/prooff/kits/cross-runtime-parity-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/prooff/kits/project-immutability-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/prooff/kits/project-immutability-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/prooff/kits/project-immutability-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/prooff/kits/project-immutability-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/prooff/kits/project-immutability-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/prooff/kits/target-validation-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/prooff/kits/target-validation-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/prooff/kits/target-validation-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/proof/kits/target-validation-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/proof/kits/target-validation-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/proof/subdomain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/index.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/dependency-source-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/dependency-source-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/source/kits/dependency-source-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/dependency-source-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/dependency-source-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/module-graph-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/module-graph-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/source/kits/module-graph-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/module-graph-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/module-graph-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/source/kits/project-source-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/project-source-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/source/kits/project-source-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/project-source-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/project-source-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/source-cache-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/source-cache-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/source/kits/source-cache-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/source-cache-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/source-cache-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/source-fingerprint-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/source-fingerprint-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/source/kits/source-fingerprint-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/source/kits/source-fingerprint-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/kits/source-fingerprint-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/source/subdomain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/index.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/kits/target-registry-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/kits/target-registry-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/target/kits/target-registry-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/kits/target-registry-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/kits/target-registry-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/native-target-helpers.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/android-xr/index.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/android-xr/kits/android-xr-target-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/android-xr/kits/android-xr-target-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/target/subdomains/android-xr/kits/android-xr-target-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/android-xr/kits/android-xr-target-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/android-xr/kits/android-xr-target-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/android-xr/subdomain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/index.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/kits/openxr-input-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/kits/openxr-input-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/kits/openxr-input-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/kits/openxr-input-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/kits/openxr-input-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/kits/openxr-render-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/kits/openxr-render-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/target/subdomains/openxr/kits/openxr-render-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/kits/openxr-render-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/kits/openxr-render-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/kits/openxr-runtime-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/kits/openxr-runtime-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/kits/openxr-runtime-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/kits/openxr-runtime-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/kits/openxr-runtime-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/openxr/subdomain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/pcvr/index.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/pcvr/kits/pcvr-target-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/pcvr/kits/pcvr-target-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/pcvr/kits/pcvr-target-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/target/subdomains/pcvr/kits/pcvr-target-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/pcvr/kits/pcvr-target-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/pcvr/subdomain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/web-live/index.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/web-live/kits/web-live-target-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/web-live/kits/web-live-target-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/web-live/kits/web-live-target-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/web-live/kits/web-live-target-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/web-live/kits/web-live-target-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/web-live/subdomain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/web-static/index.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/web-static/kits/web-static-target-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/target/subdomains/web-static/kits/web-static-target-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/web-static/kits/web-static-target-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/web-static/kits/web-static-target-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/web-static/kits/web-static-target-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/subdomains/web-static/subdomain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/target/web-target-helpers.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/index.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/isolated-stage-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/isolated-stage-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/isolated-stage-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/isolated-stage-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/isolated-stage-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/process-execution-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/toolchain/kits/process-execution-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/process-execution-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/process-execution-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/process-execution-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/toolchain-discovery-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/toolchain-discovery-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/toolchain-discovery-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/toolchain-discovery-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/toolchain-discovery-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/toolchain-provision-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/toolchain-provision-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/toolchain-provision-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/toolchain-provision-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/build/subdomains/toolchain/kits/toolchain-provision-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/toolchain-source-kit/contracts.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/toolchain-source-kit/index.js	n:build	manifest-proven-public-atom	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/toolchain-source-kit/kit.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/toolchain-source-kit/services.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/kits/toolchain-source-kit/state.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/build/subdomains/toolchain/subdomain.manifest.js	n:build	manifest-owned-internal	NexusEngine Core
src/core-domains/catalog.js	n:composition	manifest-infrastructure	NexusEngine Core
src/core-domains/composition/adapters/mcp/composition-mcp-provider.js	n:composition	manifest-owned-internal	NexusEngine Core
src/core-domains/composition/adapters/mcp/generated-guide-resources.js	n:composition	manifest-owned-internal	NexusEngine Core
src/core-domains/composition/domain.manifest.js	n:composition	manifest-owned-internal	NexusEngine Core
src/core-domains/composition/index.js	n:composition	manifest-owned-internal	NexusEngine Core
src/core-domains/composition/kits/composition-registry-kit/composition-tree.js	n:composition	manifest-owned-internal	NexusEngine Core
src/core-domains/composition/kits/composition-registry-kit/index.js	n:composition	manifest-proven-public-atom	NexusEngine Core
src/core-domains/composition/kits/composition-registry-kit/registry.js	n:composition	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/composition/kits/composition-registry-kit/services.js	n:composition	manifest-owned-internal	NexusEngine Core
src/core-domains/composition/recipes/restored-behavior-recipes.js	n:composition	manifest-owned-internal	NexusEngine Core
src/core-domains/composition/services/composition-apply-controller.js	n:composition	manifest-owned-internal	NexusEngine Core
src/core-domains/compute/domain.manifest.js	n:compute	manifest-owned-internal	NexusEngine Core
src/core-domains/compute/index.js	n:compute	manifest-owned-internal	NexusEngine Core
src/core-domains/compute/kits/compute-kit/descriptors.js	n:compute	manifest-owned-internal	NexusEngine Core
src/core-domains/compute/kits/compute-kit/index.js	n:compute	manifest-proven-public-atom	NexusEngine Core
src/core-domains/compute/kits/compute-kit/provider.js	n:compute	manifest-owned-internal	NexusEngine Core
src/core-domains/compute/subdomains/model/kits/model-kit/adapters.js	n:compute	manifest-owned-internal	NexusEngine Core
src/core-domains/compute/subdomains/model/kits/model-kit/index.js	n:compute	manifest-proven-public-atom	NexusEngine Core
src/core-domains/compute/subdomains/model/kits/model-kit/inference-request.js	n:compute	manifest-owned-internal	NexusEngine Core
src/core-domains/compute/subdomains/model/kits/model-kit/inference-result.js	n:compute	manifest-owned-internal	NexusEngine Core
src/core-domains/compute/subdomains/model/kits/model-kit/model-descriptors.js	n:compute	manifest-owned-internal	NexusEngine Core
src/core-domains/compute/subdomains/model/kits/model-kit/model-registry.js	n:compute	manifest-owned-internal	NexusEngine Core
src/core-domains/diagnostics/domain.manifest.js	n:diagnostics	manifest-owned-internal	NexusEngine Core
src/core-domains/diagnostics/index.js	n:diagnostics	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/diagnostics/kits/debug-descriptor-kit/index.js	n:diagnostics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/diagnostics/kits/debug-draw-kit.js	n:diagnostics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/diagnostics/kits/diagnostics-kit/index.js	n:diagnostics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/domain-kit.js	n:composition	manifest-infrastructure	NexusEngine Core
src/core-domains/domain-manifest.js	n:composition	manifest-infrastructure	NexusEngine Core
src/core-domains/host/domain.manifest.js	n:host	manifest-owned-internal	NexusEngine Core
src/core-domains/host/index.js	n:host	manifest-owned-internal	NexusEngine Core
src/core-domains/host/kits/host-capability-kit/index.js	n:host	manifest-proven-public-atom	NexusEngine Core
src/core-domains/index.js	n:composition	manifest-infrastructure	NexusEngine Core
src/core-domains/interaction/adapters/occupant-request-adapter-kit/contracts.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/adapters/occupant-request-adapter-kit/index.js	n:interaction	manifest-proven-public-atom	NexusEngine Core
src/core-domains/interaction/adapters/occupant-request-adapter-kit/kit.manifest.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/adapters/occupant-request-adapter-kit/services.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/adapters/occupant-request-adapter-kit/state.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/adapters/request-economy-adapter-kit/contracts.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/adapters/request-economy-adapter-kit/index.js	n:interaction	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/interaction/adapters/request-economy-adapter-kit/kit.manifest.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/adapters/request-economy-adapter-kit/services.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/adapters/request-economy-adapter-kit/state.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/adapters/transport-request-adapter-kit/contracts.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/adapters/transport-request-adapter-kit/index.js	n:interaction	manifest-proven-public-atom	NexusEngine Core
src/core-domains/interaction/adapters/transport-request-adapter-kit/kit.manifest.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/adapters/transport-request-adapter-kit/services.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/adapters/transport-request-adapter-kit/state.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/domain.manifest.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/index.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/kits/interaction-kit/activation.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/kits/interaction-kit/affordances.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/kits/interaction-kit/index.js	n:interaction	manifest-proven-public-atom	NexusEngine Core
src/core-domains/interaction/kits/interaction-kit/prompts.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/kits/interaction-kit/results.js	n:interaction	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/interaction/kits/interaction-kit/targets.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/restored-behavior-manifests.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/assistance-target/index.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/assistance-target/kits/assistance-target-kit/contracts.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/assistance-target/kits/assistance-target-kit/index.js	n:interaction	manifest-proven-public-atom	NexusEngine Core
src/core-domains/interaction/subdomains/assistance-target/kits/assistance-target-kit/kit.manifest.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/assistance-target/kits/assistance-target-kit/services.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/assistance-target/kits/assistance-target-kit/state.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/assistance-target/subdomain.manifest.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/environmental-affordance/index.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/environmental-affordance/kits/environmental-affordance-kit/contracts.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/environmental-affordance/kits/environmental-affordance-kit/index.js	n:interaction	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/interaction/subdomains/environmental-affordance-kits/environmental-affordance-kit/kit.manifest.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/environmental-affordance-kits/environmental-affordance-kit/services.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/environmental-affordance-kits/environmental-affordance-kit/state.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/environmental-affordance/subdomain.manifest.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/input/kits/input-kit/actions.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/input/kits/input-kit/adapters.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/input/kits/input-kit/bindings.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/input/kits/input-kit/contexts.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/input/kits/input-kit/index.js	n:interaction	manifest-proven-public-atom	NexusEngine Core
src/core-domains/interaction/subdomains/input/kits/input-kit/intent.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/request/index.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/request/subdomain.manifest.js	n:interaction	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/interaction/subdomains/request/subdomains/fulfillment/index.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/request/subdomains/fulfillment/kits/request-fulfillment-kit/contracts.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/request/subdomains/fulfillment/kits/request-fulfillment-kit/index.js	n:interaction	manifest-proven-public-atom	NexusEngine Core
src/core-domains/interaction/subdomains/request/subdomains/fulfillment/kits/request-fulfillment-kit/kit.manifest.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/request/subdomains/fulfillment/kits/request-fulfillment-kit/services.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/request/subdomains/fulfillment/kits/request-fulfillment-kit/state.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/request/subdomains/fulfillment/subdomain.manifest.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/request/subdomains/queue/index.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/request/subdomains/queue/kits/request-queue-kit/contracts.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/request/subdomains/queue/kits/request-queue-kit/index.js	n:interaction	manifest-proven-public-atom	NexusEngine Core
src/core-domains/interaction/subdomains/request/subdomains/queue/kits/request-queue-kit/kit.manifest.js	n:interaction	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/interaction/subdomains/request/subdomains/queue/kits/request-queue-kit/services.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/request/subdomains/queue/kits/request-queue-kit/state.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/request/subdomains/queue/subdomain.manifest.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/transfer-zone/index.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/transfer-zone/kits/transfer-zone-kit/contracts.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/transfer-zone/kits/transfer-zone-kit/index.js	n:interaction	manifest-proven-public-atom	NexusEngine Core
src/core-domains/interaction/subdomains/transfer-zone/kits/transfer-zone-kit/kit.manifest.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/transfer-zone/kits/transfer-zone-kit/services.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/transfer-zone/kits/transfer-zone-kit/state.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/interaction/subdomains/transfer-zone/subdomain.manifest.js	n:interaction	manifest-owned-internal	NexusEngine Core
src/core-domains/manifest-domain-service-kit.js	n:composition	manifest-infrastructure	NexusEngine Core
src/core-domains/manifest-input.js	n:composition	manifest-infrastructure	NexusEngine Core
src/core-domains/manifest-kit-contract.js	n:composition	manifest-infrastructure	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/mcp/adapters/node-mcp-sdk-adapter/index.js	n:mcp	manifest-owned-internal	NexusEngine Core
src/core-domains/mcp/contracts/contract-utilities.js	n:mcp	manifest-owned-internal	NexusEngine Core
src/core-domains/mcp/contracts/prompt-contract.js	n:mcp	manifest-owned-internal	NexusEngine Core
src/core-domains/mcp/contracts/provider-contract.js	n:mcp	manifest-owned-internal	NexusEngine Core
src/core-domains/mcp/contracts/resource-contract.js	n:mcp	manifest-owned-internal	NexusEngine Core
src/core-domains/mcp/contracts/result-contract.js	n:mcp	manifest-owned-internal	NexusEngine Core
src/core-domains/mcp/contracts/tool-contract.js	n:mcp	manifest-owned-internal	NexusEngine Core
src/core-domains/mcp/domain.manifest.js	n:mcp	manifest-owned-internal	NexusEngine Core
src/core-domains/mcp/index.js	n:mcp	manifest-owned-internal	NexusEngine Core
src/core-domains/mcp/kits/mcp-registry-kit/authorization.js	n:mcp	manifest-owned-internal	NexusEngine Core
src/core-domains/mcp/kits/mcp-registry-kit/index.js	n:mcp	manifest-proven-public-atom	NexusEngine Core
src/core-domains/mcp/kits/mcp-registry-kit/registry.js	n:mcp	manifest-owned-internal	NexusEngine Core
src/core-domains/mcp/state/registry-snapshot.js	n:mcp	manifest-owned-internal	NexusEngine Core
src/core-domains/network/domain.manifest.js	n:network	manifest-owned-internal	NexusEngine Core
src/core-domains/network/index.js	n:network	manifest-owned-internal	NexusEngine Core
src/core-domains/network/kits/network-kit/index.js	n:network	manifest-proven-public-atom	NexusEngine Core
src/core-domains/object/adapters/object-shape-fidelity-adapter-kit/index.js	n:object	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/object/contracts/object-descriptor.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/domain.manifest.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/index.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/kits/object-registry-kit/index.js	n:object	manifest-proven-public-atom	NexusEngine Core
src/core-domains/object/state/object-registry-state.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/fidelity/index.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/fidelity/kits/object-fidelity-kit/descriptors.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/fidelity/kits/object-fidelity-kit/index.js	n:object	manifest-proven-public-atom	NexusEngine Core
src/core-domains/object/subdomains/placement/contracts/placement-descriptor.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/placement/index.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/placement/kits/object-placement-kit/index.js	n:object	manifest-proven-public-atom	NexusEngine Core
src/core-domains/object/subdomains/placement/kits/object-placement-kit/placement-math.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/placement/kits/object-placement-kit/placement-operations.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/placement/kits/object-placement-kit/placement-validation.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/shape/index.js	n:object	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/object/subdomains/shape/kits/object-shape-kit/descriptors.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/shape/kits/object-shape-kit/index.js	n:object	manifest-proven-public-atom	NexusEngine Core
src/core-domains/object/subdomains/shape/kits/object-shape-kit/metrics.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/shape/kits/object-shape-kit/profiles.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/shape/kits/object-shape-kit/provider.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/shape/kits/object-shape-kit/qualification.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/shape/providers/meshoptimizer-shape-provider-kit/index.js	n:object	manifest-proven-public-atom	NexusEngine Core
src/core-domains/object/subdomains/shape/providers/meshoptimizer-shape-provider-kit/meshoptimizer-provider.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/shape/providers/meshoptimizer-shape-provider-kit/reference-provider.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/vegetation/adapters/vegetation-object-bridge-kit/index.js	n:object	manifest-proven-public-atom	NexusEngine Core
src/core-domains/object/subdomains/vegetation/index.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/vegetation/kits/object-vegetation-kit/contracts.js	n:object	manifest-owned-internal	NexusEngine Core
src/core-domains/object/subdomains/vegetation/kits/object-vegetation-kit/index.js	n:object	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/object/subdomains/vegetation/subdomains/ecology-domain/index.js	n:object	manifest-proven-public-atom	NexusEngine Core
src/core-domains/object/subdomains/vegetation/subdomains/foilage-domain/index.js	n:object	manifest-proven-public-atom	NexusEngine Core
src/core-domains/object/subdomains/vegetation/subdomains/tree-domain/index.js	n:object	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/domain.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/index.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/contracts/contract-manifests.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/contracts/index.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-command-schema-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-command-schema-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-command-schema-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-domain-contract-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-domain-contract-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-domain-contract-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-event-schema-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/physics/subdomains/contracts/kits/physics-event-schema-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-event-schema-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-provider-contract-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-provider-contract-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-provider-contract-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-query-schema-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-query-schema-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-query-schema-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-state-schema-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-state-schema-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/contracts/kits/physics-state-schema-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/contracts/portable-value.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/contracts/subdomain.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/physics/subdomains/lifecycle/index.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-installation-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-installation-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-installation-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-reset-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-reset-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-reset-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-shutdown-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-shutdown-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-shutdown-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-snapshot-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-snapshot-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-snapshot-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/physics/subdomains/lifecycle/kits/physics-startup-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-startup-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-startup-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-step-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-step-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/kits/physics-step-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/lifecycle-contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/lifecycle-manifests.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/lifecycle/subdomain.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/material/index.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/density-material-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/density-material-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/density-material-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/physics/subdomains/material/kits/friction-material-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/friction-material-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/friction-material-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/material-combine-policy-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/material-combine-policy-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/material-combine-policy-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/physics-material-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/physics-material-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/physics-material-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/restitution-material-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/restitution-material-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/restitution-material-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/surface-material-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/physics/subdomains/material/kits/surface-material-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/material/kits/surface-material-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/material/material-contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/material/material-manifests.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/material/subdomain.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/index.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/force-field-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/force-field-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/force-field-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/gravity-field-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/gravity-field-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/gravity-field-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/physics-world-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/physics-world-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/physics/subdomains/world/kits/physics-world-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/physics-world-settings-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/physics-world-settings-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/physics-world-settings-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/simulation-region-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/simulation-region-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/simulation-region-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/time-scale-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/time-scale-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/time-scale-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/wind-field-kit/contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/wind-field-kit/index.js	n:physics	manifest-proven-public-atom	NexusEngine Core
src/core-domains/physics/subdomains/world/kits/wind-field-kit/kit.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/physics/subdomains/world/record-registry.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/subdomain.manifest.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/world-contracts.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/physics/subdomains/world/world-manifests.js	n:physics	manifest-owned-internal	NexusEngine Core
src/core-domains/policy/domain.manifest.js	n:policy	manifest-owned-internal	NexusEngine Core
src/core-domains/policy/index.js	n:policy	manifest-owned-internal	NexusEngine Core
src/core-domains/policy/kits/policy-kit/index.js	n:policy	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/adapters/camera-world-occlusion-adapter-kit/contracts.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/adapters/camera-world-occlusion-adapter-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/adapters/camera-world-occlusion-adapter-kit/kit.manifest.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/adapters/camera-world-occlusion-adapter-kit/services.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/adapters/camera-world-occlusion-adapter-kit/state.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/contracts.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/domain.manifest.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/index.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/kits/presentation-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/presentation/subdomains/animation/kits/animation-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/animation/kits/rig-transform-kit.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/audio/kits/audio-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/camera/kits/camera-control-kit.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/camera/kits/camera-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/camera/kits/camera-kit/smoothing.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/camera/kits/framing-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/camera/kits/framing-kit/orthographic-fit.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/camera/kits/framing-kit/perspective-fit.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/camera/subdomains/third-person/index.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/camera/subdomains/third-person/kits/third-person-camera-kit/contracts.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/camera/subdomains/third-person/kits/third-person-camera-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/camera/subdomains/third-person/kits/third-person-camera-kit/kit.manifest.js	n:presentation	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/presentation/subdomains/camera/subdomains/third-person/kits/third-person-camera-kit/services.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/camera/subdomains/third-person/kits/third-person-camera-kit/state.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/camera/subdomains/third-person/subdomain.manifest.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/capture/index.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/capture/kits/capture-kit/descriptors.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/capture/kits/capture-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/capture/kits/capture-kit/provider.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/graphics/index.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/graphics/kits/graphics-kit/adapters.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/graphics/kits/graphics-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/graphics/kits/graphics-kit/instance-batches.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/graphics/kits/graphics-kit/lighting-descriptors.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/graphics/kits/graphics-kit/material-descriptors.js	n:presentation	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/presentation/subdomains/graphics/kits/graphics-kit/procedural-material-descriptors.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/graphics/kits/graphics-kit/quality-profiles.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/graphics/kits/graphics-kit/reflection-kit/contract.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/graphics/kits/graphics-kit/reflection-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/graphics/kits/graphics-kit/render-descriptors.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/graphics/kits/graphics-kit/render-layer-graph-kit/contract.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/graphics/kits/graphics-kit/render-layer-graph-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/graphics/kits/graphics-kit/terrain-lod-descriptors.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/graphics/kits/graphics-kit/vfx-descriptors.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/output/kits/output-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/output/kits/output-kit/math.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/presentation/subdomains/sky/kits/sky-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/speech/index.js	n:presentation	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/presentation/subdomains/speech/kits/speech-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/ui/kits/ui-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/ui/kits/ui-scale-kit/index.js	n:presentation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/presentation/subdomains/ui/kits/ui-scale-kit/math.js	n:presentation	manifest-owned-internal	NexusEngine Core
src/core-domains/render/domain.manifest.js	n:render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/index.js	n:render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/buffer-contracts.js	n:render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/buffer-manifests.js	n:render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/buffer-registry-kit.js	n:render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/index.js	n:render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/buffer-layout-kit/contracts.js	n:render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/buffer-layout-kit/index.js	n:render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/buffer-layout-kit/kit.manifest.js	n:render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/buffer-resource-kit/contracts.js	n:render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/buffer-resource-kit/index.js	n:render	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/buffer/kits/buffer-resource-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/index-buffer-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/index-buffer-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/index-buffer-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/indirect-buffer-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/indirect-buffer-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/indirect-buffer-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/instance-buffer-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/instance-buffer-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/instance-buffer-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/storage-buffer-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/storage-buffer-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/storage-buffer-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/buffer/kits/uniform-buffer-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/uniform-buffer-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/uniform-buffer-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/vertex-buffer-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/vertex-buffer-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/buffer/kits/vertex-buffer-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/buffer/subdomain.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/contract-manifests.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/index.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-domain-contract-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-domain-contract-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-domain-contract-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-event-schema-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-event-schema-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/contracts/kits/render-event-schema-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-frame-schema-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-frame-schema-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-frame-schema-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-pass-schema-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-pass-schema-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-pass-schema-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-provider-contract-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-provider-contract-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-provider-contract-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-resource-schema-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-resource-schema-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/render-resource-schema-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/contracts/kits/shader-schema-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/shader-schema-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/contracts/kits/shader-schema-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/portable-value.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/contracts/subdomain.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/device-contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/device-manifests.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/index.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-capability-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-capability-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-capability-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-diagnostics-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-diagnostics-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-diagnostics-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/device/kits/device-feature-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-feature-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-feature-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-lifecycle-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-lifecycle-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-lifecycle-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-limit-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-limit-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-limit-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-loss-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-loss-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-loss-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-memory-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/device/kits/device-memory-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-memory-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-queue-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-queue-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/device/kits/device-queue-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/render-device-contract-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/kits/render-device-contract-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/device/kits/render-device-contract-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/device/subdomain.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/index.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-installation-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-installation-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-installation-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/lifecycle/kits/render-recovery-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-recovery-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-recovery-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-reset-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-reset-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-reset-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-shutdown-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-shutdown-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-shutdown-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-snapshot-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-snapshot-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-snapshot-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-startup-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/lifecycle/kits/render-startup-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/kits/render-startup-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/lifecycle-contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/lifecycle-manifests.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/lifecycle/subdomain.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/index.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-binding-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-binding-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-binding-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-cache-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-cache-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-cache-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-contract-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-contract-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/material/kits/material-contract-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-instance-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-instance-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-instance-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-parameter-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-parameter-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-parameter-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-validation-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-validation-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-validation-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-variant-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-variant-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/material/kits/material-variant-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/material/kits/sampler-binding-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/sampler-binding-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/material/kits/sampler-binding-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/texture-binding-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/kits/texture-binding-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/material/kits/texture-binding-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/material-contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/material-manifests.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/material-registry-kit.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/material/subdomain.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/index.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/render-resource-contract-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/render-resource-contract-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/render-resource-contract-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/resource/kits/resource-budget-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-budget-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-budget-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-cache-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-cache-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-cache-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-identity-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-identity-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-identity-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-integrity-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-integrity-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-integrity-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-lifecycle-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/resource/kits/resource-lifecycle-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-lifecycle-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-reference-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-reference-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-reference-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-release-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-release-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-release-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-state-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-state-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-state-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-upload-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/kits/resource-upload-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/resource/kits/resource-upload-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/resource-contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/resource-manifests.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/resource/subdomain.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/index.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-cache-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-cache-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-cache-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-compile-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-compile-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-compile-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-contract-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-contract-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-contract-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/shader/kits/shader-error-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-error-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-error-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-include-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-include-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-include-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-language-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-language-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-language-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-module-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-module-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-module-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-permutation-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/shader/kits/shader-permutation-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-permutation-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-program-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-program-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-program-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-reflection-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-reflection-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-reflection-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-source-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-source-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-source-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-variant-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/kits/shader-variant-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/shader/kits/shader-variant-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/shader-contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/shader-manifests.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/shader-registry-kit.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/shader/subdomain.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/index.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/depth-texture-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/depth-texture-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/depth-texture-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/mipmap-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/mipmap-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/mipmap-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/render-target-texture-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/render-target-texture-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/texture/kits/render-target-texture-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/shadow-texture-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/shadow-texture-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/shadow-texture-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-2d-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-2d-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-2d-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-array-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-array-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-array-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-cube-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-cube-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-cube-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/texture/kits/texture-format-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-format-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-format-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-residency-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-residency-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-residency-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-resource-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-resource-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-resource-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-stream-kit/contracts.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-stream-kit/index.js	n: render	manifest-proven-public-atom	NexusEngine Core
src/core-domains/render/subdomains/texture/kits/texture-stream-kit/kit.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/subdomain.manifest.js	n: render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/texture-contracts.js	n: render	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/render/subdomains/texture/texture-manifests.js	n:render	manifest-owned-internal	NexusEngine Core
src/core-domains/render/subdomains/texture/texture-registry-kit.js	n:render	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/domain.manifest.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/index.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/kits/runtime-lifecycle-kit/index.js	n:runtime	manifest-proven-public-atom	NexusEngine Core
src/core-domains/runtime/subdomains/data/kits/data-kit/index.js	n:runtime	manifest-proven-public-atom	NexusEngine Core
src/core-domains/runtime/subdomains/data/kits/data-kit/ledger.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/data/kits/data-kit/migration.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/data/kits/data-kit/package-service.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/data/kits/data-kit/schema.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/data/kits/data-kit/selectors.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/data/kits/data-kit/services.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/data/kits/data-kit/snapshot.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/persistence/kits/persistence-kit/index.js	n:runtime	manifest-proven-public-atom	NexusEngine Core
src/core-domains/runtime/subdomains/realtime/contracts/surfaces.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/realtime/contracts/tick-context-scheduler.js	n:runtime	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/runtime/subdomains/realtime/kits/realtime-kit/index.js	n:runtime	manifest-proven-public-atom	NexusEngine Core
src/core-domains/runtime/subdomains/sequence/kits/sequence-kit/index.js	n:runtime	manifest-proven-public-atom	NexusEngine Core
src/core-domains/runtime/subdomains/sequence/runtime/sequence-node-kit.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/sequence/runtime/sequence-node-library.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/sequence/runtime/sequence-node-runtime.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/sequence/runtime/sequence-runtime.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/sequence/subdomains/schedule/index.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/sequence/subdomains/schedule/kits/schedule-kit/contracts.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/sequence/subdomains/schedule/kits/schedule-kit/index.js	n:runtime	manifest-proven-public-atom	NexusEngine Core
src/core-domains/runtime/subdomains/sequence/subdomains/schedule/kits/schedule-kit/kit.manifest.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/sequence/subdomains/schedule/kits/schedule-kit/services.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/sequence/subdomains/schedule/kits/schedule-kit/state.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/sequence/subdomains/schedule/subdomain.manifest.js	n:runtime	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/runtime/subdomains/startup/core-assets-startup-bridge.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/startup/index.js	n:runtime	manifest-owned-internal	NexusEngine Core
src/core-domains/runtime/subdomains/startup/kits/startup-kit/index.js	n:runtime	manifest-proven-public-atom	NexusEngine Core
src/core-domains/runtime/subdomains/transaction/kits/transaction-ledger-kit/index.js	n:runtime	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/adapters/facility-economy-adapter-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/facility-economy-adapter-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/adapters/facility-economy-adapter-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/facility-economy-adapter-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/facility-economy-adapter-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/lifecycle-economy-adapter-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/lifecycle-economy-adapter-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/adapters/lifecycle-economy-adapter-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/lifecycle-economy-adapter-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/simulation/adapters/lifecycle-economy-adapter-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/lifecycle-facility-adapter-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/lifecycle-facility-adapter-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/adapters/lifecycle-facility-adapter-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/lifecycle-facility-adapter-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/lifecycle-facility-adapter-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/locomotion-contact-response-adapter-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/locomotion-contact-response-adapter-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/adapters/locomotion-contact-response-adapter-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/locomotion-contact-response-adapter-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/locomotion-contact-response-adapter-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/vehicle-water-response-adapter-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/vehicle-water-response-adapter-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/simulation/adapters/vehicle-water-response-adapter-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/vehicle-water-response-adapter-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/adapters/vehicle-water-response-adapter-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/domain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/kits/simulation-kit/checkpoints.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/kits/simulation-kit/hazards.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/kits/simulation-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/kits/simulation-kit/objectives.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/kits/simulation-kit/pressure.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/kits/simulation-kit/resolution.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/kits/simulation-kit/resources.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/kits/simulation-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/kits/simulation-kit/timers.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/restored-behavior-manifests.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/economy/index.js	n:simulation	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/simulation/subdomains/economy/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/economy/subdomains/accounts/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/economy/subdomains/accounts/kits/economy-account-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/economy/subdomains/accounts/kits/economy-account-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/economy/subdomains/accounts/kits/economy-account-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/economy/subdomains/accounts/kits/economy-account-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/economy/subdomains/accounts/kits/economy-account-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/economy/subdomains/accounts/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/economy/subdomains/cargo/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/economy/subdomains/cargo/kits/cargo-manifest-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/economy/subdomains/cargo/kits/cargo-manifest-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/simulation/subdomains/economy/subdomains/cargo/kits/cargo-manifest-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/economy/subdomains/cargo/kits/cargo-manifest-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/economy/subdomains/cargo/kits/cargo-manifest-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/economy/subdomains/cargo/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/hazard-field/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/hazard-field/kits/hazard-field-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/hazard-field/kits/hazard-field-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/hazard-field/kits/hazard-field-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/hazard-field/kits/hazard-field-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/hazard-field/kits/hazard-field-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/hazard-field/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/motion/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/motion/kits/motion-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/simulation/subdomains/motion/kits/motion-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/motion/kits/two-bone-ik-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/motion/subdomains/articulated-motion-domain/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/motion/subdomains/articulated-motion-domain/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/motion/subdomains/locomotion/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/motion/subdomains/locomotion/kits/action-locomotion-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/motion/subdomains/locomotion/kits/action-locomotion-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/motion/subdomains/locomotion/kits/action-locomotion-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/motion/subdomains/locomotion/kits/action-locomotion-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/motion/subdomains/locomotion/kits/action-locomotion-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/motion/subdomains/locomotion/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/motion/subdomains/vehicle/index.js	n:simulation	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/simulation/subdomains/motion/subdomains/vehicle/kits/vehicle-dynamics-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/motion/subdomains/vehicle/kits/vehicle-dynamics-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/motion/subdomains/vehicle/kits/vehicle-dynamics-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/motion/subdomains/vehicle/kits/vehicle-dynamics-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/motion/subdomains/vehicle/kits/vehicle-dynamics-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/motion/subdomains/vehicle/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/facility/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/facility/kits/facility-operations-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/facility/kits/facility-operations-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/facility/kits/facility-operations-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/simulation/subdomains/operations/subdomains/facility/kits/facility-operations-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/facility/kits/facility-operations-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/facility/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/occupant-flow/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/occupant-flow/kits/occupant-flow-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/occupant-flow/kits/occupant-flow-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/occupant-flow/kits/occupant-flow-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/occupant-flow/kits/occupant-flow-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/occupant-flow/kits/occupant-flow-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/occupant-flow/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/transport-route/index.js	n:simulation	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/simulation/subdomains/operations/subdomains/transport-route/kits/transport-route-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/transport-route/kits/transport-route-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/transport-route/kits/transport-route-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/transport-route/kits/transport-route-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/transport-route/kits/transport-route-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/operations/subdomains/transport-route/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/physics/adapters/articulated-motion-drive-adapter/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/physics/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/physics/kits/physics-kit/catalog-factory.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/physics/kits/physics-kit/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/physics/kits/physics-kit/provider.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/physics/subdomains/articulated-dynamics-domain/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/simulation/subdomains/physics/subdomains/articulated-dynamics-domain/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/physics/subdomains/world-contact/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/physics/subdomains/world-contact/kits/world-contact-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/physics/subdomains/world-contact/kits/world-contact-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/physics/subdomains/world-contact/kits/world-contact-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/physics/subdomains/world-contact/kits/world-contact-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/physics/subdomains/world-contact/kits/world-contact-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/physics/subdomains/world-contact/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/progression/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/progression/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/progression/subdomains/lifecycle/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/progression/subdomains/lifecycle/kits/lifecycle-progression-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/simulation/subdomains/progression/subdomains/lifecycle/kits/lifecycle-progression-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/progression/subdomains/lifecycle/kits/lifecycle-progression-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/progression/subdomains/lifecycle/kits/lifecycle-progression-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/progression/subdomains/lifecycle/kits/lifecycle-progression-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/progression/subdomains/lifecycle/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/pursuit-pressure/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/pursuit-pressure/kits/pursuit-pressure-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/pursuit-pressure/kits/pursuit-pressure-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/pursuit-pressure/kits/pursuit-pressure-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/pursuit-pressure/kits/pursuit-pressure-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/pursuit-pressure/kits/pursuit-pressure-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/simulation/subdomains/pursuit-pressure/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/recovery/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/recovery/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/recovery/subdomains/soft-respawn/index.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/recovery/subdomains/soft-respawn/kits/soft-respawn-kit/contracts.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/recovery/subdomains/soft-respawn/kits/soft-respawn-kit/index.js	n:simulation	manifest-proven-public-atom	NexusEngine Core
src/core-domains/simulation/subdomains/recovery/subdomains/soft-respawn/kits/soft-respawn-kit/kit.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/recovery/subdomains/soft-respawn/kits/soft-respawn-kit/services.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/recovery/subdomains/soft-respawn/kits/soft-respawn-kit/state.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/simulation/subdomains/recovery/subdomains/soft-respawn/subdomain.manifest.js	n:simulation	manifest-owned-internal	NexusEngine Core
src/core-domains/spatial/domain.manifest.js	n:spatial	manifest-owned-internal	NexusEngine Core
src/core-domains/spatial/index.js	n:spatial	manifest-owned-internal	NexusEngine Core
src/core-domains/spatial/kits/angle-math-kit.js	n:spatial	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/spatial/kits/quaternion-math-kit.js	n:spatial	manifest-proven-public-atom	NexusEngine Core
src/core-domains/spatial/kits/spatial-kit/index.js	n:spatial	manifest-proven-public-atom	NexusEngine Core
src/core-domains/spatial/kits/transform-math-kit.js	n:spatial	manifest-proven-public-atom	NexusEngine Core
src/core-domains/spatial/kits/vector-math-kit.js	n:spatial	manifest-proven-public-atom	NexusEngine Core
src/core-domains/spatial/subdomains/scale/index.js	n:spatial	manifest-owned-internal	NexusEngine Core
src/core-domains/spatial/subdomains/scale/kits/spatial-scale-kit/contracts.js	n:spatial	manifest-owned-internal	NexusEngine Core
src/core-domains/spatial/subdomains/scale/kits/spatial-scale-kit/index.js	n:spatial	manifest-proven-public-atom	NexusEngine Core
src/core-domains/spatial/subdomains/scale/kits/spatial-scale-kit/kit.manifest.js	n:spatial	manifest-owned-internal	NexusEngine Core
src/core-domains/spatial/subdomains/scale/kits/spatial-scale-kit/services.js	n:spatial	manifest-owned-internal	NexusEngine Core
src/core-domains/spatial/subdomains/scale/kits/spatial-scale-kit/state.js	n:spatial	manifest-owned-internal	NexusEngine Core
src/core-domains/spatial/subdomains/scale/subdomain.manifest.js	n:spatial	manifest-owned-internal	NexusEngine Core
src/core-domains/world/adapters/terrain-provider-adapter/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/domain.manifest.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/kits/world-builder-runtime-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/kits/world-cell-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/world/kits/world-effect-provider-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/kits/world-partition-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/kits/world-surface-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/partitions/quad-tree-partition-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/partitions/uniform-grid-partition-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/portable.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/preparation/world-patch-preparation-controller.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/restored-behavior-manifests.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/snapshot.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/state.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/generation/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/generation/kits/procedural-generation-kit/contracts.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/generation/kits/procedural-generation-kit/index.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/generation/kits/procedural-generation-kit/kit.manifest.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/generation/kits/procedural-generation-kit/services.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/generation/kits/procedural-generation-kit/state.js	n:world	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/world/subdomains/generation/subdomain.manifest.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomain.manifest.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/landmark-guidance/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/landmark-guidance/kits/landmark-guidance-kit/contracts.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/landmark-guidance/kits/landmark-guidance-kit/index.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/landmark-guidance/kits/landmark-guidance-kit/kit.manifest.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/landmark-guidance-kit/services.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/landmark-guidance-kit/state.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/landmark-guidance/subdomain.manifest.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/navmesh/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/navmesh/kits/navmesh-kit/contracts.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/navmesh/kits/navmesh-kit/index.js	n:world	manifest-proven-public-atom	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/world/subdomains/navigation/subdomains/navmesh/kits/navmesh-kit/kit.manifest.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/navmesh/kits/navmesh-kit/services.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/navmesh/kits/navmesh-kit/state.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/navmesh/subdomain.manifest.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/pathfinding/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/pathfinding/kits/pathfinding-kit/contracts.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/pathfinding/kits/pathfinding-kit/index.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/pathfinding/kits/pathfinding-kit/kit.manifest.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/pathfinding/kits/pathfinding-kit/services.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/pathfinding/kits/pathfinding-kit/state.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/pathfinding/subdomain.manifest.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/route-field/index.js	n:world	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/world/subdomains/navigation/subdomains/route-field/kits/route-field-kit/contracts.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/route-field/kits/route-field-kit/index.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/route-field/kits/route-field-kit/kit.manifest.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/route-field/kits/route-field-kit/services.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/route-field/kits/route-field-kit/state.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/navigation/subdomains/route-field/subdomain.manifest.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/scene/kits/scene-kit/constants.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/scene/kits/scene-kit/descriptors.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/scene/kits/scene-kit/host-contract.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/scene/kits/scene-kit/index.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/scene/kits/scene-kit/ledgers.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/scene/kits/scene-kit/scene-registry.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/scene/kits/scene-kit/scene-transition-ledger.js	n:world	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/world/subdomains/scene/kits/scene-kit/state.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/scene/kits/scene-kit/transitions.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/scene/kits/scene-kit/utils.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/terrain/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/terrain/kits/terrain-kit/contracts.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/terrain/kits/terrain-kit/index.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/terrain/kits/terrain-kit/kit.manifest.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/terrain/kits/terrain-kit/services.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/terrain/kits/terrain-kit/state.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/terrain/subdomain.manifest.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/water-surface/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/water-surface/kits/water-surface-kit/contracts.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/water-surface/kits/water-surface-kit/index.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/water-surface/kits/water-surface-kit/kit.manifest.js	n:world	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/world/subdomains/water-surface/kits/water-surface-kit/services.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/water-surface/kits/water-surface-kit/state.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/water-surface/subdomain.manifest.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/weather/contracts.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/weather/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/weather/subdomains/layered-weather-domain/index.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/weather/weather-domain.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/contracts.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/kits/feature-composition-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/kits/feature-definition-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/kits/feature-lifecycle-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/kits/feature-query-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/world/subdomains/world-feature-domain/kits/feature-registry-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/kits/semantic-feature-kit/index.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/snapshot.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/state.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/subdomains/atmosphere-feature-domain/index.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/subdomains/ecology-feature-domain/index.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/subdomains/feature-family-domain-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/subdomains/hydrology-feature-domain/index.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/subdomains/landform-feature-domain/contracts.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/subdomains/landform-feature-domain/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/subdomains/landform-feature-domain/kits/canyon-feature-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/world/subdomains/world-feature-domain/subdomains/landform-feature-domain/kits/cliff-feature-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/subdomains/landform-feature-domain/kits/landform-feature-kits.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/subdomains/landform-feature-domain/kits/mountain-feature-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/subdomains/landform-feature-domain/kits/plateau-feature-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/subdomains/landform-feature-domain/landform-feature-domain.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/subdomains/settlement-feature-domain/index.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/validation.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-feature-domain/world-feature-domain.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/subdomains/world-foundation-domain/contracts.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-foundation-domain/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-foundation-domain/kits/foundation-cell-resolution-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core

Path	Owner	Review	Destination
src/core-domains/world/subdomains/world-foundation-domain/kits/foundation-composition-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-foundation-domain/kits/foundation-definition-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-foundation-domain/kits/foundation-sampling-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-foundation-domain/snapshot.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-foundation-domain/state.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-foundation-domain/validation.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/subdomains/world-foundation-domain/world-foundation-domain.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/core-domains/world/surfaces/curved-horizon-surface-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/surfaces/flat-world-surface-kit/index.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/validation.js	n:world	manifest-owned-internal	NexusEngine Core
src/core-domains/world/world-domain.js	n:world	manifest-proven-public-atom	NexusEngine Core
src/domain-api.js	engine-root	root-contract	NexusEngine minimal root
src/domain-path.js	engine-root	root-contract	NexusEngine minimal root
src/domain-service-kit.js	engine-root	root-contract	NexusEngine minimal root
src/ecs.js	engine-root	root-contract	NexusEngine minimal root
src/engine.js	engine-root	root-contract	NexusEngine minimal root
src/foundation/completion-ledger.js	engine-foundation	root-contract	NexusEngine foundation
src/foundation/deterministic-replay.js	engine-foundation	root-contract	NexusEngine foundation

Path	Owner	Review	Destination
src/foundation/idempotency-ledger.js	engine-foundation	root-contract	NexusEngine foundation
src/foundation/index.js	engine-foundation	root-contract	NexusEngine foundation
src/foundation/progress-timer.js	engine-foundation	root-contract	NexusEngine foundation
src/foundation/promotion-guard.js	engine-foundation	root-contract	NexusEngine foundation
src/foundation/seeded-random.js	engine-foundation	root-contract	NexusEngine foundation
src/foundation/serializable-state.js	engine-foundation	root-contract	NexusEngine foundation
src/foundation/sha256.js	engine-foundation	root-contract	NexusEngine foundation
src/foundation/snapshot.js	engine-foundation	root-contract	NexusEngine foundation
src/index.js	engine-root	root-contract	NexusEngine minimal root
src/release.js	engine-root	root-contract	NexusEngine minimal root
src/runtime-kit.js	engine-root	root-contract	NexusEngine minimal root

GENERATED REFERENCE

NexusEngine 0.0.4 Restored Behaviors

This guide is generated from `0.0.4-restored-behaviors.json`. It is a hard migration: no root forwarding exports and no legacy snapshot coercion.

- Historical modules: **26**
- Restored behavior atoms: **27**
- Optional adapters: **9**
- Composition recipes: **6**

Commit Lineage

Code	Commit	Meaning
I	56aed83b618553057b3da4e200a99701287a9ad2	Initial implementations
N	d05aac6219645ba383f6f4c5c03216dc887f14f6	Navigation and procedural generation
K	99292c7d1d93ca2d50a3d8a8a6f8601154670498	Expanded Kit implementations
T	8b57b03904889cdbc71021d3bdb1d4070af5c8d3	Seamless streamed-terrain normals
R	8b968c201b713c2cb00447e7765f0e2c16dcec8a	Pre-consolidation Core refactor
S	a9adca5b3620f996f00860358c4864dd4bdfa6d9	Last complete source snapshot
X	a68544434424438491be1398e3f3d5aced5bc5ee	Removal commit

Migration Index

Historical source	Status	New atom(s)	Import(s)
<code>src/action-movement-kit.js</code>	implemented-and-proven	<code>action-locomotion-kit</code>	<code>nexusengine/domains/simulation/motion/locomotion</code>
<code>src/assistance-target-kit.js</code>	implemented-and-proven	<code>assistance-target-kit</code>	<code>nexusengine/domains/interaction/assistance-target</code>
<code>src/cargo-manifest-kit.js</code>	implemented-and-proven	<code>cargo-manifest-kit</code>	<code>nexusengine/domains/simulation/economy/cargo</code>
<code>src/character-camera-kit.js</code>	implemented-and-proven	<code>third-person-camera-kit</code>	<code>nexusengine/domains/presentation/camera/third-person</code>
<code>src/economy-kit.js</code>	implemented-and-proven	<code>economy-account-kit</code>	<code>nexusengine/domains/simulation/economy/accounts</code>
<code>src/environmental-affordance-kit.js</code>	implemented-and-proven	<code>environmental-affordance-kit</code>	<code>nexusengine/domains/interaction/environmental-affordance</code>
<code>src/facility-operations-kit.js</code>	implemented-and-proven	<code>facility-operations-kit</code>	<code>nexusengine/domains/simulation/operations/facility</code>
<code>src/hazard-field-kit.js</code>	implemented-and-proven	<code>hazard-field-kit</code>	<code>nexusengine/domains/simulation/hazard-field</code>

Historical source	Status	New atom(s)	Import(s)
src/landmark-guidance-kit.js	implemented-and-proven	landmark-guidance-kit	nexusengine/domains/world/navigation/landmark-guidance
src/lifecycle-progression-kit.js	implemented-and-proven	lifecycle-progression-kit	nexusengine/domains/simulation/progression/lifecycle
src/navmesh-kit.js	implemented-and-proven	navmesh-kit	nexusengine/domains/world/navigation/navmesh
src/occupant-flow-kit.js	implemented-and-proven	occupant-flow-kit	nexusengine/domains/simulation/operations/occupant-flow
src/pathfinding-kit.js	implemented-and-proven	pathfinding-kit	nexusengine/domains/world/navigation/pathfinding
src/procedural-kit.js	implemented-and-proven	procedural-generation-kit	nexusengine/domains/world/generation
src/pursuit-pressure-kit.js	implemented-and-proven	pursuit-pressure-kit	nexusengine/domains/simulation/pursuit-pressure
src/request-fulfillment-kit.js	implemented-and-proven	request-fulfillment-kit	nexusengine/domains/interaction/request/fulfillment
src/request-queue-kit.js	implemented-and-proven	request-queue-kit	nexusengine/domains/interaction/request/queue
src/route-field-kit.js	implemented-and-proven	route-field-kit	nexusengine/domains/world/navigation/route-field
src/schedule-kit.js	implemented-and-proven	schedule-kit	nexusengine/domains/runtime/sequence/schedule
src/spatial-scale-kit.js	implemented-and-proven	spatial-scale-kit	nexusengine/domains/spatial/scale
src/terrain-kit.js	implemented-and-proven	terrain-kit	nexusengine/domains/world/terrain
src/transfer-zone-kit.js	implemented-and-proven	transfer-zone-kit	nexusengine/domains/interaction/transfer-zone
src/transport-route-kit.js	implemented-and-proven	transport-route-kit	nexusengine/domains/simulation/operations/transport-route
src/vehicle-dynamics-kit.js	implemented-and-proven	vehicle-dynamics-kit	nexusengine/domains/simulation/motion/vehicle
src/water-surface-kit.js	implemented-and-proven	water-surface-kit	nexusengine/domains/world/water-surface
src/world-physics-kit.js	implemented-and-proven	world-contact-kit, soft-respawn-kit	nexusengine/domains/simulation/physics/world-contact nexusengine/domains/simulation/recovery/soft-respawn

1. src/action-movement-kit.js

Status: implemented-and-proven | SHA-256 at S :

bdf54ee25fb3e8d8cc623a80d16cd3575844e89f2d9210ede0dfc96a2fcf978d | Lineage: I -> K -> S -> X

Historical factories: createLocomotionKit, createCharacterMovementKit, createActionMovementKit. Historical helpers: None. Historical resources: None. Historical events: None. Historical engine APIs: None.

Import Cutover

Before:

```
import { createLocomotionKit, createCharacterMovementKit, createActionMovementKit } from
"nexusengine";
```

After:

```
import { createActionLocomotionKit } from "nexusengine/domains/simulation/motion/locomotion";

engine.n.actionLocomotion.step({ operationId: "movement:1", delta: 1 / 60, input })
```

Required Changes

- Configuration: Merge action, character, and locomotion options into one Action Locomotion config. Keep input mapping, camera, contact, and recovery policy outside the atom.
- Snapshot: Map position, velocity, grounded, movement mode, and tuning fields into the new Action Locomotion snapshot. Do not load the old resource object directly.
- Events: Read transition names from step() receipts; glide events are emitted only on state transitions.
- Optional adapters: locomotion-contact-response-adapter-kit.
- Consumer status: not-started-outside-restoration-wave.

Corrected Defects

- Three factory aliases represented one implementation.
- Ground snapping could occur before killY recovery evaluation.
- Glide events could repeat without a transition.

Proof: src/core-domains/simulation/tests/restored-motion-behaviors.mjs, src/core-domains/simulation/tests/restored-integration-adapters.mjs.

2. src/assistance-target-kit.js

Status: implemented-and-proven | SHA-256 at S:

15f8e2e4972126bc8b254cf323cfbfbdb8ef658b63edb853c776d6af314fdb04e | Lineage: K -> S -> X

Historical factories: createAssistanceTargetKit. Historical helpers: None. Historical resources: AssistanceTargetState. Historical events: AssistanceTargetStabilized, AssistanceTargetAttached, AssistanceTargetCompleted, AssistanceTargetLost. Historical engine APIs: engine.assistanceTargets.

Import Cutover

Before:

```
import { createAssistanceTargetKit } from "./src/assistance-target-kit.js";
```

After:

```
import { createAssistanceTargetKit } from "nexusengine/domains/interaction/assistance-target";

engine.n.assistanceTargets.complete({ operationId: "assist:complete:1", targetId })
```

Required Changes

- Configuration: Keep target identity, urgency, position, and terminal policy; use the semantic target dataset shape.
- Snapshot: Map targets and counts into getSnapshot(); legacy resource identities are not accepted.
- Events: Use exact transition receipts and Domain events instead of importing legacy event constants.

- Optional adapters: None.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Lost and completed terminal states could conflict.
- Terminal targets could transition again.
- Result references and nearest ties were unstable.

Proof: `src/core-domains/interaction/tests/restored-interaction-behaviors.mjs`.

3. `src/cargo-manifest-kit.js`

Status: `implemented-and-proven` | SHA-256 at S:

`96bc115eb1e25cc89a8280b6e9c6cf1be08c69666185783a58d348eb813957e3` | Lineage: K -> S -> X

Historical factories: `createCargoManifestKit`. Historical helpers: `queryNearestCargo`. Historical resources: `CargoManifestState`. Historical events: `CargoPickedUp`, `CargoDeposited`, `CargoQuotaCompleted`, `CargoConditionChanged`, `CargoConditionDepleted`. Historical engine APIs: `engine.cargoManifest`.

Import Cutover

Before:

```
import { createCargoManifestKit } from "nexusengine";
```

After:

```
import { createCargoManifestKit } from "nexusengine/domains/simulation/economy/cargo";

engine.n.cargoManifest.pickUp({ operationId: "cargo:pickup:1", itemId, carrierId })
```

Required Changes

- Configuration: Use finite nonnegative item values, quantities, weights, capacity, and quota.
- Snapshot: Map items, carriers, deposited value, and quota state into the validated portable snapshot.
- Events: Use pickup/deposit operation receipts; quota completion is an accepted transition event.
- Optional adapters: None.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Non-finite or negative values and quantities were accepted.
- Nested item metadata escaped by reference.
- Pickup and deposit lacked exact-once command identity.

Proof: `src/core-domains/simulation/tests/restored-economy-operations.mjs`.

4. `src/character-camera-kit.js`

Status: `implemented-and-proven` | SHA-256 at S:

`15ef74380bbb6b1d575b1ca6d7a2c486f7dbfe7944903cdd7e95d1d35e6f2891` | Lineage: I -> K -> S -> X

Historical factories: `createCameraKit`, `createCharacterCameraKit`. Historical helpers: None. Historical resources: None. Historical events: None. Historical engine APIs: None.

Import Cutover

Before:

```
import { createCameraKit, createCharacterCameraKit } from "nexusengine";
```

After:

```
import { createThirdPersonCameraKit } from "nexusengine/domains/presentation/camera/third-person";  
  
engine.n.thirdPersonCamera.describe({ operationId: "camera:1", delta: 1 / 60 })
```

Required Changes

- Configuration: Provide characterId and install public Character, Motion, and Camera capabilities before this Kit.
- Snapshot: Map yaw, pitch, sequence, and renderer-neutral descriptor; host camera objects are never snapshot data.
- Events: describe() returns a receipt containing the camera descriptor; host rendering remains external.
- Optional adapters: camera-world-occlusion-adapter-kit.
- Consumer status: not-started-outside-restoration-wave.

Corrected Defects

- Camera behavior read private movement state.
- Required bindings failed only during the first update.
- World occlusion was coupled to camera ownership.

Proof: src/core-domains/presentation/tests/third-person-camera-restoration.mjs, src/core-domains/simulation/tests/restored-integration-adapters.mjs.

5. src/economy-kit.js

Status: implemented-and-proven | SHA-256 at S :

c503e016dee6bda434349c2231080c735744ca478c5a199be9f6316fd7c4fc7a | Lineage: K -> S -> X

Historical factories: createEconomyKit. Historical helpers: None. Historical resources: EconomyState. Historical events: EconomyTransactionRequest, EconomyTransactionCompleted, EconomyTransactionRejected. Historical engine APIs: engine.economy.

Import Cutover

Before:

```
import { createEconomyKit } from "nexusengine";
```

After:

```
import { createEconomyAccountKit } from "nexusengine/domains/simulation/economy/accounts";  
  
engine.n.economy.transact({ operationId: "economy:1", account: "cash", amount: 10 })
```

Required Changes

- Configuration: Rename initial balance data to accounts and install the Runtime Transaction ledger before Economy Accounts.
- Snapshot: Map accounts and optional ledger records into the validated snapshot; old event queues are discarded.

- Events: `transact()` returns exact-once completed or rejected receipts and records them in Runtime Transaction.
- Optional adapters: None.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Transactions depended on an internal `engine.tick(0)`.
- `ledgerLimit` zero was mishandled.
- Non-finite balances and escaped metadata were possible.

Proof: `src/core-domains/simulation/tests/restored-economy-operations.mjs`.

6. `src/environmental-affordance-kit.js`

Status: `implemented-and-proven` | SHA-256 at S:

`4f2e25cce64efff5b250cae303e568f1e90b0e8eb821fbf3f9701d3e16745a2c` | Lineage: K -> S -> X

Historical factories: `createEnvironmentalAffordanceKit`. Historical helpers: `queryNearbyAffordances`. Historical resources: `EnvironmentalAffordanceState`. Historical events: `AffordanceEntered`, `AffordanceActivated`, `AffordanceCompleted`. Historical engine APIs: `engine.environmentalAffordances`.

Import Cutover

Before:

```
import { createEnvironmentalAffordanceKit } from "./src/environmental-affordance-kit.js";
```

After:

```
import { createEnvironmentalAffordanceKit } from "nexusengine/domains/interaction/environmental-affordance";
```

```
engine.n.environmentalAffordances.activate({ operationId: "affordance:1", affordanceId })
```

Required Changes

- Configuration: Keep portable affordance position, radius, requirements, and activation policy.
- Snapshot: Map affordances and counts; query diagnostics are not semantic state.
- Events: Queries are silent; `activate()` emits only accepted transitions through receipts.
- Optional adapters: None.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Queries mutated active state and emitted events.
- Unknown activation could mutate before rejection.
- Initial completion counts were wrong.

Proof: `src/core-domains/interaction/tests/restored-interaction-behaviors.mjs`.

7. `src/facility-operations-kit.js`

Status: `implemented-and-proven` | SHA-256 at S:

`f2e287cea085c259825c7321c70784c26f9f7a8084e74ed6bdc00bd99e419712` | Lineage: K -> S -> X

Historical factories: `createFacilityOperationsKit`. Historical helpers: None. Historical resources: `FacilityOperationsState`. Historical events: `FacilityOutputProduced`, `FacilityConditionChanged`. Historical engine APIs: `engine.facilityOperations`.

Import Cutover

Before:

```
import { createFacilityOperationsKit } from "nexusengine";
```

After:

```
import { createFacilityOperationsKit } from "nexusengine/domains/simulation/operations/facility";

engine.n.facilityOperations.advance({ operationId: "facility:step:1", delta: 1 })
```

Required Changes

- Configuration: Use finite output/upkeep descriptors and explicit intervals, capacity, condition, and status.
- Snapshot: Map facility cycle and condition state into portable records.
- Events: `advance()` returns portable operation outputs; install Facility Economy only when account effects are desired.
- Optional adapters: `facility-economy-adapter-kit`.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Non-finite output values were accepted.
- Nested configuration escaped by reference.
- Economy side effects were coupled to facility state.

Proof: `src/core-domains/simulation/tests/restored-economy-operations.mjs`, `src/core-domains/simulation/tests/restored-integration-adapters.mjs`.

8. src/hazard-field-kit.js

Status: `implemented-and-proven` | SHA-256 at S:

`555f7b16007f8adb7fc1e58c6143524e9f8ff37f18c0ca7bfa087921d77e0895` | Lineage: K -> S -> X

Historical factories: `createHazardFieldKit`. Historical helpers: `queryHazardCircle`. Historical resources: `HazardFieldState`. Historical events: `HazardFieldSpawned`, `HazardFieldCollision`. Historical engine APIs: `engine.hazardField`.

Import Cutover

Before:

```
import { createHazardFieldKit } from "nexusengine";
```

After:

```
import { createHazardFieldKit } from "nexusengine/domains/simulation/hazard-field";

engine.n.hazardField.advance({ operationId: "hazard:step:1", delta: 1 / 60 })
```

Required Changes

- Configuration: Use finite bounded hazard descriptors and stable IDs.
- Snapshot: Map hazards, sequences, and elapsed state; collision query results are not stored by querying.
- Events: Spawn and advance mutations emit accepted events; queryCircle() is read-only.
- Optional adapters: None.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Generated IDs could collide.
- Bounds were not fully validated.
- Collision queries exposed references or mutated query state.

Proof: `src/core-domains/simulation/tests/restored-progression-pressure.mjs`.

9. src/landmark-guidance-kit.js

Status: `implemented-and-proven` | SHA-256 at S :

`2233a9b147af597c62472152736a133c797b6ca554fdb0c5f8d43760f06894b` | Lineage: K -> S -> X

Historical factories: `createLandmarkGuidanceKit`. Historical helpers: `queryNearestLandmark`. Historical resources: `LandmarkGuidanceState`. Historical events: `LandmarkDiscovered`, `LandmarkReached`, `LandmarkActivated`. Historical engine APIs: `engine.landmarkGuidance`.

Import Cutover

Before:

```
import { createLandmarkGuidanceKit } from "../src/landmark-guidance-kit.js";
```

After:

```
import { createLandmarkGuidanceKit } from "nexusengine/domains/world/navigation/landmark-guidance";

engine.n.landmarkGuidance.reach({ operationId: "landmark:reach:1", landmarkId })
```

Required Changes

- Configuration: Keep stable landmark IDs, positions, radii, status, and metadata.
- Snapshot: Map landmarks and counts; discard legacy lastQuery mutation state.
- Events: Use exact discover/reach/activate receipts; nearest() is a deterministic read-only query.
- Optional adapters: None.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Inactive or completed landmarks could transition again.
- Initial counts and nested metadata were unsafe.
- Nearest ties were unstable and queries mutated state.

Proof: `src/core-domains/world/tests/restored-world-behaviors.mjs`.

10. src/lifecycle-progression-kit.js

Status: `implemented-and-proven` | SHA-256 at S :

`8e42b8135cb5d18351d7bc5589d94cfd84e248bdd9223bd0d4e609d2cfdb6da8` | Lineage: K -> S -> X

Historical factories: `createLifecycleProgressionKit`. Historical helpers: None. Historical resources: `LifecycleProgressionState`. Historical events: `LifecycleProgressionStart`, `LifecycleProgressionCompleted`. Historical engine APIs: `engine.lifecycleProgression`.

Import Cutover

Before:

```
import { createLifecycleProgressionKit } from "nexusengine";
```

After:

```
import { createLifecycleProgressionKit } from "nexusengine/domains/simulation/progression/lifecycle";

engine.n.lifecycleProgression.start({ operationId: "lifecycle:start:1", itemId })
```

Required Changes

- Configuration: Use items with stable IDs, prerequisites, finite duration, optional cost descriptor, and portable effects.
- Snapshot: Map item status, elapsed time, and completed IDs. Old queued events are not loaded.
- Events: `start()`/`advance()` return effect descriptors; Economy and Facility effects require explicit adapters.
- Optional adapters: `lifecycle-economy-adapter-kit`, `lifecycle-facility-adapter-kit`.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Costs or events could occur before prerequisites passed.
- Payloads leaked references.
- Economy and Facility mutations were coupled to progression.

Proof: `src/core-domains/simulation/tests/restored-progression-pressure.mjs`, `src/core-domains/simulation/tests/restored-integration-adapters.mjs`.

11. src/navmesh-kit.js

Status: `implemented-and-proven` | SHA-256 at S :

`6b655c26562901c360c9152a01b22e0adc8d20352e900f8bcab301b9c856de3a` | Lineage: N -> S -> X

Historical factories: `createNavMeshKit`. Historical helpers: `createNavMeshFromWalkability`, `create3DNavigationGraph`. Historical resources: None. Historical events: None. Historical engine APIs: `engine.navmesh`.

Import Cutover

Before:

```
import { createNavMeshKit } from "nexusengine";
```

After:

```
import { createNavMeshKit } from "nexusengine/domains/world/navigation/navmesh";

engine.n.navmesh.build({ operationId: "navmesh:build:1", walkability })
```

Required Changes

- Configuration: Provide normalized walkability cells with unique stable IDs and finite blocked-cost policy.
- Snapshot: Map portable nodes, edges, and source hash; Maps, Sets, and Infinity are rejected.
- Events: build() returns an exact operation receipt; pure graph builders remain exported from the subpath.
- Optional adapters: None.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Duplicate coordinates or keys silently collapsed IDs.
- Blocked costs used non-portable Infinity.

Proof: `src/core-domains/world/tests/restored-world-behaviors.mjs`.

12. src/occupant-flow-kit.js

Status: `implemented-and-proven` | SHA-256 at S:

`c07eb5bc1d6e862b4462324cbf707f442da08afd86c9ca87af1e0f2b19077d29` | Lineage: K -> S -> X

Historical factories: `createOccupantFlowKit`. Historical helpers: None. Historical resources: `OccupantFlowState`. Historical events: `OccupantSpawn`, `OccupantNeedCreated`, `OccupantServed`, `OccupantAbandoned`. Historical engine APIs: `engine.occupantFlow`.

Import Cutover

Before:

```
import { createOccupantFlowKit } from "nexusengine";
```

After:

```
import { createOccupantFlowKit } from "nexusengine/domains/simulation/operations/occupant-flow";

engine.n.occupantFlow.advance({ operationId: "occupants:step:1", delta: 1 })
```

Required Changes

- Configuration: Use portable occupants and deterministic spawn rules. Request policy is not part of this config.
- Snapshot: Map occupants, rules, elapsed time, and next sequence; reset restores the original normalized rules.
- Events: spawn/serve/advance return receipts; install Occupant Request to create queue records.
- Optional adapters: `occupant-request-adapter-kit`.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Reset reused mutated spawn configuration.
- Generated IDs could collide.
- Request creation and internal engine.tick(0) coupled other domains.

Proof: `src/core-domains/simulation/tests/restored-economy-operations.mjs`, `src/core-domains/simulation/tests/restored-integration-adapters.mjs`.

13. src/pathfinding-kit.js

Status: `implemented-and-proven` | SHA-256 at S:

`54fcc95c2e9a2dd8afdcf44629627de7b712de6f558608a948b7cb00e5d37b7b` | Lineage: N -> S -> X

Historical factories: `createPathfindingKit`. Historical helpers: `navigationHeuristics`, `createAStarPathfinder`, `navigationAdapters`, `createNavigationQuery`. Historical resources: None. Historical events: None. Historical engine APIs: `engine.navigation`.

Import Cutover

Before:

```
import { createPathfindingKit } from "nexusengine";
```

After:

```
import { createPathfindingKit } from "nexusengine/domains/world/navigation/pathfinding";

engine.n.pathfinding.findPath({ operationId: "path:1", start, goal })
```

Required Changes

- Configuration: Select an explicit public navigation adapter and finite heuristic/cost policy.
- Snapshot: Map portable request and result records; provider functions are never snapshot data.
- Events: `findPath()` returns resolved/failed receipts; pure A* helpers remain available at the subpath.
- Optional adapters: None.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Negative or non-finite edge costs were accepted.
- Requests, paths, and results leaked references.

Proof: `src/core-domains/world/tests/restored-world-behaviors.mjs`.

14. src/procedural-kit.js

Status: `implemented-and-proven` | SHA-256 at S:

`26a313962334fe915b21d079d0f93a4c99962cbf19bcc7d90a94ca506d312962` | Lineage: N -> S -> X

Historical factories: `createProceduralKit`. Historical helpers: `proceduralAlgorithms`, `createProceduralSnapshot`, `createProceduralQuery`. Historical resources: None. Historical events: None. Historical engine APIs: `engine.procedural`.

Import Cutover

Before:

```
import { createProceduralKit } from "nexusengine";
```

After:

```
import { createProceduralGenerationKit } from "nexusengine/domains/world/generation";

engine.n.proceduralGeneration.generate({ operationId: "generation:1" })
```

Required Changes

- Configuration: Provide seed, algorithm IDs, version, and neutral region/connector/point configuration. Authored meanings remain recipe data.
- Snapshot: Regenerate from the SHA-256 identity or map only portable generated descriptors; live providers are excluded.
- Events: generate() returns an exact receipt and snapshot identity; pure query helpers remain at the subpath.
- Optional adapters: None.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Identity did not hash the complete normalized generation contract.
- Game-shaped meanings and live state leaked through the generic facade.

Proof: `src/core-domains/world/tests/restored-world-behaviors.mjs`.

15. src/pursuit-pressure-kit.js

Status: `implemented-and-proven` | SHA-256 at S:

`3925ee176302ba2936cd2fd767e760b8dcc52bc7f661b4f6ee356876ea669915` | Lineage: K -> S -> X

Historical factories: `createPursuitPressureKit`. Historical helpers: `pursuitBand`. Historical resources: `PursuitPressureState`. Historical events: `PursuitPressureChanged`, `PursuitPressureCaught`, `PursuitPressureRecovered`. Historical engine APIs: `engine.pursuitPressure`.

Import Cutover

Before:

```
import { createPursuitPressureKit } from "../src/pursuit-pressure-kit.js";
```

After:

```
import { createPursuitPressureKit } from "nexusengine/domains/simulation/pursuit-pressure";

engine.n.pursuitPressure.setDistance({ operationId: "pursuit:1", distance })
```

Required Changes

- Configuration: Use finite distance thresholds and explicit caught/recovery rules.
- Snapshot: Map distance, band, caught state, and transition history into portable state.
- Events: setDistance()/adjust() return one receipt per accepted transition.
- Optional adapters: None.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Initial caught state could disagree with distance.
- Accepted band transitions were not all recorded.
- Recovery and caught transitions could be incoherent.

Proof: `src/core-domains/simulation/tests/restored-progression-pressure.mjs`.

16. src/request-fulfillment-kit.js

Status: `implemented-and-proven` | SHA-256 at S:

`d491b00e3c4e6f3b0762bea676340ba12e1a1ce30ef9beaace0c6dc6f610f0b8` | Lineage: K -> S -> X

Historical factories: `createRequestFulfillmentKit`. Historical helpers: `queryNearestOpenRequest`. Historical resources: `RequestFulfillmentState`. Historical events: `RequestFulfillmentCreated`, `RequestFulfillmentCompleted`, `RequestFulfillmentExpired`. Historical engine APIs: `engine.requestFulfillment`.

Import Cutover

Before:

```
import { createRequestFulfillmentKit } from "./src/request-fulfillment-kit.js";
```

After:

```
import { createRequestFulfillmentKit } from "nexusengine/domains/interaction/request/fulfillment";

engine.n.requestFulfillment.complete({ operationId: "request:complete:1", requestId })
```

Required Changes

- Configuration: Use stable request IDs, portable positions, finite radii/timeouts, and explicit rewards as data.
- Snapshot: Map request status and counters; old resource identities are rejected.
- Events: create/complete/advance mutations return exact receipts; nearest() is read-only.
- Optional adapters: None.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Generated IDs could collide.
- Metadata and nearest results leaked references.
- Completion was not exact-once.

Proof: `src/core-domains/interaction/tests/restored-interaction-behaviors.mjs`.

17. src/request-queue-kit.js

Status: `implemented-and-proven` | SHA-256 at S:

`4f4471547e57c848054f18a81fdd296472a74171703961c44c90a80e37aa5fc3` | Lineage: K -> S -> X

Historical factories: `createRequestQueueKit`. Historical helpers: None. Historical resources: `RequestQueueState`. Historical events: `RequestQueueAdd`, `RequestQueueFulfill`, `RequestQueueExpired`, `RequestQueueFulfilled`. Historical engine APIs: `engine.requestQueue`.

Import Cutover

Before:

```
import { createRequestQueueKit } from "nexusengine";
```

After:

```
import { createRequestQueueKit } from "nexusengine/domains/interaction/request/queue";

engine.n.requestQueue.add({ operationId: "request:add:1", request })
```

Required Changes

- Configuration: Normalize default reward/penalty once and keep effects descriptive.
- Snapshot: Map portable queue records, counts, and last outcome; no event queue is loaded.
- Events: add/fulfill/advance return exact receipts; install Request Economy to apply account effects.
- Optional adapters: `request-economy-adapter-kit`.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Commands called `engine.tick(0)` internally.
- Default rewards were repeatedly normalized.
- Reward effects depended on install order.

Proof: `src/core-domains/interaction/tests/restored-interaction-behaviors.mjs`, `src/core-domains/simulation/tests/restored-integration-adapters.mjs`.

18. src/route-field-kit.js

Status: `implemented-and-proven` | SHA-256 at S :

`fcbbf44196b5f8dc1ab3b705f84ee0fe20d1b80ec6b02533da6c3a47e49a571a` | Lineage: K -> S -> X

Historical factories: `createRouteFieldKit`. Historical helpers: `queryNearestRouteMarker`. Historical resources: `RouteFieldState`. Historical events: None. Historical engine APIs: `engine.routeField`.

Import Cutover

Before:

```
import { createRouteFieldKit } from "nexusengine";
```

After:

```
import { createRouteFieldKit } from "nexusengine/domains/world/navigation/route-field";

engine.n.routeField.nearest(point, { filter })
```

Required Changes

- Configuration: Use stable marker IDs, finite positions, and portable marker metadata.
- Snapshot: Map marker data only; legacy query diagnostics are discarded.
- Events: `nearest()` is a deterministic read-only query; mutations require operation IDs.
- Optional adapters: None.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Nearest-marker queries mutated `lastQuery`.
- Nested marker data leaked references.
- Equal-distance ordering was unstable.

Proof: `src/core-domains/world/tests/restored-world-behaviors.mjs`.

19. src/schedule-kit.js

Status: `implemented-and-proven` | SHA-256 at S:

`5f5b0c2af888fa1db633627ce04bcf5d742357f9a4e693fc9ac644d8d7058dbc` | Lineage: K -> S -> X

Historical factories: `createScheduleKit`. Historical helpers: `None`. Historical resources: `ScheduleState`. Historical events: `ScheduleCycle`. Historical engine APIs: `engine.schedule`.

Import Cutover

Before:

```
import { createScheduleKit } from "nexusengine";
```

After:

```
import { createScheduleKit } from "nexusengine/domains/runtime/sequence/schedule";

engine.n.schedule.advance({ operationId: "schedule:step:1", delta })
```

Required Changes

- Configuration: Use finite cycle intervals, `firstAt`, `repeat`, `active`, and time scale fields.
- Snapshot: Map elapsed time, scale, and `nextAt`; one-shot completion uses `active false` and `nextAt null` instead of `Infinity`.
- Events: `advance()` returns every occurrence crossed by the delta in deterministic order.
- Optional adapters: `None`.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Non-finite time scales were accepted.
- Large deltas lost cycles or residual time.

Proof: `src/core-domains/simulation/tests/restored-economy-operations.mjs`.

20. src/spatial-scale-kit.js

Status: `implemented-and-proven` | SHA-256 at S:

`34dd18654c89f523e211beddc00438ed5e1e7cbca52be81c1c0f19365b8c602c` | Lineage: K -> S -> X

Historical factories: `createSpatialScaleKit`. Historical helpers: `queryNearestScaleAnchor`. Historical resources: `SpatialScaleState`. Historical events: `SpatialScaleBandChanged`, `SpatialScaleAnchorEntered`. Historical engine APIs: `engine.spatialScale`.

Import Cutover

Before:

```
import { createSpatialScaleKit } from "../src/spatial-scale-kit.js";
```

After:

```
import { createSpatialScaleKit } from "nexusengine/domains/spatial/scale";

engine.n.spatialScale.update({ operationId: "scale:1", subject: point })
```

Required Changes

- Configuration: Use stable anchors with finite position, radius, and band data.
- Snapshot: Map subject, active band, and active anchor; nearest-query diagnostics are not required.
- Events: update() evaluates every anchor before emitting one accepted band/enter transition; nearest() is read-only.
- Optional adapters: None.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- An outside nearest anchor could suppress a valid enter transition from another anchor.
- Queries stored diagnostics in semantic state.

Proof: `src/core-domains/spatial/tests/spatial-scale-restoration.mjs`.

21. src/terrain-kit.js

Status: `implemented-and-proven` | SHA-256 at S :

`cf81275942d6e019a31b0a060f162f67eeadc3e424d88f78d87eb4578c4106b5` | Lineage: `I -> K -> T -> R -> S -> X`

Historical factories: `createTerrainKit`. Historical helpers: `terrainLayers`, `createTerrainQuery`. Historical resources: None. Historical events: None. Historical engine APIs: None.

Import Cutover

Before:

```
import { createTerrainKit } from "nexusengine";
```

After:

```
import { createTerrainKit } from "nexusengine/domains/world/terrain";

engine.n.terrain.sample({ operationId: "terrain:sample:1", points })
```

Required Changes

- Configuration: Keep only neutral terrain layers, finite bounds, spline data, cell policy, and surface descriptors. Move authored presets and palettes to recipe/game data.
- Snapshot: Map portable sampled cells and query version; old Map/Set caches and renderer data are rejected.
- Events: sample/build/release operations return receipts; pure terrain query helpers remain at the subpath.
- Optional adapters: `camera-world-occlusion-adaptor-kit`.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Hidden cells were retained indefinitely.
- Spline bounds were incompletely evaluated.
- Core defaults contained cozy-beach presets, palettes, camera volumes, routes, and product fall data.

Proof: `src/core-domains/world/tests/restored-world-behaviors.mjs`.

22. src/transfer-zone-kit.js

Status: `implemented-and-proven` | SHA-256 at S :

`b1fc29d1665490f3b68abe9380cedd405273e246a492cd546681e65f3d7de4c7` | Lineage: K -> S -> X

Historical factories: `createTransferZoneKit` . Historical helpers: None. Historical resources: `TransferZoneState` . Historical events: `TransferZoneCompleted` . Historical engine APIs: `engine.transferZones` .

Import Cutover

Before:

```
import { createTransferZoneKit } from "./src/transfer-zone-kit.js";
```

After:

```
import { createTransferZoneKit } from "nexusengine/domains/interaction/transfer-zone";

engine.n.transferZones.transfer({ operationId: "transfer:1", zoneId, candidate })
```

Required Changes

- Configuration: Use explicit zone shape, acceptedTypes, dwellSeconds, capacity, and portable metadata.
- Snapshot: Map occupancy, dwell, and completed transfer records into validated state.
- Events: enter/advance/transfer mutations emit only after every constraint passes.
- Optional adapters: None.
- Consumer status: `not-started-outside-restoration-wave` .

Corrected Defects

- Accepted types, dwell time, and capacity were described but not enforced before transfer.

Proof: `src/core-domains/interaction/tests/restored-interaction-behaviors.mjs` .

23. src/transport-route-kit.js

Status: `implemented-and-proven` | SHA-256 at S :

`a49cc513571ffdb9b9bf723507f8f7392108a222fdc52749e1771475468ee51b` | Lineage: K -> S -> X

Historical factories: `createTransportRouteKit` . Historical helpers: None. Historical resources: `TransportRouteState` . Historical events: `TransportRouteCall` , `TransportRouteArrived` . Historical engine APIs: `engine.transportRoutes` .

Import Cutover

Before:

```
import { createTransportRouteKit } from "nexusengine";
```

After:

```
import { createTransportRouteKit } from "nexusengine/domains/simulation/operations/transport-route";

engine.n.transportRoutes.advance({ operationId: "transport:step:1", delta })
```

Required Changes

- Configuration: Use stable stops, finite carrier speed/capacity, and portable call metadata.
- Snapshot: Map carriers, waiting calls, progress, and arrival receipts.
- Events: call/advance return exact receipts; install Transport Request to fulfill queue entries.
- Optional adapters: `transport-request-adapter-kit`.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- Large deltas dropped route legs and residual progress.
- Caller metadata escaped by reference.
- Request integration and internal `engine.tick(0)` were coupled.

Proof: `src/core-domains/simulation/tests/restored-economy-operations.mjs`, `src/core-domains/simulation/tests/restored-integration-adapters.mjs`.

24. src/vehicle-dynamics-kit.js

Status: `implemented-and-proven` | SHA-256 at S :

`07cd227201a85f0aa6a2ba202332ffac87e69a98e3b6893fb7f1b8cdc19db7e6` | Lineage: K -> S -> X

Historical factories: `createVehicleDynamicsKit`. Historical helpers: None. Historical resources: `VehicleDynamicsState`.

Historical events: `VehicleDynamicsInput`, `VehicleImpact`. Historical engine APIs: `engine.vehicleDynamics`.

Import Cutover

Before:

```
import { createVehicleDynamicsKit } from "nexusengine";
```

After:

```
import { createVehicleDynamicsKit } from "nexusengine/domains/simulation/motion/vehicle";

engine.n.vehicleDynamics.step({ operationId: "vehicle:step:1", delta: 1 / 60, input })
```

Required Changes

- Configuration: Use finite dynamics, boost, bounds, and initial motion values. Do not include water policy.
- Snapshot: Map position, velocity, heading, boost, bounds, and last frame.
- Events: `step()` returns a receipt and emits impact only when accepted; water response requires an adapter.
- Optional adapters: `vehicle-water-response-adapter-kit`.
- Consumer status: `not-started-outside-restoration-wave`.

Corrected Defects

- `boost.max` zero could still create a boosted frame.
- Dynamics values were incompletely validated.
- Water response was coupled to vehicle state.

Proof: `src/core-domains/simulation/tests/restored-motion-behaviors.mjs`, `src/core-domains/simulation/tests/restored-integration-adapters.mjs`.

25. src/water-surface-kit.js

Status: `implemented-and-proven` | SHA-256 at S :

`d278cedbd3d1903148ec5fd3bd1b64b79972364890ece485260822bd266518bf` | Lineage: K -> S -> X

Historical factories: `createWaterSurfaceKit` . Historical helpers: `queryWaterSurface` . Historical resources: `WaterSurfaceState` . Historical events: None. Historical engine APIs: `engine.waterSurface` .

Import Cutover

Before:

```
import { createWaterSurfaceKit } from "nexusengine";
```

After:

```
import { createWaterSurfaceKit } from "nexusengine/domains/world/water-surface";

engine.n.waterSurface.query(point)
```

Required Changes

- Configuration: Use renderer-neutral water zones, depth, drag, current, wave, hazard, and metadata descriptors.
- Snapshot: Map zones and elapsed wave state; renderer objects and query diagnostics are rejected.
- Events: `query()` is read-only; `advance()` is the only elapsed-state mutation.
- Optional adapters: `vehicle-water-response-adapter-kit` .
- Consumer status: `not-started-outside-restoration-wave` .

Corrected Defects

- Queries mutated `lastQuery`.
- Nested zone metadata and query results escaped by reference.
- Renderer-shaped surface data was mixed with world queries.

Proof: `src/core-domains/world/tests/restored-world-behaviors.mjs` , `src/core-domains/simulation/tests/restored-integration-adapters.mjs` .

26. src/world-physics-kit.js

Status: `implemented-and-proven` | SHA-256 at S :

`ad6f7324b3e9ae4c2048198ada08458b5a5d25f320599cb0fe04ad89841fe84a` | Lineage: I -> K -> S -> X

Historical factories: `createPhysicsKit` , `createWorldPhysicsKit` . Historical helpers: None. Historical resources: None. Historical events: None. Historical engine APIs: None.

Import Cutover

Before:

```
import { createPhysicsKit, createWorldPhysicsKit } from "nexusengine";
```

After:

```
import { createWorldContactKit } from "nexusengine/domains/simulation/physics/world-contact";
import { createSoftRespawnKit } from "nexusengine/domains/simulation/recovery/soft-respawn";

engine.n.worldContact.resolve({ operationId: "contact:1", body, sample });
engine.n.softRespawn.recover({ operationId: "respawn:1", subjectId, reason })
```

Required Changes

- Configuration: Split contact bounds/slope/impact config from recovery points and recovery policy. The current createPhysicsKit is only the provider-neutral Physics contract and is not this legacy behavior.
- Snapshot: Split old state into World Contact and Soft Respawn snapshots. No old world-physics snapshot is accepted directly.
- Events: resolve() emits contact/correction/recovery-required data; recover() commits one exact-once coherent recovery receipt.
- Optional adapters: locomotion-contact-response-adapter-kit.
- Consumer status: not-started-outside-restoration-wave.

Corrected Defects

- One module owned contact, stability, fall policy, and respawn state.
- Respawn events and contact state could become incoherent.
- The historical createPhysicsKit name now conflicts semantically with the provider-neutral Physics contract Kit.

Proof: src/core-domains/simulation/tests/restored-motion-behaviors.mjs , src/core-domains/simulation/tests/restored-integration-adapters.mjs .

Optional Integration Adapters

Adapters are independently installed. They import no private sibling and never auto-install either side of an integration.

Adapter	Import	Requires	Provides
locomotion-contact-response-adapter-kit	nexusengine/domains/simulation/adapters/locomotion-contact-response	motion:locomotion-intent , physics:world-contact	motion:contact-response
camera-world-occlusion-adapter-kit	nexusengine/domains/presentation/adapters/camera-world-occlusion	camera:third-person-descriptor , world:terrain-sampling , physics:query	camera:world-occlusion-response
vehicle-water-response-adapter-kit	nexusengine/domains/simulation/adapters/vehicle-water-response	motion:vehicle-dynamics , world:water-query	motion:vehicle-water-response
lifecycle-economy-adapter-kit	nexusengine/domains/simulation/adapters/lifecycle-economy	progression:lifecycle , economy:transaction	progression:lifecycle-economy-adapter
lifecycle-facility-adapter-kit	nexusengine/domains/simulation/adapters/lifecycle-facility	progression:lifecycle , operations:facility	progression:lifecycle-facility-adapter
facility-economy-adapter-kit	nexusengine/domains/simulation/adapters/facility-economy	operations:facility , economy:transaction	operations:facility-economy-adapter
occupant-request-adapter-kit	nexusengine/domains/interaction/adapters/occupant-request	operations:occupant-flow , interaction:request-queue	interaction:occupant-request-adapter

Adapter	Import	Requires	Provides
transport-request-adapter-kit	nexusengine/domains/interaction/adapters/transport-request	operations:transport-route , interaction:request-queue	interaction:transport-request-adapter
request-economy-adapter-kit	nexusengine/domains/interaction/adapters/request-economy	interaction:request-queue , economy:transaction	interaction:request-economy-adapter

Generated Recipes

- procedural-navigation
- terrain-character-traversal
- management-operations
- vehicle-rescue-logistics
- spatial-guidance
- hazard-pursuit

Physics Name Warning

The historical `createPhysicsKit` from `src/world-physics-kit.js` and the current provider-neutral `createPhysicsKit` are not equivalent. Replace historical world behavior with `createWorldContactKit` plus `createSoftRespawnKit`; use the current `createPhysicsKit` only for Physics contracts and providers.

GENERATED REFERENCE

NexusEngine 0.0.4 Root Module Dispositions

Source commit: a9adca5b3620f996f00860358c4864dd4bdfa6d9

This is a hard cutover. Removed modules are not forwarded. Sources marked core-restored now use manifest-owned semantic subpaths; all other rows name their external owner or replacement.

Removed Exports From Retained Modules

Source	Removed exports	Disposition	Replacement
src/core-domains/compute/subdomains/model/kits/model-kit/index.js	createMockModelAdapter	recipe-data	Inject createModelAdapterBoundary({ infer }) into createModelKit({ adapters }).
src/core-domains/presentation/subdomains/sky/kits/sky-kit/index.js	CORE_SKYBOX_PRESETS	recipe-data	Pass caller-owned preset data to createSkyDescriptorKit({ presets }) or registerPreset().
src/core-domains/presentation/subdomains/speech/kits/speech-kit/index.js	createTinyTTSAAssetManifest , createTinyTTSProvider , registerTinyTTSAAssets	external-kit	Install a model, network, and asset implementation through createSpeechKit().registerProvider().
src/core-domains/presentation/subdomains/speech/kits/speech-kit/pocket-tts-provider.js	createPocketTTSAAssetManifest , createPocketTTSHttpAssetProvider , createPocketTTSProvider , registerPocketTTSAAssets	external-kit	Install PocketTTS through createSpeechKit().registerProvider().

Retired Source Modules

Source	Disposition	Owner	Core requirements
bin/nexus-editor.mjs	external-kit	NexusEngine-Editor	n:composition , n:host , n:mcp
src/action-movement-kit.js	core-restored	NexusEngine manifests: n:simulation:motion:locomotion	action-locomotion-kit
src/assistance-target-kit.js	core-restored	NexusEngine manifests: n:interaction:assistance-target	assistance-target-kit
src/cargo-manifest-kit.js	core-restored	NexusEngine manifests: n:simulation:economy:cargo	cargo-manifest-kit
src/character-camera-kit.js	core-restored	NexusEngine manifests: n:presentation:camera:third-person	third-person-camera-kit
src/common-game-definitions.js	recipe-data	NexusEngine-Kits recipes	n:actor , n:interaction , n:simulation
src/core-domains/compute/subdomains/model/kits/model-kit/mock-model-adapter.js	recipe-data	NexusEngine tests	n:compute:model
src/core-domains/presentation/subdomains/speech/kits/speech-kit/pocket-tts-provider.js	external-kit	NexusEngine-Kits adapters	n:asset , n:compute:model , n:presentation:speech

Source	Disposition	Owner	Core requirements
src/core-domains/world/subdomains/scene/kits/scene-kit/hosts/headless-scene-host.js	external-kit	NexusEngine-Editor adapters	n:host , n:world:scene
src/core-domains/world/subdomains/scene/kits/scene-kit/hosts/native-scene-host.js	external-kit	NexusEngine-Editor adapters	n:host , n:world:scene
src/core-domains/world/subdomains/scene/kits/scene-kit/hosts/rust-native-scene-host.js	external-kit	NexusEngine-Editor adapters	n:host , n:world:scene
src/core-domains/world/subdomains/scene/kits/scene-kit/hosts/web-html-scene-host.js	external-kit	NexusEngine-Editor adapters	n:host , n:world:scene
src/core-domains/world/subdomains/scene/kits/scene-kit/hosts/web-scene-host.js	external-kit	NexusEngine-Editor adapters	n:host , n:world:scene
src/economy-kit.js	core-restored	NexusEngine manifests: n:simulation:economy:accounts	economy-account-kit
src/environmental-affordance-kit.js	core-restored	NexusEngine manifests: n:interaction:environmental-affordance	environmental-affordance-kit
src/facility-operations-kit.js	core-restored	NexusEngine manifests: n:simulation:operations:facility	facility-operations-kit
src/game-kit-composer.js	duplicate	n:composition	n:composition , n:policy
src/hazard-field-kit.js	core-restored	NexusEngine manifests: n:simulation:hazard-field	hazard-field-kit
src/host.js	external-kit	NexusEngine-Editor	n:composition , n:host , n:policy
src/hosts/browser/browser-indexeddb-asset-cache-adapter.js	external-kit	NexusEngine-Editor adapters	n:asset , n:host , n:presentation
src/hosts/browser/browser-presentation-surface-adapter.js	external-kit	NexusEngine-Editor adapters	n:asset , n:host , n:presentation
src/hosts/browser/browser-startup-presentation-adapter.js	external-kit	NexusEngine-Editor adapters	n:asset , n:host , n:presentation
src/landmark-guidance-kit.js	core-restored	NexusEngine manifests: n:world:navigation:landmark-guidance	landmark-guidance-kit
src/lifecycle-progression-kit.js	core-restored	NexusEngine manifests: n:simulation:progression:lifecycle	lifecycle-progression-kit
src/modules/nexus-diffusion/index.js	external-kit	NexusEngine-Kits	n:compute , n:compute:model , n:runtime:data

Source	Disposition	Owner	Core requirements
src/modules/nexus-diffusion/nexus-diffusion-domain.js	external-kit	NexusEngine-Kits	n:compute , n:compute:model , n:runtime:data
src/modules/nexus-diffusion/subdomains/backend/index.js	external-kit	NexusEngine-Kits	n:compute , n:compute:model , n:runtime:data
src/modules/nexus-diffusion/subdomains/checkpoint/index.js	external-kit	NexusEngine-Kits	n:compute , n:compute:model , n:runtime:data
src/modules/nexus-diffusion/subdomains/dataset/index.js	external-kit	NexusEngine-Kits	n:compute , n:compute:model , n:runtime:data
src/modules/nexus-diffusion/subdomains/model/index.js	external-kit	NexusEngine-Kits	n:compute , n:compute:model , n:runtime:data
src/modules/nexus-diffusion/subdomains/noise/index.js	external-kit	NexusEngine-Kits	n:compute , n:compute:model , n:runtime:data
src/modules/nexus-diffusion/subdomains/preview/index.js	external-kit	NexusEngine-Kits	n:compute , n:compute:model , n:runtime:data
src/modules/nexus-diffusion/subdomains/sampling/index.js	external-kit	NexusEngine-Kits	n:compute , n:compute:model , n:runtime:data
src/modules/nexus-diffusion/subdomains/tensor/index.js	external-kit	NexusEngine-Kits	n:compute , n:compute:model , n:runtime:data
src/modules/nexus-diffusion/subdomains/training/index.js	external-kit	NexusEngine-Kits	n:compute , n:compute:model , n:runtime:data
src/modules/nexus-diffusion/utils/seeded-random.js	external-kit	NexusEngine-Kits	n:compute , n:compute:model , n:runtime:data
src/navmesh-kit.js	core-restored	NexusEngine manifests: n:world:navigation:navmesh	navmesh-kit
src/occupant-flow-kit.js	core-restored	NexusEngine manifests: n:simulation:operations:occupant-flow	occupant-flow-kit
src/pathfinding-kit.js	core-restored	NexusEngine manifests: n:world:navigation:pathfinding	pathfinding-kit
src/procedural-kit.js	core-restored	NexusEngine manifests: n:world:generation	procedural-generation-kit
src/procedural-navigation-extensions.js	duplicate	NexusEngine-Kits	n:composition
src/pursuit-pressure-kit.js	core-restored	NexusEngine manifests: n:simulation:pursuit-pressure	pursuit-pressure-kit
src/renderers.js	external-kit	NexusEngine-Kits adapters	n:host , n:presentation:output
src/renderers/three/three-object-capture-provider.js	external-kit	NexusEngine-Kits adapters	n:host , n:object , n:presentation

Source	Disposition	Owner	Core requirements
src/renderers/three/three-presentation-output-adapter.js	external-kit	NexusEngine-Kits adapters	n:host, n:object, n:presentation
src/renderers/three/three-subject-bounds-adapter.js	external-kit	NexusEngine-Kits adapters	n:host, n:object, n:presentation
src/request-fulfillment-kit.js	core-restored	NexusEngine manifests: n:interaction:request:fulfillment	request-fulfillment-kit
src/request-queue-kit.js	core-restored	NexusEngine manifests: n:interaction:request:queue	request-queue-kit
src/route-field-kit.js	core-restored	NexusEngine manifests: n:world:navigation:route-field	route-field-kit
src/scenario-driver-kit.js	game-owned	Experiments or game repository	n:composition, n:runtime:sequence, n:simulation
src/scenario-duration-kit.js	game-owned	Experiments or game repository	n:runtime:sequence, n:simulation
src/schedule-kit.js	core-restored	NexusEngine manifests: n:runtime:sequence:schedule	schedule-kit
src/shaders.js	external-kit	NexusEngine-Kits adapters	n:host, n:presentation:graphics
src/spatial-scale-kit.js	core-restored	NexusEngine manifests: n:spatial:scale	spatial-scale-kit
src/terrain-kit.js	core-restored	NexusEngine manifests: n:world:terrain	terrain-kit
src/transfer-zone-kit.js	core-restored	NexusEngine manifests: n:interaction:transfer-zone	transfer-zone-kit
src/transport-route-kit.js	core-restored	NexusEngine manifests: n:simulation:operations:transport-route	transport-route-kit
src/vehicle-dynamics-kit.js	core-restored	NexusEngine manifests: n:simulation:motion:vehicle	vehicle-dynamics-kit
src/water-surface-kit.js	core-restored	NexusEngine manifests: n:world:water-surface	water-surface-kit
src/world-physics-kit.js	core-restored	NexusEngine manifests: n:simulation:physics:world-contact, n:simulation:recovery:soft-respawn	world-contact-kit, soft-respawn-kit
tools/headless-editor/	external-kit	NexusEngine-Editor	n:composition, n:host, n:mcp, n:policy

GENERATED REFERENCE

Frozen ProtoKit Extraction

Canonical source: <https://github.com/LuminaryLabs-Agents/NexusEngine-ProtoKits.git> at `0d102649267737230d618b30fe6f9465b198d234`

Coverage: **3698/3698 source items (100%)** across **530 ProtoKit folders**. Source code was parsed as text and never executed.

Dispositions

Disposition	Source items
core-reuse	119
core-composition	115
core-new-atom	0
external-kit	3096
recipe-data	113
game-owned	236
duplicate	0
rejected-unproven	19

Core Gap Set

No historical source item passed every Core-new-atom gate. The frozen Core gap set is empty; unproven generic-looking behavior remains external or rejected rather than being promoted by name.

Deterministic Batches

Batch	First folder	Last folder	Folders
batch-01	2d-platformer-domain	blackwake-kit-registry	50
batch-02	blackwake-preset-kit	domain-taxonomy-domain-kit	50
batch-03	downhill-race-kit	generic-cargo-kit	50
batch-04	generic-cargo-transfer-kit	generic-replay-test-kit	50
batch-05	generic-resource-loop-kit	ground-contact-kit	50
batch-06	guard-domain-kit	navigation-knowledge-domain-kit	50
batch-07	negotiation-commitment-domain-kit	openxr-hand-adapter-dsk	50
batch-08	orchard-biome-kit	render-layer-kit	50
batch-09	render-quality-budget-kit	stream-backpressure-kit	50
batch-10	stream-channel-kit	water-stream-kit	50
batch-11	water-surface-kit	zone-field-kit	30

Artifacts

- `source.json`: immutable source identity and complete snapshot hash.

- `inventory.json` : files, exports, state/lifecycle signals, dependencies, consumers, providers, and adapters by folder.
- `dispositions.json` : canonical export-level ownership and reconstruction ledger.
- `core-gap-set.json` : frozen result of the new-Core-atom gate.