




Design authority for the Leptos implementation, trust grammar, responsive states, and validation plan.

Status

Version 2 expands visual direction into an executable product-design contract. It preserves signed calls, authoritative refreshes, explicit conflicts, visible dependency gates, and no silent mock fallback.

Executive summary

Mycelix Marketplace should feel like a calm, evidence-bearing commons rather than an engagement-maximizing retail feed. Version 2 defines not only how the product looks, but how it communicates authority, uncertainty, intent, ranking, terms, conflict, and remedies across complete buyer and seller journeys.

What v2 adds Intent discovery, explainable ranking, buyer/seller journeys, purchase terms, message semantics, conflict resolution, route-state matrices, component contracts, governance, localization, and research metrics.	What remains invariant Evidence before persuasion, one safe next action, fail visibly, progressive disclosure, human language first, and authoritative state after every write.
Primary audience Leptos implementers, Holochain/backend engineers, product designers, accessibility reviewers, test authors, and governance contributors.	Definition of success The implemented product is visually coherent and users accurately understand evidence, exact terms, role authority, degraded states, and available remedies.

Scope and non-goals

- **In scope.** Discovery, intent, listings, purchase authorization, transactions, messages, evidence, trust explanations, disputes, safety, responsive behavior, and implementation traceability.
- **Not a backend substitute.** Visual design does not replace integrity validation, signed-call authorization, finance idempotency, or authenticated arbitration boundaries.
- **Not a promise of final copy.** Examples establish tone and semantics; product copy should be tested and localized.
- **Not a generic marketplace skin.** The design exists to expose the distinctive epistemic and relational model of Mycelix.

North-star sentence A living market where intent is legible, ranking is explainable, every claim has lineage, every term is explicit, and every degraded state remains honest.
--

Document map and decision record

Chapter	Coverage
Foundation	Visual language, information architecture, roles and journeys
Discovery	Browse, intent briefs, ranking governance, listing understanding
Exchange	Terms, messages, transaction lifecycle, conflict resolution
Trust and governance	Trust lenses, claim grammar, disputes, safety and appeals
Execution	State matrices, component contracts, responsive behavior, localization, Leptos traceability, research and acceptance

Version history

Version	Date	Decision	Status
1.0	July 2026	Established solarpunk visual direction and v3 safety-aware core screens.	Superseded
2.0	July 2026	Expanded into end-to-end product design contract and implementation traceability.	Current

Primary roles

Buyer / seeker Describes outcomes, compares evidence, reviews exact terms, authorizes purchases, confirms delivery, reviews or seeks remedy.	Seller / cooperative Publishes evidence-bearing listings, manages inventory, confirms sales, fulfils terms, and responds to questions or disputes.
Resolver / arbitrator Reviews scoped case evidence, declares conflicts, proposes remedies, and submits an authenticated vote.	Safety steward Handles prohibited listings, harassment, evidence fraud, emergency restrictions, transparency, and appeals.

Experience north star

The Marketplace should feel more like walking through a well-tended cooperative market than scrolling through an advertising feed. Trust is conveyed by intelligible evidence, bounded claims, exact terms, and recoverable workflows - not by visual polish alone.

Calm, not sterile Dark forest surfaces, warm value accents, restrained motion, tactile media, and generous breathing room.	Technical, not cryptic Expose provenance and conflicts in plain language; keep hashes and protocol codes available but secondary.
Relational, not extractive Show people, cooperatives, repair practices, reciprocal commitments, and community context.	Protective, not paternalistic Users can inspect risk and evidence; the interface never fabricates certainty or hides degraded states.

Non-negotiable principles

- **Evidence before persuasion.** Claim quality, seller history, protection status, and unresolved conflict precede authorization.
- **One safe next step.** Workspaces reveal the next role-authorized action instead of exposing every possible mutation.
- **Fail visibly.** Connection loss, stale data, missing dependencies, and conflict become explicit product states.
- **Progressive disclosure.** Summaries support decisions; drawers explain; raw identifiers remain auditable.
- **Human language first.** "Private verification" is primary; "E2" is a compact secondary code.
- **No dark ranking.** Ordering must be inspectable, user-shaped, and free from undisclosed sponsorship.

Visual language and exact tokens


The Marketplace inherits the shared Mycelix solarpunk foundation. Browse surfaces may be warmer and more object-centred; evidence and governance surfaces are cooler and more analytical; transaction surfaces remain calm and sequential.

Token family	Examples	Usage	Accessibility requirement	Leptos source
Surfaces	forest-950, moss-900, panel-850	Page, raised panel, nested panel	Text pair contrast $\geq 4.5:1$	mycelix-ui theme vars
Semantic accents	living-green, evidence-teal, value-amber, risk-terracotta	Action, evidence, value, warning	Never encode state by color alone	marketplace theme extension
Typography	12/14/16/20/28/40 px	Metadata through display headings	Reflow at 200%; no clipped labels	shared type scale
Spacing	4/8/12/16/24/32/48/64	Component rhythm and page structure	Touch targets ≥ 44 px	shared spacing scale
Motion	120/180/260 ms	Feedback, sheet, route context	Reduced-motion alternative	motion tokens
Focus	2 px teal + 2 px offset	All keyboard-interactive controls	Visible against every surface	focus-ring token
Radius	8/14/20/28 px	Chips, inputs, cards, major shells	Consistent by hierarchy	radius tokens
Z layers	base/raised/sticky/sheet/dialog/toast	Deterministic overlay order	No focus trapped below overlay	z-index tokens

Domain mood by workspace

Browse Warm media, maker identity, material texture, lighter content surfaces.	Transaction Calm sequence, stable identifiers, sparse action emphasis.
Evidence Cool analytical surfaces, provenance, freshness, semantic diffs.	Governance Neutral deliberative surfaces, remedies and rationale before scores.

Information architecture




Five primary destinations keep complexity inside focused workspaces rather than navigation.

- **Browse.** Search, filters, listing detail, seller profile, favorites, ranking explanation.
- **Intent.** Outcome briefs, privacy scope, explainable matching, bundles, trade-offs.
- **Sell.** Readiness, listing creation, evidence publishing, inventory, fulfilment.
- **Activity.** Purchases, sales, messages, transaction workspaces, receipts, reviews.
- **Resolve.** Transaction disputes and authenticated arbitration; safety reports remain a distinct path.

Navigation rule

Primary navigation names user goals. Protocol terms, zome names, and technical diagnostics remain inside contextual detail.

Browse and discovery



Browse concept: object-centred cards with visible evidence, seller context, freshness, and risk.

Listing-card hierarchy

- Object media and title establish what is offered before platform metadata.
- Price and availability are visually prominent but do not eclipse evidence and seller scope.
- Seller history and listing evidence appear as separate compact statements.
- Risk chips always include a noun or explanation, not only "low" or "high."
- Freshness is visible whenever evidence or availability may become stale.
- A "Why this result?" action is available wherever ordering is nontrivial.

Intent discovery

MYCELIX Marketplace Browse **Intent** Sell Activity Resolve Connected Profile

Describe the outcome, not just the object

Intent discovery turns needs, constraints, values, and evidence thresholds into explainable matches.

YOUR INTENT

Outcome

Reliable off-grid communication

Budget

\$80 - \$180

Location

Within 300 km or ships

Values

Repairable · open documentation

Evidence floor

Private verification or stronger

Find explainable matches

Best current match

Repairable field radio

\$148 · Aster Workshop

86% intent fit E2 private verification

Why it fits

Repair manual published · replaceable battery · ships to your region · within budget

FIT

4 requirements satisfied

GAPS

No independent field test

TRADE-OFF

Heavier than two alternatives

Ranking explanation

This result ranks first because your reparability and evidence constraints are weighted higher than distance. At seller payment influenced ordering.

Inspect ranking

Intent brief and result explanation: fit, gaps, evidence, trade-offs, and ranking provenance.


Intent object

- **Outcome.** The result sought, not merely a product keyword.
- **Constraints.** Budget, timing, distance, compatibility, quantity, accessibility, and risk tolerance.
- **Values.** Repairability, local production, cooperative ownership, open documentation, material preferences.
- **Evidence floor.** Minimum acceptable claim strength and freshness.
- **Privacy.** Private, invite-only, local-community, or public intent visibility.
- **Response mode.** Direct matches, bundles, seller proposals, or collaborative fulfilment.


Distinctive capability

Intent should support coordination among multiple sellers or cooperatives, not only rank isolated listings.

Ranking and recommendation governance



Listing detail




Listing detail: product, maker, claim lineage, evidence gallery, price, availability, and purchase action.

Required anatomy

- Media with accessible descriptions and evidence thumbnails, not decorative galleries alone.
- Seller capsule that distinguishes cooperative identity, history, freshness, and unresolved cases.
- Claim lineage using primary language plus compact Epistemic Charter codes.
- Terms preview: quantity, shipping, fees, cancellation boundary, settlement, and remedies.
- Explicit degraded states for stale availability, partial visibility, role mismatch, and conflict.
- Primary action opens a final terms review; it never signs directly from the detail page.

Commerce terms and purchase authorization




Purchase review: exact DHT-derived terms, protection status, dependency gates, and named authorization.

Authorization contract

- Display item, seller, quantity, unit price, shipping, fees, taxes or duty uncertainty, and total currency.
- Explain which terms are derived from authoritative listing state and which depend on external services.
- Name the cancellation boundary, delivery evidence, settlement mechanism, and remedy availability.
- Use a precise action label such as "Authorize purchase for \$160."
- On success, display a signed receipt and refresh from authoritative state before advancing.

Buyer journey



Buyer journey across person, Leptos UI, and Holochain/dependency lanes.


Journey invariants

- Every write returns a visible receipt and then refreshes authoritative state.
- Stable identifiers allow reload recovery at every step.
- Unavailable settlement or arbitration is visible before authorization.
- Notifications describe state change but never replace the authoritative workspace.

Seller journey

Seller journey: from evidence-ready listing to fulfilled exchange

Every step identifies the actor, authoritative source, interruption recovery, and visible safety gate.



Seller journey from identity readiness through fulfilment and remedy.

Seller readiness

- Identity and cooperative role are explicit before publishing.
- Listing creation separates claims, evidence, terms, inventory, and fulfilment promises.
- Evidence classification is assisted with examples rather than requiring charter expertise.
- Seller updates never conceal earlier claims or overwrite transaction terms.

Guided listing creation


Listing creation is a guided five-step contract. Each step answers one question and exposes validation before the seller signs publication.

Step	Primary question	Required output	Failure state
1. Object	What is being offered?	Title, description, category, condition, media	Missing identity or prohibited category
2. Terms	Under what exact terms?	Price, currency, quantity, shipping, collection, cancellation	Invalid money or impossible fulfilment promise
3. Evidence	What supports each important claim?	Claim list, evidence level, source, freshness	Unsupported or misleading claim
4. Risk	What could matter to a buyer?	Safety notes, compatibility, known limitations	Required disclosure absent
5. Review	What will be signed and published?	Canonical preview and provenance receipt	Signing unavailable or stale draft

Claim-writing assistance

Good "Battery can be replaced with a keyed connector; service manual version 1.4 published."	Avoid "Built to last" without scope, evidence, or a defined failure mode.
Good "Weather seal privately verified on this serial number on 12 July 2026."	Avoid "Waterproof" when only one limited test exists.
Seller dignity The form should teach epistemic clarity without shaming sellers for incomplete evidence. Unknown and seller-attested are legitimate states when clearly represented.	

Messages, offers, and negotiation




Conversation remains contextual; proposed and accepted terms become explicit structured objects.


Interaction rules

- Ordinary chat is nonbinding unless converted into a structured proposal.
- A proposed term shows the exact fields changed and its expiry.
- Acceptance requires a signed action and becomes transaction-bound.
- Attachments include visibility, retention, and evidence classification.
- Blocking, reporting, and identity/location disclosure remain consent-aware.


Trust model: three lenses



Trust and epistemic grammar



Transaction workspace




Transaction workspace: stable root, current revision, role, timeline, evidence, and one authorized next action.

Lifecycle state model

- Pending → Confirmed: seller only.
- Confirmed → Shipped: seller only, with tracking evidence.
- Shipped → Delivered: buyer only.
- Pending or Confirmed → Cancelled: either party within policy.
- Completion remains gated until finance settlement is bundled and idempotent.
- Every mutation resolves from the stable root to the sole visible current leaf.

Conflict resolution




Semantic comparison of competing heads; mutations pause until explicit reconciliation.

Conflict grammar

- Show the stable root and every visible current head.
- Compare changed fields semantically, not only raw hashes.
- Show author, timestamp, predecessor, and lifecycle validity.
- Explain why actions are paused and what event restores one canonical path.
- A reconciliation update must cite all competing heads; no branch disappears silently.

Disputes and arbitration



Arbitration workspace: claim, evidence timeline, quorum, remedy, rationale, and signed vote.

Integrity constraints

- A dispute filing is an allegation and does not imply guilt or mutate reputation.
- One transaction binds to at most one active case unless explicitly superseded.
- Assignment and vote identity are authenticated.
- Duplicate votes and duplicate final results are rejected.
- Reputation effects derive only from a unique final result and declared policy.
- Evidence exposure is scoped to the case and authorized participants.

Product gate

The arbitration UI remains demonstrative until case persistence, assignment, vote uniqueness, and result-derived effects are enforced end to end.

Marketplace safety and community governance



Safety reports, evidence fraud, harassment, restricted goods, and appeals use a separate governance path.

Separation of powers

Transaction arbitration resolves exchange-specific claims between parties. Marketplace safety addresses participation, restricted products, evidence fraud, harassment, impersonation, stolen goods, and dangerous claims. The same event may create both processes, but one does not silently decide the other.

Route-specific state matrices

Route-state contract: Listing Detail

Every state specifies visible data, allowed action, severity, retry behavior, and assistive announcement.

State	Visible data	Primary action	Severity	Announcement
Connected + purchasable	Authoritative listing and evidence	Review purchase terms	normal	Listing ready to purchase
Viewer is seller	Full listing; seller controls	Manage listing	info	You are viewing your own listing
Inventory changed	Current quantity and timestamp	Refresh terms	warning	Inventory changed; purchase paused
Signed-call unavailable	Read-only listing data	Authorize connection	blocking	Signing authorization required
Partial DHT visibility	Known record + freshness limit	Retry / Inspect detail	warning	Some listing evidence is unavailable
Conflicting revisions	All visible heads and diff	Resolve conflict	blocking	Two current listing revisions are visible
Fixture mode	Fixture banner on every region	Exit fixture mode	development	Development fixture data is active
Purchase accepted; refresh pending	Receipt and pending state	Wait / retry refresh	transient	Purchase accepted; waiting for authoritative refresh

Listing Detail state contract: data visibility, action, severity, and assistive announcement.

Required metadata per state

- Heading and explanatory copy.
- Visible authoritative or cached data and its freshness.
- Allowed and forbidden actions.
- Severity and whether layout remains interactive.
- Retry, recovery, or escalation behavior.
- Screen-reader announcement.
- Diagnostic evidence safe to expose.


Critical route-state inventory

Route	Must-design states	Mutation rule	Recovery anchor
Browse	loading, authoritative, empty, disconnected, fixture, stale, ranking unavailable	No write	query + filters + intent ID
Intent	draft, private, shared, matching, partial results, no match, ranking explanation unavailable	Publish/share only after review	intent ID
Listing Detail	seller view, purchasable, stale inventory, signing missing, partial DHT, conflict, deleted	Purchase only after fresh terms	listing hash
Purchase Review	terms changed, signing pending, accepted/refresh pending, rejected, dependency gate	Exact total authorization	receipt + transaction root
Transaction	role mismatch, legal next action, stale leaf, conflict, finance gate, deleted/incomplete history	Resolve sole leaf before mutation	stable transaction root
Messages	offline queue, attachment unavailable, proposal expired, acceptance conflict, blocked/reported	Only structured accepted terms bind	conversation + proposal ID
Resolve	case absent, assignment pending, evidence partial, quorum pending, duplicate vote, final result	Authenticated case actions only	case root

Test implication

Each row becomes a visual fixture and at least one automated route-state test; the happy path alone is insufficient.

Executable component anatomy



ListingCard anatomy and the fields each area must communicate.

State fixtures

- Default authoritative.
- Loading skeleton with stable geometry.
- Stale evidence.
- High or unknown risk.
- Seller unavailable.
- Development fixture.
- Unavailable image.
- Localized long title and right-to-left layout.


Component contracts

Component	Required semantics	Key states	Accessibility	Evidence fixture
ListingCard	item, seller, money, evidence, risk, freshness	loading/stale/fixture/unavailable	single clear target; alt text	visual snapshots
IntentMatchCard	fit, gaps, trade-off, ranking reason	partial/no match/ranking unavailable	ordered explanation	factor fixture
SellerCapsule	identity, scoped history, freshness	unknown/unresolved case	no score-only label	history fixture
EvidenceSummary	claim, level, source, freshness	missing/expired/conflicting	codes expanded in accessible name	claim fixture
PurchaseTerms	derived terms, total, gates	changed/pending/rejected	total and warnings announced	money fixture
TransactionTimeline	stable root, leaf, role, next action	stale/conflict/gated	current step announced	revision fixture
ConflictPanel	all heads, semantic diff, reconciliation	2+ heads/invalid history	table navigation	branch fixture
AuthoritativeReceipt	signed write + refresh result	pending/accepted/rejected	live-region status	receipt fixture
DependencyGate	missing capability and consequence	finance/arbitration/identity	never disabled without reason	gate fixture

Responsive and mobile behavior

Responsive contract: mobile is not compressed desktop

One decision per viewport, persistent safety context, and final authorization in a review sheet.



Mobile patterns for intent, final authorization, and conflict comparison.

Mobile requirements

- Sticky actions summarize but expand into a final review sheet before signature.
- Evidence opens as a bottom sheet with focus restoration and deep-linkable sections.
- Filters preserve state across sheet close and route navigation.
- Safe-area, virtual keyboard, orientation, tablet, and 200% text reflow are tested.
- Double submission is prevented without relying on disabled styling alone.
- Long hashes and evidence identifiers wrap, copy, and disclose without forcing horizontal scroll.

International and local commerce

Local, global, and cooperative commerce

Reserve layout and language for currency, units, shipping uncertainty, local pickup, translation, and right-to-left interfaces.

LOCAL PICKUP

Johannesburg · 8 km

Collection window

Accessibility notes

Consent-based location reveal

Terms shown before authorization

REGIONAL SHIPPING

South Africa · 2-4 days

ZAR total

Carrier evidence

Delivery confirmation

Terms shown before authorization

CROSS-BORDER

Kenya · 6-12 days

KES / ZAR conversion

Duty uncertainty

Timezone-aware promises

Terms shown before authorization

LAYOUT REQUIREMENT

Components must tolerate translated copy growth, locale-formatted money and dates, metric/imperial units, and mirrored navigation without truncating evidence or action meaning.

Local pickup, regional shipping, and cross-border terms remain explicit and locale-aware.

Reserved capabilities

- Locale-formatted currencies, dates, times, and pluralization.
- Metric and imperial units with source-unit preservation.
- Shipping regions, collection windows, accessibility notes, and consent-based location reveal.
- Tax, customs, and duty uncertainty represented as uncertainty, not false totals.
- Translated listings with source language and translator provenance.
- Right-to-left layout and bidirectional identifiers.

Accessibility, content, and motion

Accessibility requirements

- WCAG 2.2 AA contrast across text, controls, status, diagrams, and charts.
- Color never carries trust, risk, connection, or lifecycle state alone.
- Keyboard access for filters, drawers, evidence timelines, dialogs, and branch comparison.
- Visible focus ring on every interactive surface.
- Minimum 44 × 44 px targets and 16 px mobile input text.
- Reduced-motion support; no auto-advancing evidence or urgency animation.
- Live announcements for connection, receipt, refresh, state transition, and conflict lockout.

Content voice

Do "Seller attested. No independent evidence has been published."	Avoid "Trusted seller" without scope, history, or freshness.
Do "Two current revisions are visible. Actions are paused until reconciled."	Avoid "Something went wrong."
Do "Completion is unavailable because finance settlement is not active in this hApp."	Avoid A disabled action with no reason or recovery path.
Trust language Use evidence, history, scope, freshness, confidence, and unresolved conflict. Avoid safe, guaranteed, unbreakable, or Byzantine tolerant unless a precisely tested property is named.	

Leptos implementation traceability

Every high-risk visual requirement receives an ID, code owner, route/component target, and verification method. This prevents the specification from becoming a static reference detached from implementation.

ID	Requirement	Component / route	Verification	Status
VIS-001	No silent fixture fallback	AvailabilityState / app shell	Production feature test + screenshot	[]
VIS-002	Exact authorization total and currency	PurchaseTerms	Wire fixture + browser test	[]
VIS-003	Seller history separate from listing evidence	SellerCapsule / EvidenceSummary	Component snapshots	[]
VIS-004	Ranking explanation and no hidden sponsorship	IntentMatchCard / ranking drawer	Deterministic factor fixture	[]
VIS-005	Stable root and current leaf visible	TransactionTimeline	Two-agent scenario	[]
VIS-006	Conflict locks mutation and exposes every head	ConflictPanel	Concurrent-branch fixture	[]
VIS-007	Dependency gates explain consequence	DependencyGate	Finance/arbitration route tests	[]
VIS-008	Authoritative refresh after write	AuthoritativeReceipt	Browser reload/recovery test	[]
VIS-009	Messages distinguish conversation/proposal/acceptance	MessageThread	Proposal acceptance fixture	[]
VIS-010	Accessible announcements for state change	Route announcer	Screen-reader audit	[]

Recommended crate boundaries

- `marketplace-domain`: typed IDs, Money, intent, claims, lifecycle, evidence, proposal and governance models.
- `marketplace-client`: one typed call per real extern, no view logic.
- `marketplace-ui`: reusable domain components and visual fixtures.
- `marketplace-web`: routes, orchestration, state machines, feature gates, announcements, and responsive composition.

User research and validation plan

Validation plan: test comprehension, not preference alone

The design succeeds when people understand evidence, terms, and degraded states accurately under realistic pressure.

EVIDENCE CALIBRATION
Can users distinguish seller attestation from independent proof?
Target: ≥ 85% correct

NEXT SAFE ACTION
Can buyer and seller identify their authorized lifecycle action?
Target: ≥ 90% correct

CONFLICT COMPREHENSION
Do users understand why actions are paused?
Target: ≥ 80% correct

DEPENDENCY VISIBILITY
Do users notice settlement or arbitration is unavailable?
Target: ≥ 90% correct

RECOVERY
Can users resume after reload or disconnect?
Target: ≥ 95% completion

ACCESSIBILITY
Can keyboard and screen-reader users complete the core journey?
Target: No critical blockers

Research questions and measurable targets for trust calibration, recovery, and accessibility.

Priority studies

- Moderated buyer journey with evidence-comprehension probes.
- Seller claim-classification and listing-publication study.
- Role and next-action recognition under lifecycle pressure.
- Conflict explanation study using concurrent-head scenarios.
- Connection loss and reload recovery study.
- Screen-reader and keyboard study across Browse, Purchase Review, and Transaction.

Research principle

Measure whether users form accurate beliefs, not merely whether they like the interface.

Design acceptance checklist

Area	Acceptance criterion	Status
Shell	Desktop, tablet, and mobile navigation show authoritative connection and role context.	[]
Intent	Users can express outcome, constraints, values, evidence floor, and privacy scope.	[]
Ranking	Every ordered result explains fit, gaps, trade-offs, and factor provenance.	[]
Browse	Cards separate item, seller history, evidence, risk, and freshness.	[]
Listing	Claim lineage and terms precede authorization.	[]
Purchase	Exact derived terms and dependency gates appear before a named signed action.	[]
Messages	Conversation, proposed terms, and accepted terms are visually and structurally distinct.	[]
Transaction	Stable root, current leaf, role, revision count, and next authorized action are visible.	[]
Conflict	All competing heads are shown semantically and mutation is paused.	[]
Finance	Unavailable completion explains the gate and consequence.	[]
Disputes	Filing does not imply guilt or mutate displayed reputation.	[]
Safety	Restricted goods, harassment, evidence fraud, and appeals have a separate path.	[]
Accessibility	Keyboard, screen reader, contrast, touch, zoom, and reduced-motion checks pass.	[]
Localization	Long translations, locale money, RTL, units, and cross-border uncertainty render correctly.	[]
Evidence	Every successful write displays a receipt and authoritative refresh result.	[]

Implementation handoff

Recommended next artifact

Build a Leptos component showcase containing every required state for ListingCard, IntentMatchCard, PurchaseTerms, TransactionTimeline, ConflictPanel, AuthoritativeReceipt, and DependencyGate. Then implement Browse, Intent, Listing Detail, Purchase Review, and Transaction as the first high-fidelity routes.

Do not carry forward

- Legacy purple gradient or generic SaaS marketplace styling.
- Automatic conductor-failure fallback to plausible mock listings.
- One large trust score that obscures history, evidence, and protection.
- Frontend-supplied price, seller, or lifecycle authority.
- Large route components combining transport, DTO conversion, state machines, and presentation.
- Disabled actions without the missing gate, consequence, and recovery path.
- Arbitrary latest-update selection when multiple visible leaves exist.
- Undisclosed sponsorship or engagement-maximizing ranking.

First implementation review

Review rendered component states and complete journeys, not only happy-path screenshots. The review should include disconnected, fixture, empty, stale, role mismatch, terms changed, receipt pending, conflict, partial visibility, gated dependency, rejected action, authoritative success, localization stress, and assistive-technology output.

Source basis

This specification extends version 1 using the current Marketplace Svelte product surface, shared Mycelix Leptos foundation, Holochain-native transaction safety boundaries, v3 migration contracts, and the product-design improvements identified during review.