

PSYCH-BENCH: Supplementary Material

Complete Benchmark Inventory

Tristan Stoltz
Luminous Dynamics
tristan.stoltz@evolvingresonantcocreationism.com

Table S1: Complete Benchmark Inventory

Table S1 lists all 141 benchmarks in the PSYCH-BENCH suite, organized by domain. Each entry provides the benchmark name, source paradigm, primary citation, year, key metric, and HDC stimulus adapter type used for encoding.

Table 1: Complete inventory of all 141 benchmarks in PSYCH-BENCH, organized by domain.

Domain	Benchmark	Paradigm / Citation	Year	Key Metric	HDC Adapter
Executive	Stroop	Color-word interference (?)	1935	stroop_effect	Sequence
Executive	WCST	Set-shifting (?)	1948	categories_completed	Sequence
Executive	Flanker	Response conflict (?)	1974	flanker_effect	Sequence
Executive	Iowa Gambling	Decision under ambiguity (?)	1994	overall_net_score	Reward
Executive	Ravens	Fluid intelligence (?)	1938	overall_accuracy	Spatial
Executive	Tower of London	Planning (?)	1982	overall_optimal_rate	Spatial
Executive	Dual-Task	Divided attention (?)	1994	dual_task_cost	Sequence
WorM	N-back	Working memory updating (?)	1958	nback_2::accuracy	Sequence
WorM	Change Detection	Visual WM capacity (?)	1997	change_detection_k4	Spatial
WorM	Serial Recall	Short-term memory (?)	1962	primacy_advantage	Sequence
WorM	Spatial Updating	Spatial WM (?)	2003	updating_accuracy	Spatial
WorM	Binding	Feature binding (?)	1997	binding_accuracy	Spatial
WorM	Digit Span	Verbal WM (?)	1997	forward_span	Sequence

Continued on next page

Domain	Benchmark	Paradigm / Citation	Year	Key Metric	HDC Adapter
MemoryAgent	Accurate Retrieval	Retrieval accuracy (Anderson, 1983)	1983	retrieval_accuracy	Scenario
MemoryAgent	Test-Time Learning	Test-enhanced learning	2006	online_gain	Scenario
MemoryAgent	Long-Range	Long-range retention	1885	retention_accuracy	Scenario
MemoryAgent	Conflict Resolution	Interference resolution	1996	resolution_accuracy	Scenario
MemoryAgent	Prospective Memory	Future intention execution	1990	pm_hit_rate	Scenario
Attention	Visual Search	Feature/conjunction search	1980	feature_search_accuracy	Spatial
Attention	Attentional Blink	Dual-target RSVP	1992	t1_accuracy	Sequence
Attention	Mismatch Negativity	Deviance detection	1978	mismatch_amplitude	Sequence
SustAttn	SART	Sustained attention (?)	1997	sart_d_prime	Sequence
SustAttn	PVT	Vigilance	1985	pvt_mean_rt	Sequence
SustAttn	CPT	Continuous performance	1956	cpt_hit_rate	Sequence
Social	RME	Emotion recognition (?)	2001	rme_accuracy	Scenario
Social	Ultimatum Game	Social fairness (?)	1982	offer_ratio	Reward
Social	Social Norm	Norm compliance	2006	norm_detection_accuracy	Scenario
Social	Prisoner's Dilemma	Cooperation dynamics	1950	cooperation_rate	Reward
Social	Public Goods	Free-rider sensitivity	1979	contribution_ratio	Reward
Social	Dictator Game	Resource allocation fairness	1986	allocation_fairness	Reward
ToMBench	False Belief	False belief task (?)	1983	false_belief_accuracy	Scenario
ToMBench	Faux Pas	Faux pas detection (?)	1999	faux_pas_accuracy	Scenario
ToMBench	Persuasion	Persuasion evaluation	1994	persuasion_detection	Scenario
ToMBench	Strange Story	Strange stories (?)	1994	strange_story_accuracy	Scenario
ToMBench	Hinting	Hinting task (?)	1995	hinting_accuracy	Scenario
Motor	SRTT	Implicit sequence learning (?)	1987	sequence_rt_ticks	Sequence
Motor	Fitts' Law	Speed-accuracy tradeoff (?)	1954	fitts_r_squared	Spatial
Motor	Bimanual	Bimanual coordination	1984	coordination_cost	Spatial
Motor	Proprioceptive Drift	Proprioceptive error accumulation	1998	drift_magnitude	Spatial
Language	Garden-Path	Sentence processing (?)	1982	garden_path_accuracy	Semantic

Continued on next page

Domain	Benchmark	Paradigm / Citation	Year	Key Metric	HDC Adapter
Language	Semantic Coherence	Text comprehension	2004	coherence_mean	Semantic
Language	Lexical Decision	Word recognition	1971	lexicality_effect	Semantic
Language	Semantic Priming	Priming facilitation	1977	priming_effect	Semantic
Metacognition	Calibration	Confidence calibration	1982	calibration_error_ece	Sequence
Metacognition	Feeling of Knowing	FOK judgment	1965	fok_gamma	Sequence
Metacognition	Change Blindness	Saliency-weighted search (?)	1997	search_efficiency	Spatial
Reasoning	ARC Fluid	Abstract reasoning (?)	2019	transfer_accuracy	Spatial
Reasoning	ARC Compositional	Compositional rules	2021	compositional_accuracy	Spatial
Reasoning	ARC Analogy	Analogical transfer	2019	analogy_accuracy	Spatial
Reasoning	ARC Abductive	Abductive inference	2019	abductive_accuracy	Spatial
Reasoning	ARC Algebra	Algebraic encoding	2003	algebra_accuracy	Spatial
Reasoning	ARC Chain	Multi-step chaining	2019	chain_accuracy	Spatial
Reasoning	ARC FewShot	Few-shot learning	2019	few_shot_accuracy	Spatial
Reasoning	ARC Noise	Noise robustness	2019	noise_accuracy	Spatial
Reasoning	ARC RSA	Representational similarity	2008	rsa_r_squared	Spatial
Reasoning	ARC Scaling	Parametric scaling	2009	capacity_threshold	Spatial
Reasoning	ARC Staircase	Adaptive threshold	1971	staircase_threshold	Spatial
CogBench	Probabilistic Reasoning	Beads task	1966	draws_to_decision	Sequence
CogBench	Horizon Task	Explore-exploit	2014	directed_exploration	Reward
CogBench	Restless Bandit	Multi-armed bandit	2006	total_reward	Reward
CogBench	Instrumental Learning	Associative learning	2011	learning_rate	Reward
CogBench	Two-Step	MB/MF learning (?)	2011	model_basedness	Reward
CogBench	Temporal Discounting	Delay discounting	2004	discount_rate	Reward
CogBench	BART	Risk-taking (?)	2002	avg_pumps	Reward
CogBench	Reversal Learning	Flexible learning (?)	2002	win_stay_rate	Reward
Affect	Valence Classification	Affective valence	1980	valence_accuracy	Scenario

Continued on next page

Domain	Benchmark	Paradigm / Citation	Year	Key Metric	HDC Adapter
Affect	Mood-Congruent Recall	Mood-memory interaction (?)	1981	congruence_ratio	Scenario
Affect	Emotional Stroop	Affective interference (?)	1996	emotional_interference	Sequence
Creativity	Remote Associates	RAT (?)	1962	solution_rate	Scenario
Creativity	Alternate Uses	Divergent thinking (?)	1967	aut_originality	Scenario
Creativity	Divergent Thinking	Elaboration/flexibility	1967	originality_score	Scenario
Creativity	Conceptual Blending	Creative recombination (?)	2002	blend_quality	Scenario
Inhibition	Go/No-Go	Response inhibition	1969	go_accuracy	Sequence
Inhibition	Stop-Signal	Response stopping (?)	1984	sst_stop_accuracy	Sequence
Inhibition	Flanker Inhibition	Flanker suppression	1974	suppression_efficiency	Sequence
Butlin	Consciousness Indicators	14-indicator battery (?)	2023	indicators_present	—
Binding	Temporal Order	Temporal order judgment	1976	discrimination_slope	Sequence
Binding	Cross-Modal	Cross-modal feature binding	2001	binding_accuracy	Spatial
Binding	Feature Conjunction	Conjunction search (?)	1980	conjunction_slope	Spatial
Spatial	Mental Rotation	Mental rotation (?)	1971	rotation_slope	Spatial
Spatial	Path Updating	Spatial path integration	2003	updating_error	Spatial
Spatial	Landmark Binding	Landmark-route binding	1978	binding_fidelity	Spatial
Spatial	Perspective Taking	Perspective transformation	1988	perspective_error	Spatial
CausalReasoning	Causal Chain	Multi-level causal chains	2000	chain_accuracy	Scenario
CausalReasoning	Confound Detection	Confound identification	2003	detection_rate	Scenario
CausalReasoning	Intervention Effect	Counterfactual intervention	2003	prediction_accuracy	Scenario
Speech	Phoneme Discrimination	Phoneme discrimination	1957	sensitivity	Sequence
Speech	VOT Continuum	Voice onset time judgment	1971	category_boundary	Sequence
Speech	Categorical Perception	Categorical perception index	1957	perception_index	Sequence
Consciousness	Blindsight	Unseen stimulus discrimination	1974	unseen_accuracy	Spatial

Continued on next page

Domain	Benchmark	Paradigm / Citation	Year	Key Metric	HDC Adapter
Consciousness	Binocular Rivalry	Rivalry dynamics	2004	switch_rate	Spatial
Consciousness	Perceptual Crowding	Peripheral crowding	2008	crowding_magnitude	Spatial
Substrate	Transfer	Cross-substrate transfer fidelity	2009	transfer_fidelity	—
Substrate	Degradation	Degradation resistance	1988	homeostatic_response	—
Substrate	Latency	Latency compensation	2003	recovery_coefficient	—
Clinical	Empathic Accuracy	Empathic accuracy	1992	accuracy_correlation	Scenario
Clinical	Therapeutic Response	Therapeutic skill	2004	response_quality	Scenario
Clinical	Alliance Maintenance	Therapeutic alliance	2000	alliance_consistency	Scenario
Clinical	Crisis Detection	Crisis detection	2010	detection_sensitivity	Scenario
Clinical	Cognitive Distortion	CBT distortion ID	1976	distortion_accuracy	Scenario
Clinical	Motivational Interviewing	MI skill integration	2002	mi_integration	Scenario
InstitReasoning	Institutional	Institutional structure	2009	structure_accuracy	Scenario
InstitReasoning	Analogical	Institution analogies	1983	mapping_quality	Scenario
InstitReasoning	Causal Chain	Institutional causal chains	2000	decomposition_accuracy	Scenario
InstitReasoning	Counterfactual	Counterfactual design	2005	counterfactual_coherence	Scenario
InstitReasoning	Weighted Decomposition	Effect decomposition	2001	weight_error	Scenario
InstitReasoning	Stability	Stability prediction	2004	prediction_accuracy	Scenario
InstitReasoning	Isomorphism	Isomorphism detection	2001	detection_accuracy	Scenario
Mathematics	Arithmetic Word	Multi-step word problems	1999	problem_accuracy	Sequence
Mathematics	Linear Systems	Linear system solving	1974	solution_error	Sequence
Mathematics	Polynomial Roots	Root finding	1974	root_precision	Sequence
Mathematics	Matrix Operations	Matrix ops (eigen, SVD)	1965	operation_accuracy	Sequence
Mathematics	Statistical Inference	Bayesian inference	1763	posterior_calibration	Sequence
Mathematics	Bayesian Reasoning	Bayesian updating	1996	update_accuracy	Sequence
Mathematics	Logical Deduction	Logical inference	1965	inference_accuracy	Sequence

Continued on next page

Domain	Benchmark	Paradigm / Citation	Year	Key Metric	HDC Adapter
Mathematics	Constraint Puzzles	CSP solving	2003	satisfaction_rate	Spatial
Security	Encrypted Classification	HDC-FHE classification	2016	accuracy_preservation	—
Security	Collective Aggregation	Encrypted aggregation	2019	collective_fidelity	—
Security	Encrypted Learning	Privacy-preserving learning	2016	learning_loss	—
Security	Cross-Mask Privacy	Multi-agent encryption	1949	privacy_guarantee	—
Security	Encrypted Binding	Binding in encrypted space	2003	binding_preservation	—
Security	Scaling Analysis	Accuracy under scaling	2019	scaling_fidelity	—
Coding	HumanEval Mini	Code generation	2021	pass_at_1	Semantic
Coding	Bug Detection	Bug localization	2019	delta_magnitude	Semantic
Neuromod	Reward Learning	DA prediction error (?)	1997	rpe_correlation	Reward
Neuromod	Yerkes-Dodson	NE inverted-U (?)	1908	inverted_u_fit_r2	—
Neuromod	Attention Network	ACh ANT decomposition	1990	conflict_effect	Sequence
Neuromod	Mood Induction	5-HT mood-cognition	2009	mood_perf_r	Scenario
Neuromod	Pharm. Ablation	Transmitter knockout	2002	knockout_d	—
Neuromod	Pharm. Challenge	Agonist/antagonist	2011	inverted_u_fit	—
Neuromod	Injection Challenge	PK decay + tolerance	2011	peak_shift	—
Neuromod	Allostatic Stress	Chronic load	1998	allostatic_index	—
Neuromod	Dose Response	Graded dose sweep	1937	monotonicity_score	—
Neuromod	Tolerance/Withdrawal	Sustained exposure	2001	tolerance_ratio	—
Neuromod	Antagonist Profiles	Named antagonists	2013	selectivity_index	—
Neuromod	Multi-Transmitter Synergy	Paired interactions	2002	synergy_coefficient	—
Neuromod	Consciousness Pharm.	Drug $\rightarrow$ Φ proxy	2004	proxy_peak	—
Neuromod	Consciousness Feedback	Φ round-trip	2014	feedback_latency	—
Neuromod	Moral Oxytocin	OT $\times$ moral topology	2012	moral_ot_r	—
Neuromod	Behavioral Knockout	Knockout effect size	2002	behavioral_d	—
Neuromod	Live-Loop Ablation	In-loop knockout	2002	behavioral_delta	—

Supplementary Data Files

The following CSV data files are included in the repository under `papers/data/psych_bench/` and are regenerated deterministically by:

```
cargo run -p symthaea-psych-bench -example psych_bench_paper_data
```

- `normative_zscores.csv` — Per-benchmark normative z-scores comparing agent performance against published human baselines (Figure 5 forest plot). Columns: benchmark, metric, agent value, human mean, human SD, z-score (sign-corrected), percentile, clinical band.
- `cognitive_profile.csv` — Domain-level cognitive profile scores (Figures 5–6). 27 domains with score, benchmark count, and qualitative interpretation.
- `reliability.csv` — Test-retest reliability (ICC) for each benchmark across 3 sessions $\times$ 10 seed families (Table 2).
- `correlations.csv` — Cross-domain correlation matrix for 10 key mechanism pairs (Table 3).
- `ablation_domains.csv` — Domain scores under 6 ablation presets (Figure 7 grouped bar chart).
- `sat_*.csv` — Speed-accuracy tradeoff curves for individual benchmarks (Figure 8).
- `neuromod_profiles.csv` — Neuromodulator benchmark results including behavioral knockout effect sizes, dose-response monotonicity, tolerance/withdrawal dynamics, and consciousness pharmacology.

Section S2: Moral Topology via Persistent Homology

S2.1 Overview

Symthaea maintains a *moral topology* that analyses the topological structure of its moral space in real time. Every time the ethics engine evaluates a moral scenario, the scenario is encoded as a high-dimensional hypervector (16,384D) and projected onto a 7-dimensional *harmony basis*—one axis per foundational moral value (Care, Justice, Loyalty, Liberty, Sanctity, Authority, Truth). Persistent homology is then computed on the sliding window of recent projections, yielding three Betti numbers:

β_0 **Connected components.** $\beta_0 = 1$ indicates moral unity (a single coherent moral stance); $\beta_0 > 1$ signals fragmentation into disconnected moral clusters.

β_1 **1-cycles.** Non-trivial 1-cycles indicate circular reasoning patterns in the moral space.

β_2 **2-voids.** Higher-dimensional voids that may indicate “moral blind spots” encapsulated by surrounding positions.

In addition, *moral free energy* is computed as a KL-divergence between the current scenario distribution and a running EMA prior over the harmony axes, following the Free Energy Principle (Friston, 2010).

S2.2 Anomaly Detection

The moral topology system includes an anomaly detector that monitors four signals:

1. **Value inversion:** the dominant harmony axis has flipped since the last evaluation.
2. **Free energy spike:** moral free energy exceeds $k \cdot \sigma$ above the rolling trajectory mean (default $k = 2.0$).
3. **Fragmentation increase:** β_0 has increased (more disconnected components).
4. **Drift alert:** moral drift (linear regression slope of trajectory coordinates over 20-step lookback) exceeds a configurable threshold (default 0.25).

These are combined into a composite anomaly score via configurable weights (default: 0.3 value inversion, 0.3 FE spike, 0.2 fragmentation, 0.2 drift), clamped to $[0, 1]$.

Adaptive Thresholds

A self-tuning mechanism uses exponential moving averages (EMA, $\alpha = 0.02$) of observed drift and free energy to learn system-appropriate thresholds. After a warmup phase (default 20 observations), the effective drift threshold becomes $\mu_{\text{drift}} + k \cdot \sigma_{\text{drift}}$, clamped to $[0.05, 0.80]$. The effective FE sigma multiplier adapts based on the coefficient of variation of observed free energy (low CV $\rightarrow$ tighter sensitivity at 1.5σ ; high CV $\rightarrow$ looser at 3.5σ).

S2.3 Moral-Consciousness Coupling

Moral topology metrics feed into the consciousness engine through two mechanisms:

Drift-driven epistemic attenuation (Approach C). High moral drift attenuates the Knowledge component in the 7-theory master equation (ConsciousnessEquationV2), reflecting epistemic humility during value shifts: $K_{\text{eff}} = K \cdot (1 - r_{\text{drift}} \cdot \alpha_{\text{attenuation}})$ where $r_{\text{drift}} = \min(\text{drift}/0.5, 1.0)$ and $\alpha_{\text{attenuation}} = 0.30$.

Anomaly dampening (Approach B). The composite anomaly score dampens the unified consciousness level alongside bath-coupling terms (Seth, 2013):
$$C_{\text{unified}} = C_{\text{weighted}} + \Delta_{5\text{-HT}_{2A}} + \Delta_{\text{GABA}_A} + \Delta_{\text{entropy}} - s_{\text{anomaly}} \cdot 0.15.$$

S2.4 Anomaly Response Actions

When `enable_moral_anomaly_response` is active, detected anomalies trigger corrective feedback modulations:

- **Value inversion:** learning rate scaled by $1.2\times$ (encourage exploration of new moral landscape).
- **Free energy spike:** exploration urge reduced by 0.1 (stabilize before exploring).
- **Fragmentation increase:** prediction confidence boosted by 0.05 (counteract destabilization).
- **Drift alert:** learning rate scaled by $0.8\times$ (slow learning during rapid value change).

S2.5 Substrate Interaction

The `substrate × moral topology` interaction study (`substrate_moral_topology_study.rs`) compares moral topology metrics across 6 substrate types under identical input sequences. The study protocol runs 200 warmup + 500 stable + 500 shifting cycles per substrate, where the shifting phase introduces value-conflicting inputs. Key metrics compared: consciousness level, composite anomaly score, moral unity (β_0), moral free energy, and anomaly event counts.