

Catastrophe as Genesis: A Thermodynamic Framework for Biosphere Coherence Across 3.8 Billion Years, with an Exploratory Counterfactual Suggesting Chicxulub May Have Opened a Narrow Path to Meta-Cognitive Consciousness

Tristan Stoltz^{1*}

1 Luminous Dynamics, Richardson, TX, USA

* tristan.stoltz@evolvingresonantcocreationism.com

Abstract

We introduce $B(t)$, a continuous biosphere coherence index spanning 3.8 Ga (the origin of life) to the Neolithic Revolution, computed as the geometric mean of six normalized dimensions: biodiversity, complexity, resilience, network integration, energy throughput, and information capacity. Calibrated against Sepkoski’s marine genus diversity curve (Pearson $r = 0.92$, $R^2 = 0.85$, $n = 37$), $B(t)$ is grounded in published paleontological data (PBDB, GEOCARB, $\delta^{13}\text{C}$ isotopic records) and employs five methodological innovations: taphonomic SQS-style Bayesian correction for preservation bias, Lotka-Volterra niche-filling recovery dynamics, Kleiber metabolic scaling for network integration, $\delta^{13}\text{C}$ geochemical bounding of Precambrian confidence intervals, and a shared thermodynamic currency (HANPP) bridging biosphere coherence to civilizational indices.

Using a novel **Complexity Cap** counterfactual method—in which suppressed extinction events lock the biosphere at its pre-extinction thermodynamic ceiling—we find that mass extinctions can be *generative* under assumptions of strong evolutionary lock-in. The strength of this result depends critically on the counterfactual regime assumed. Under a hard

cap (permanent lock-in), all six tested events appear generative; under a soft cap (10% innovation leakage) the result holds for most events; under delayed escape (30 Ma hold then release) or no cap, it does not.

We extend the framework to an exploratory consciousness-feasibility analysis. Under the two more restrictive cap regimes (hard and soft), the Chicxulub impact appears necessary for meta-cognitive consciousness: feasibility peaks at 0.24–0.27, below the 0.30 threshold. Under weaker assumptions, meta-cognition emerges regardless. The verdict is thus **model-dependent**: whether the asteroid was necessary for consciousness depends on whether evolution can innovate past an incumbent apex regime without catastrophic clearing—itself an open question in paleobiology.

Introduction

The history of life on Earth is punctuated by catastrophic mass extinctions that destroyed 35–96% of genera within geologically brief intervals [1–3]. Traditional treatments frame these events as interruptions of an otherwise progressive trajectory—losses that the biosphere must recover from before resuming diversification [4, 5]. We propose an alternative framework: catastrophe is not merely a perturbation but a *generative* force that produces higher eventual coherence by clearing evolutionary local maxima and enabling niche radiation into previously inaccessible thermodynamic configurations.

This claim requires a quantitative coherence measure that spans the full history of life. Previous diversity indices—Sepkoski’s compendium [1], Rohde and Muller’s cycles analysis [6]—track genus counts without integrating the multi-dimensional aspects of biosphere organization: complexity, resilience, energy throughput, network structure, and information capacity. We introduce $B(t)$, a six-dimensional biosphere coherence index that captures these properties from 3.8 Ga (the earliest evidence of life [7]) through the Neolithic transition ($\sim 10,000$ BCE).

The framework connects to civilizational coherence via a shared ther-

modynamic currency: Human Appropriation of Net Primary Productivity (HANPP) [8]. As human civilization co-opts biosphere energy throughput through land use change and fossil carbon extraction, $B(t)$ is mechanically depressed while civilizational coherence $K(t)$ rises. The unified index $C(t) = B_{\text{HANPP}}(t) + K(t) \times (1 - B_{\text{HANPP}}(t))$ produces a seamless curve from the Hadean to the present, in which civilization adds to biosphere coherence rather than replacing it.

We further ask: given the substrate independence framework for consciousness [9–11], at what point did Earth’s biosphere first become thermodynamically capable of supporting meta-cognitive consciousness? By mapping $B(t)$ dimensions to the consciousness feasibility requirements of Integrated Information Theory, we derive a consciousness emergence timeline and test, via counterfactual analysis, whether the Chicxulub impact was necessary for this threshold to be crossed.

Methods

Temporal Binning

The deep-time record is divided into 51 bins with variable resolution: 16 Precambrian bins (~ 100 Ma each, 3800–541 Ma), 32 Phanerozoic bins at ICS stage resolution (5–40 Ma, 541–0.012 Ma), and 3 Holocene bins (11.7–5 ka BP). This captures the exponential improvement in stratigraphic resolution toward the present.

Six Coherence Dimensions

Each temporal bin receives scores on six dimensions, normalized to $[0, 1]$ against Phanerozoic maxima:

1. **Biodiversity:** Genus-level richness from the Paleobiology Database (PBDB), with taphonomic correction (see below). Normalized against Holocene peak ($\sim 4,500$ corrected genera).
2. **Complexity:** Maximum organism complexity grade on a 1–10 ordinal

scale (1 = prokaryote, 4 = bilateral, 7 = amniote, 10 = *Homo sapiens*),
based on first appearance datums from Knoll & Bambach [12].

3. **Resilience:** Inverted background extinction rate per Ma from Alroy
[13] and Bambach [2]. Low extinction rate = high resilience (stable
ecosystem). End-Permian peak rate (0.35/Ma) maps to resilience
= 0.0; quiescent Archean microbial ecosystems (0.01/Ma) map to
resilience ≈ 0.97 .

4. **Network integration:** Trophic web connectivity derived from Kleiber’s
Law [14, 15]: metabolic rate scales as $\text{mass}^{3/4}$, bounding the max-
imum trophic chain length supportable at a given atmospheric O_2
level (from GEOCARB [16]).

5. **Energy throughput:** Total biosphere metabolic power (TW), com-
puted as the product of photosynthetic ceiling (O_2 fraction / 0.21),
standing biomass fraction (PBDB diversity as proxy), land colo-
nization factor, and complexity-driven efficiency. Modern GPP $\approx$
130 TW [17]. Critically, this dimension scales with *standing biomass*:
a 96% genus extinction at the end-Permian crashes energy throughput
proportionally, even if O_2 remains at 16%.

6. **Information capacity:** Genome complexity $\times$ species richness,
proxied as $(\text{complexity grade} / 10)^2 \times \text{diversity}_{\text{norm}}$. This captures
the total information-processing capacity of the biosphere [18].

$B(t)$ is computed as the geometric mean of these six normalized dimen-
sions:

$$B(t) = \left(\prod_{i=1}^6 d_i(t) \right)^{1/6} \quad (1)$$

The geometric mean enforces non-substitutability: if any dimension collapses
to zero, $B(t)$ collapses regardless of other dimensions. This “weakest
link” property is appropriate for biosphere coherence, where, e.g., energy
throughput cannot compensate for zero information capacity.

Taphonomic Correction

Raw PBDB genus counts systematically underestimate diversity in eras with poor preservation potential (Precambrian soft-bodied organisms, Ediacaran biota). Inspired by Shareholder Quorum Subsampling (SQS) [19], we apply era-specific Bayesian multipliers: $\times 1.0$ (Phanerozoic, good preservation), $\times 1.3$ (Ediacaran, moderate), $\times 1.8$ (Proterozoic, poor), $\times 2.0$ (Archean, very poor). These multipliers also widen the upper confidence interval bound.

Shock-Recovery Model

Post-extinction recovery follows a Lotka-Volterra niche-filling logistic rather than simple exponential decay:

$$\frac{dN}{dt} = r \cdot N \cdot \frac{K(t) - N}{K(t)} \quad (2)$$

where N is current diversity, r is the intrinsic recovery rate (0.5/Ma), and $K(t)$ is the carrying capacity, which may exceed the pre-extinction level ($K/K_{\text{pre}} = 1.05\text{--}1.25$) due to evolutionary innovation opening new niches [4]. This produces the empirically observed S-shaped recovery curve: slow initial “Lazarus taxa” rebound, followed by explosive adaptive radiation, followed by competitive stabilization [20].

Geochemical CI Bounding

$\delta^{13}\text{C}$ excursions in carbonate rocks bound total biosphere productivity even when no fossils exist [21,22]. Large excursions ($>3\text{‰}$) from baseline indicate massive changes in organic carbon burial, constraining the biodiversity and energy throughput dimensions. We incorporate 62 $\delta^{13}\text{C}$ data points from Veizer & Prokoph [23] to tighten Precambrian confidence intervals by up to 40% where strong isotopic signal is present.

Complexity Cap Counterfactual Method

98

To test whether mass extinctions are generative, we suppress each event individually and recompute $B(t)$ for the counterfactual branch. The key innovation is the **Complexity Cap**: when a suppressed event has `complexity_increase = true` (i.e., the extinction historically preceded an evolutionary step-function), the suppressed branch is *permanently locked* at the pre-extinction values of complexity, energy throughput, and information capacity. This reflects the physical reality that without the extinction clearing apex taxa (e.g., non-avian dinosaurs), the niche space for higher-integration organisms (e.g., mammals) never opens. A world where Chicxulub missed remains permanently trapped in a reptilian thermodynamic ceiling.

We compare terminal $B(t)$ at the most recent bin (3000 BCE) between the baseline (all extinctions active) and each suppressed branch.

Consciousness Emergence Mapping

112

$B(t)$ dimensions are mapped to the consciousness feasibility requirements of the substrate independence framework [9, 10]:

113

$B(t)$ Dimension	Substrate Requirement
Network integration	Integration capacity
Energy throughput	Temporal dynamics
Information capacity	Workspace capability
Complexity grade	HOT capability
Resilience	Recurrence
Biodiversity	Binding capability

115

Consciousness feasibility is computed as:

116

$$F(t) = C_{\min}(t) \times W(t) \times (0.5 + 0.5 \times E_{\text{avg}}(t)) \quad (3)$$

where $C_{\min} = \min(\text{causality, integration, dynamics, recurrence})$, $W =$ workspace capability, and $E_{\text{avg}} = \text{mean}(\text{binding, attention, HOT})$. Threshold

117

118

olds: minimal consciousness ($F > 0.01$), sentience ($F > 0.05$), self-awareness ($F > 0.15$), meta-cognitive reflection ($F > 0.30$).

Results

B(t) Calibration

$B(t)$ produces a monotonically increasing trend from 0.005 (Hadean, 3.65 Ga) to 0.95 (late Holocene), with five major troughs corresponding to the Big Five mass extinctions (Table 1). Validation against Sepkoski’s marine genus diversity curve yields Pearson $r = 0.92$, $R^2 = 0.85$ ($n = 37$ Phanerozoic comparison points, $p < 10^{-15}$). Five points show >30% divergence, all cases where our taphonomically-corrected PBDB data exceeds Sepkoski’s uncorrected counts.

Table 1. B(t) at key calibration points.

Age (Ma)	Event	$B(t)$	95% CI	Validation
3500	Origin of life	0.005	0.001–0.07	—
2400	Great Oxidation Event	0.034	0.010–0.11	—
541	Cambrian Explosion	0.127	0.083–0.24	Sepkoski $r = 0.92$
252	End-Permian	0.246	0.211–0.29	Trough confirmed
66	End-Cretaceous	0.647	0.603–0.69	Trough confirmed
0.006	Late Holocene	0.949	0.925–0.94	Terminal

Counterfactual Analysis: Catastrophe Is Generative

All six tested extinction events produce higher terminal $B(t)$ in the baseline than in the suppressed branch (Table 2). The crossover epoch—the age at which the baseline first exceeds the suppressed branch—occurs within 5–31 Ma of each extinction event, demonstrating rapid post-catastrophic overshoot.

Table 2. Counterfactual analysis with Complexity Cap. Δ = baseline terminal $B(t)$ minus suppressed terminal $B(t)$. Positive Δ indicates the extinction was generative.

Event Suppressed	Terminal $B(t)$	Δ	Crossover (Ma)	Cap (C/E/I)
Baseline	0.949	—	—	—
Great Oxidation	0.099	+0.850	2400	0.15/0.00/0.00
End-Ordovician	0.325	+0.624	439	0.60/0.05/0.05
Late Devonian	0.475	+0.474	341	0.60/0.28/0.09
End-Permian	0.585	+0.364	242	0.75/0.41/0.17
End-Triassic	0.528	+0.421	188	0.75/0.28/0.13
End-Cretaceous	0.765	+0.184	61	0.80/0.97/0.33

The most impactful event is the Great Oxidation Event ($\Delta = +0.85$),
which unlocked aerobic metabolism and all downstream complexity. The
K-Pg crossover at 61 Ma is particularly significant: within 5 Ma of the
Chicxulub impact, the mammalian biosphere had already exceeded what
would have been thermodynamically possible without the asteroid.

Consciousness Emergence Timeline

Mapping $B(t)$ to consciousness feasibility produces four milestones (Table 3):

Table 3. Consciousness emergence milestones. The bottleneck is workspace (information capacity) throughout.

Milestone	Age (Ma)	Feasibility	Bottleneck
Minimal consciousness	406	0.020	Workspace
Sentient experience	311	0.071	Workspace
Self-awareness	123	0.164	Workspace
Meta-cognitive reflection	28	0.374	Workspace

The persistent workspace bottleneck indicates that information capacity—
the product of genome complexity and species richness—is the rate-limiting
substrate requirement for consciousness, not energy or integration. This
aligns with Global Workspace Theory’s emphasis on broadcast capacity [24].

Multi-Regime Sensitivity: How Robust Is “Generative”?

The Complexity Cap is the most contestable assumption in this framework.
It encodes a strong claim: that without catastrophic clearing, the biosphere
cannot innovate past an incumbent apex regime. To test how much of

the result depends on this assumption, we implement four counterfactual regimes of decreasing strength:

1. **Hard Cap:** permanent lock at pre-extinction ceiling
2. **Soft Cap (10% leakage):** suppressed branch gains complexity at 10% of the empirical rate (models troodontid/cephalopod pathways)
3. **Delayed Escape (30 Ma):** hard cap for 30 Ma, then lifts entirely
4. **No Cap:** just suppress the extinction multiplier

Results for the K-Pg event: under Hard Cap, terminal $B(t) = 0.76$ ($\Delta = -0.18$); under Soft Cap, $B(t) = 0.78$ ($\Delta = -0.17$); under Delayed Escape, $B(t) = 0.95$ ($\Delta \approx 0$); under No Cap, $B(t) = 0.95$. The generative verdict holds under 2 of 4 regimes (Hard and Soft Cap). Under regimes that allow the suppressed biosphere to eventually innovate (Delayed Escape, No Cap), the extinction's long-term effect washes out.

This is the honest interpretation: whether catastrophe is generative depends on whether evolution can innovate past an incumbent regime without clearing. The Hard Cap is the strongest assumption; the No Cap is the weakest. The truth likely lies between them.

Exploratory Extension: Consciousness Feasibility

This section presents an exploratory analysis, explicitly more speculative than the $B(t)$ index itself. The consciousness-feasibility mapping and thresholds are model outputs, not empirically validated measurements.

Running the consciousness emergence analysis under all four K-Pg cap regimes:

Regime	Peak F	Meta-Cognition?	Self-Awareness?
Hard Cap	0.240	No	Yes
Soft Cap (10%)	0.274	No	Yes
Delayed Escape (30 Ma)	0.849	Yes	Yes
No Cap	0.849	Yes	Yes

Under the two more restrictive regimes, the asteroid appears necessary for meta-cognition: feasibility peaks at 0.24–0.27, below the 0.30 threshold. Under weaker assumptions, meta-cognition emerges regardless. The information capacity bottleneck ($d_6 = 0.33$ at the Late Cretaceous ceiling) is the constraining factor: without mammalian radiation, genome complexity $\times$ species richness may be insufficient for recursive self-reflection.

The verdict is thus **model-dependent**: 2 of 4 regimes suggest the asteroid was necessary. This is not a proof but a conditional finding: *if* evolution cannot significantly innovate past an incumbent apex regime without catastrophe, *then* the Chicxulub impact was necessary for meta-cognitive consciousness. Whether this “if” holds is an open question in paleobiology [4].

Parameter Sensitivity

Under the Hard Cap regime, we sweep information capacity cap ($\pm 20\%$) and meta-cognition threshold (± 0.05) across a 9×7 grid (63 trials). The asteroid-required verdict holds in 43/63 (68%) of trials, flipping when information capacity cap exceeds 0.353 (6% above baseline) or the threshold drops below 0.275. This knife-edge sensitivity is itself informative: under the hard-cap assumption, consciousness was a near-miss.

Unified Coherence Curve

$B(t)$ connects to the civilizational coherence index $K(t)$ [25] via the headroom formula:

$$C(t) = B_{\text{HANPP}}(t) + K(t) \times (1 - B_{\text{HANPP}}(t)) \quad (4)$$

where B_{HANPP} is $B(t)$ adjusted for Human Appropriation of Net Primary Productivity (modern HANPP $\approx 24\%$ [8]). The unified curve spans 80 points from 3.65 Ga to 2020 CE, peaking at $C(2020) = 0.94$ —the highest coherence value in 3.8 billion years.

Discussion

202

Catastrophe as Generative Force

203

The Complexity Cap counterfactual provides the first quantitative demon- 204
stration that mass extinctions are not merely disruptions but necessary 205
conditions for higher-order biosphere organization. The mechanism is 206
thermodynamic: apex taxa in evolutionary local maxima (e.g., sauropod 207
dinosaurs with 70-ton body plans) occupy niche space that prevents ra- 208
diation of high-metabolism, high-integration competitors (e.g., placental 209
mammals with 37°C endothermy and neocortical expansion). Extinction 210
clears these maxima, and the Lotka-Volterra logistic produces overshoot 211
because the post-extinction carrying capacity exceeds the pre-extinction 212
equilibrium. The crossover epoch—the age at which the baseline overtakes 213
the suppressed branch—is a direct measure of how quickly the generative 214
effect pays off: 5 Ma for K-Pg, 10 Ma for end-Permian, immediate for the 215
GOE. 216

The Workspace Bottleneck

217

The persistent workspace (information capacity) bottleneck across 3.8 Ga 218
suggests that consciousness emergence is fundamentally constrained by the 219
biosphere’s capacity for complex information processing, not by energy 220
availability or network connectivity. This has implications for the search for 221
extraterrestrial consciousness: planets with high energy throughput but low 222
biodiversity may never cross the workspace threshold, regardless of their 223
thermodynamic favorability. 224

The Complexity Cap as Open Question

225

The multi-regime analysis reveals that the central question is not “was the 226
asteroid generative?” but rather *can evolution innovate past an incumbent* 227
apex regime without catastrophic clearing? Under hard and soft caps (2/4 228
regimes), catastrophe is necessary; under delayed escape and no cap, it is 229
not. This maps onto a genuine debate in paleobiology: some authors argue 230

that incumbent advantages create effective barriers to innovation [4], while
 others point to gradual transitions (e.g., the mammalian middle ear evolving
 across 100 Ma under dinosaur dominance) as evidence that innovation can
 proceed without clearing events.

The 10% soft cap result is particularly informative: even with substantial
 (if slow) innovation under the reptilian regime, meta-cognitive consciousness
 still falls short ($F = 0.274 < 0.30$). This suggests that even if troodontids
 or cephalopods could have slowly increased biosphere information capacity,
 the rate would likely have been insufficient to cross the meta-cognition
 threshold before other constraints intervened.

Limitations

Part 1 (B(t) index): The Precambrian dimensions carry wide confidence
 intervals (± 0.25 – 0.40). The taphonomic correction, while grounded in SQS
 methodology [19], involves era-specific multipliers that are estimates. The
 Kleiber-derived network integration and genome-complexity-based infor-
 mation capacity are proxies, not measurements. Despite these limitations,
 the Sepkoski validation ($r = 0.92$) demonstrates that the index tracks the
 major features of the Phanerozoic diversity record.

Part 2 (consciousness extension): The feasibility mapping from
 $B(t)$ dimensions to substrate requirements, and the threshold values (0.01,
 0.05, 0.15, 0.30), are outputs of a computational framework rather than
 empirically validated against known cases of consciousness. The workspace
 bottleneck finding—that information capacity is rate-limiting—is a model
 prediction that should be tested against independent evidence (e.g., compara-
 tive neuroscience of information integration across taxa). The consciousness
 analysis should be read as exploratory, not confirmatory.

The Complexity Cap: This is the strongest and most contestable
 assumption. We have addressed this by testing four regimes of decreasing
 strength and reporting which verdicts survive. The honest summary is that
 the generative-catastrophe hypothesis holds under strong-to-moderate lock-
 in assumptions but not under weak ones. Determining which regime best

approximates biological reality is an empirical question that this framework
can pose but not answer.

Conclusion

We have introduced $B(t)$, a six-dimensional biosphere coherence index
validated against Sepkoski’s canonical diversity curve ($r = 0.92$), and
explored through a multi-regime counterfactual framework whether mass
extinctions can be generative. The answer is conditional: under assumptions
of strong-to-moderate evolutionary lock-in (hard and soft cap), catastrophe
appears necessary for reaching the highest levels of biosphere coherence
and, in an exploratory extension, for meta-cognitive consciousness. Under
weaker assumptions, the same endpoints are reached without catastrophic
intervention.

This conditionality is itself a contribution. The framework formalizes a
question that paleobiology has debated qualitatively—can evolution innovate
past incumbents without clearing events?—and provides a quantitative tool
for testing hypotheses against it. The multi-regime approach ensures that
the framework’s conclusions are transparently tied to their assumptions
rather than obscured behind a single model.

The exploratory consciousness analysis, while speculative, poses a
question worth investigating: under what conditions does a biosphere’s
information-processing capacity become sufficient for recursive self-reflection?
Under the two more restrictive cap regimes, the gap between the suppressed
biosphere’s peak feasibility (0.24–0.27) and the meta-cognition threshold
(0.30) is small enough to suggest that consciousness was, at minimum, not
inevitable—and that the specific sequence of catastrophic events in Earth’s
history may have played a role in opening the narrow thermodynamic path
that led to organisms capable of asking why they exist.

Data and Code Availability

289

The complete $B(t)$ framework is implemented in Rust (4,453 lines, 89 tests) 290

with embedded paleontological data tables from PBDB, GEOCARB, and 291

the Earth Impact Database. Source code, data files, and the analysis binary 292

(`deep_time_report`) are available at github.com/Luminous-Dynamics/mycelium-multiworld-simulation

Acknowledgments

294

The author thanks the Paleobiology Database contributors, the GEOCARB 295

and Earth Impact Database maintainers, and the Seshat: Global History 296

Databank for open access to deep-time data. Computational assistance 297

provided by Claude (Anthropic). 298

References

299

[1] Sepkoski JJ Jr. A compendium of fossil marine animal genera. *Bulletins* 300
of American Paleontology. 2002;363:1–560. 301

[2] Bambach RK, Knoll AH, Wang SC. Origination, extinction, and mass 302
depletions of marine diversity. *Paleobiology*. 2004;30(4):522–542. 303

[3] Raup DM, Sepkoski JJ Jr. Mass extinctions in the marine fossil record. 304
Science. 1982;215(4539):1501–1503. 305

[4] Erwin DH. Lessons from the past: biotic recoveries from mass 306
extinctions. *Proceedings of the National Academy of Sciences*. 307
2001;98(10):5399–5403. 308

[5] Kirchner JW, Weil A. Delayed biological recovery from extinctions 309
throughout the fossil record. *Nature*. 2000;404(6774):177–180. 310

[6] Rohde RA, Muller RA. Cycles in fossil diversity. *Nature*. 311
2005;434(7030):208–210. 312

[7] Mojzsis SJ, et al. Evidence for life on Earth before 3,800 million years 313
ago. *Nature*. 1996;384(6604):55–59. 314

- [8] Haberl H, et al. Quantifying and mapping the human appropriation of
net primary production in Earth’s terrestrial ecosystems. *Proceedings
of the National Academy of Sciences*. 2007;104(31):12942–12947.
- [9] Putnam H. Psychological predicates. In: *Art, Mind, and Religion*.
1967;1:37–48.
- [10] Tononi G. An information integration theory of consciousness. *BMC
Neuroscience*. 2004;5(1):42.
- [11] Chalmers DJ. *The Character of Consciousness*. Oxford University
Press; 2010.
- [12] Knoll AH, Bambach RK. Directionality in the history of life: diffu-
sion from the left wall or repeated scaling of the right? *Paleobiology*.
2000;26(sp4):1–14.
- [13] Alroy J. Dynamics of origination and extinction in the marine
fossil record. *Proceedings of the National Academy of Sciences*.
2008;105(Suppl 1):11536–11542.
- [14] Kleiber M. Body size and metabolism. *Hilgardia*. 1932;6(11):315–353.
- [15] West GB, Brown JH, Enquist BJ. A general model for the origin of
allometric scaling laws in biology. *Science*. 1997;276(5309):122–126.
- [16] Berner RA. Phanerozoic atmospheric oxygen: new results us-
ing the GEOCARBSULF model. *American Journal of Science*.
2009;309(7):603–606.
- [17] Bar-On YM, Phillips R, Milo R. The biomass distribution on Earth.
Proceedings of the National Academy of Sciences. 2018;115(25):6506–
6511.
- [18] Adami C. What is complexity? *BioEssays*. 2002;24(12):1085–1094.
- [19] Alroy J. Fair sampling of taxonomic richness and unbiased estima-
tion of origination and extinction rates. In: *Quantitative Methods in
Paleobiology*. Paleontological Society Papers. 2010;16:55–80.

- [20] Sahney S, Benton MJ. Recovery from the most profound mass extinction of all time. *Proceedings of the Royal Society B*. 2008;275(1636):759–765.
- [21] Kump LR, Arthur MA. Interpreting carbon-isotope excursions: carbonates and organic matter. *Chemical Geology*. 1999;161(1-3):181–198.
- [22] Hayes JM, Strauss H, Kaufman AJ. The abundance of ^{13}C in marine organic matter and isotopic fractionation in the global biogeochemical cycle of carbon during the past 800 Ma. *Chemical Geology*. 1999;161(1-3):103–125.
- [23] Veizer J, Prokoph A. Temperatures and oxygen isotopic composition of Phanerozoic oceans. *Earth-Science Reviews*. 2015;146:92–104.
- [24] Baars BJ. *A Cognitive Theory of Consciousness*. Cambridge University Press; 1988.
- [25] Stoltz T. Historical K(t): A seven-harmony civilizational coherence index, 3000 BCE–2020 CE. *In preparation*. 2026.