

PSYCH-BENCH: Supplementary Material

Complete Benchmark Inventory

Tristan Stoltz
Luminous Dynamics
tristan.stoltz@evolvingresonantcocreationism.com

Table S1: Complete Benchmark Inventory

Table S1 lists all 141 benchmarks in the PSYCH-BENCH suite, organized by domain. Each entry provides the benchmark name, source paradigm, primary citation, year, key metric, and HDC stimulus adapter type used for encoding.

Table 1: Complete inventory of all 141 benchmarks in PSYCH-BENCH, organized by domain.

Domain	Benchmark	Paradigm / Citation	Year	Key Metric	HDC Adapter
Executive	Stroop	Color-word interference (?)	1935	stroop_effect	Sequence
Executive	WCST	Set-shifting (?)	1948	categories_completed	Sequence
Executive	Flanker	Response conflict (?)	1974	flanker_effect	Sequence
Executive	Iowa Gambling	Decision under ambiguity (?)	1994	overall_net_score	Reward
Executive	Ravens	Fluid intelligence (?)	1938	overall_accuracy	Spatial
Executive	Tower of London	Planning (?)	1982	overall_optimal_rate	Spatial
Executive	Dual-Task	Divided attention (?)	1994	dual_task_cost	Sequence
WorM	N-back	Working memory updating (?)	1958	nback_2::accuracy	Sequence
WorM	Change Detection	Visual WM capacity (?)	1997	change_detection_k4	Spatial
WorM	Serial Recall	Short-term memory (?)	1962	primacy_advantage	Sequence
WorM	Spatial Updating	Spatial WM (?)	2003	updating_accuracy	Spatial
WorM	Binding	Feature binding (?)	1997	binding_accuracy	Spatial
WorM	Digit Span	Verbal WM (?)	1997	forward_span	Sequence

Continued on next page

Domain	Benchmark	Paradigm / Citation	Year	Key Metric	HDC Adapter
MemoryAgent	Accurate Retrieval	Retrieval accuracy (Anderson, 1983)	1983	retrieval_accuracy	Scenario
MemoryAgent	Test-Time Learning	Test-enhanced learning	2006	online_gain	Scenario
MemoryAgent	Long-Range	Long-range retention	1885	retention_accuracy	Scenario
MemoryAgent	Conflict Resolution	Interference resolution	1996	resolution_accuracy	Scenario
MemoryAgent	Prospective Memory	Future intention execution	1990	pm_hit_rate	Scenario
Attention	Visual Search	Feature/conjunction search	1980	feature_search_accuracy	Spatial
Attention	Attentional Blink	Dual-target RSVP	1992	t1_accuracy	Sequence
Attention	Mismatch Negativity	Deviance detection	1978	mismatch_amplitude	Sequence
SustAttn	SART	Sustained attention (?)	1997	sart_d_prime	Sequence
SustAttn	PVT	Vigilance	1985	pvt_mean_rt	Sequence
SustAttn	CPT	Continuous performance	1956	cpt_hit_rate	Sequence
Social	RME	Emotion recognition (?)	2001	rme_accuracy	Scenario
Social	Ultimatum Game	Social fairness (?)	1982	offer_ratio	Reward
Social	Social Norm	Norm compliance	2006	norm_detection_accuracy	Scenario
Social	Prisoner’s Dilemma	Cooperation dynamics	1950	cooperation_rate	Reward
Social	Public Goods	Free-rider sensitivity	1979	contribution_ratio	Reward
Social	Dictator Game	Resource allocation fairness	1986	allocation_fairness	Reward
ToMBench	False Belief	False belief task (?)	1983	false_belief_accuracy	Scenario
ToMBench	Faux Pas	Faux pas detection (?)	1999	faux_pas_accuracy	Scenario
ToMBench	Persuasion	Persuasion evaluation	1994	persuasion_detection	Scenario
ToMBench	Strange Story	Strange stories (?)	1994	strange_story_accuracy	Scenario
ToMBench	Hinting	Hinting task (?)	1995	hinting_accuracy	Scenario
Motor	SRTT	Implicit sequence learning (?)	1987	sequence_rt_ticks	Sequence
Motor	Fitts’ Law	Speed-accuracy tradeoff (?)	1954	fitts_r_squared	Spatial
Motor	Bimanual	Bimanual coordination	1984	coordination_cost	Spatial
Motor	Proprioceptive Drift	Proprioceptive error accumulation	1998	drift_magnitude	Spatial
Language	Garden-Path	Sentence processing (?)	1982	garden_path_accuracy	Semantic

Continued on next page

Domain	Benchmark	Paradigm / Citation	Year	Key Metric	HDC Adapter
Language	Semantic Coherence	Text comprehension	2004	coherence_mean	Semantic
Language	Lexical Decision	Word recognition	1971	lexicality_effect	Semantic
Language	Semantic Priming	Priming facilitation	1977	priming_effect	Semantic
Metacognition	Calibration	Confidence calibration	1982	calibration_error_ece	Sequence
Metacognition	Feeling of Knowing	FOK judgment	1965	fok_gamma	Sequence
Metacognition	Change Blindness	Saliency-weighted search (?)	1997	search_efficiency	Spatial
Reasoning	ARC Fluid	Abstract reasoning (?)	2019	transfer_accuracy	Spatial
Reasoning	ARC Compositional	Compositional rules	2021	compositional_accuracy	Spatial
Reasoning	ARC Analogy	Analogical transfer	2019	analogy_accuracy	Spatial
Reasoning	ARC Abductive	Abductive inference	2019	abductive_accuracy	Spatial
Reasoning	ARC Algebra	Algebraic encoding	2003	algebra_accuracy	Spatial
Reasoning	ARC Chain	Multi-step chaining	2019	chain_accuracy	Spatial
Reasoning	ARC FewShot	Few-shot learning	2019	few_shot_accuracy	Spatial
Reasoning	ARC Noise	Noise robustness	2019	noise_accuracy	Spatial
Reasoning	ARC RSA	Representational similarity	2008	rsa_r_squared	Spatial
Reasoning	ARC Scaling	Parametric scaling	2009	capacity_threshold	Spatial
Reasoning	ARC Staircase	Adaptive threshold	1971	staircase_threshold	Spatial
CogBench	Probabilistic Reasoning	Beads task	1966	draws_to_decision	Sequence
CogBench	Horizon Task	Explore-exploit	2014	directed_exploration	Reward
CogBench	Restless Bandit	Multi-armed bandit	2006	total_reward	Reward
CogBench	Instrumental Learning	Associative learning	2011	learning_rate	Reward
CogBench	Two-Step	MB/MF learning (?)	2011	model_basedness	Reward
CogBench	Temporal Discounting	Delay discounting	2004	discount_rate	Reward
CogBench	BART	Risk-taking (?)	2002	avg_pumps	Reward
CogBench	Reversal Learning	Flexible learning (?)	2002	win_stay_rate	Reward
Affect	Valence Classification	Affective valence	1980	valence_accuracy	Scenario

Continued on next page

Domain	Benchmark	Paradigm / Citation	Year	Key Metric	HDC Adapter
Affect	Mood-Congruent Recall	Mood-memory interaction (?)	1981	congruence_ratio	Scenario
Affect	Emotional Stroop	Affective interference (?)	1996	emotional_interference	Sequence
Creativity	Remote Associates	RAT (?)	1962	solution_rate	Scenario
Creativity	Alternate Uses	Divergent thinking (?)	1967	aut_originality	Scenario
Creativity	Divergent Thinking	Elaboration/flexibility	1967	originality_score	Scenario
Creativity	Conceptual Blending	Creative recombination (?)	2002	blend_quality	Scenario
Inhibition	Go/No-Go	Response inhibition	1969	go_accuracy	Sequence
Inhibition	Stop-Signal	Response stopping (?)	1984	sst_stop_accuracy	Sequence
Inhibition	Flanker Inhibition	Flanker suppression	1974	suppression_efficiency	Sequence
Butlin	Consciousness Indicators	14-indicator battery (?)	2023	indicators_present	—
Binding	Temporal Order	Temporal order judgment	1976	discrimination_slope	Sequence
Binding	Cross-Modal	Cross-modal feature binding	2001	binding_accuracy	Spatial
Binding	Feature Conjunction	Conjunction search (?)	1980	conjunction_slope	Spatial
Spatial	Mental Rotation	Mental rotation (?)	1971	rotation_slope	Spatial
Spatial	Path Updating	Spatial path integration	2003	updating_error	Spatial
Spatial	Landmark Binding	Landmark-route binding	1978	binding_fidelity	Spatial
Spatial	Perspective Taking	Perspective transformation	1988	perspective_error	Spatial
CausalReasoning	Causal Chain	Multi-level causal chains	2000	chain_accuracy	Scenario
CausalReasoning	Confound Detection	Confound identification	2003	detection_rate	Scenario
CausalReasoning	Intervention Effect	Counterfactual intervention	2003	prediction_accuracy	Scenario
Speech	Phoneme Discrimination	Phoneme discrimination	1957	sensitivity	Sequence
Speech	VOT Continuum	Voice onset time judgment	1971	category_boundary	Sequence
Speech	Categorical Perception	Categorical perception index	1957	perception_index	Sequence
Consciousness	Blindsight	Unseen stimulus discrimination	1974	unseen_accuracy	Spatial

Continued on next page

Domain	Benchmark	Paradigm / Citation	Year	Key Metric	HDC Adapter
Consciousness	Binocular Rivalry	Rivalry dynamics	2004	switch_rate	Spatial
Consciousness	Perceptual Crowding	Peripheral crowding	2008	crowding_magnitude	Spatial
Substrate	Transfer	Cross-substrate transfer fidelity	2009	transfer_fidelity	—
Substrate	Degradation	Degradation resistance	1988	homeostatic_response	—
Substrate	Latency	Latency compensation	2003	recovery_coefficient	—
Clinical	Empathic Accuracy	Empathic accuracy	1992	accuracy_correlation	Scenario
Clinical	Therapeutic Response	Therapeutic skill	2004	response_quality	Scenario
Clinical	Alliance Maintenance	Therapeutic alliance	2000	alliance_consistency	Scenario
Clinical	Crisis Detection	Crisis detection	2010	detection_sensitivity	Scenario
Clinical	Cognitive Distortion	CBT distortion ID	1976	distortion_accuracy	Scenario
Clinical	Motivational Interviewing	MI skill integration	2002	mi_integration	Scenario
InstitReasoning	Institutional	Institutional structure	2009	structure_accuracy	Scenario
InstitReasoning	Analogical	Institution analogies	1983	mapping_quality	Scenario
InstitReasoning	Causal Chain	Institutional causal chains	2000	decomposition_accuracy	Scenario
InstitReasoning	Counterfactual	Counterfactual design	2005	counterfactual_coherence	Scenario
InstitReasoning	Weighted Decomposition	Effect decomposition	2001	weight_error	Scenario
InstitReasoning	Stability	Stability prediction	2004	prediction_accuracy	Scenario
InstitReasoning	Isomorphism	Isomorphism detection	2001	detection_accuracy	Scenario
Mathematics	Arithmetic Word	Multi-step word problems	1999	problem_accuracy	Sequence
Mathematics	Linear Systems	Linear system solving	1974	solution_error	Sequence
Mathematics	Polynomial Roots	Root finding	1974	root_precision	Sequence
Mathematics	Matrix Operations	Matrix ops (eigen, SVD)	1965	operation_accuracy	Sequence
Mathematics	Statistical Inference	Bayesian inference	1763	posterior_calibration	Sequence
Mathematics	Bayesian Reasoning	Bayesian updating	1996	update_accuracy	Sequence
Mathematics	Logical Deduction	Logical inference	1965	inference_accuracy	Sequence

Continued on next page

Domain	Benchmark	Paradigm / Citation	Year	Key Metric	HDC Adapter
Mathematics	Constraint Puzzles	CSP solving	2003	satisfaction_rate	Spatial
Security	Encrypted Classification	HDC-FHE classification	2016	accuracy_preservation	—
Security	Collective Aggregation	Encrypted aggregation	2019	collective_fidelity	—
Security	Encrypted Learning	Privacy-preserving learning	2016	learning_loss	—
Security	Cross-Mask Privacy	Multi-agent encryption	1949	privacy_guarantee	—
Security	Encrypted Binding	Binding in encrypted space	2003	binding_preservation	—
Security	Scaling Analysis	Accuracy under scaling	2019	scaling_fidelity	—
Coding	HumanEval Mini	Code generation	2021	pass_at_1	Semantic
Coding	Bug Detection	Bug localization	2019	delta_magnitude	Semantic
Neuromod	Reward Learning	DA prediction error (?)	1997	rpe_correlation	Reward
Neuromod	Yerkes-Dodson	NE inverted-U (?)	1908	inverted_u_fit_r2	—
Neuromod	Attention Network	ACh ANT decomposition	1990	conflict_effect	Sequence
Neuromod	Mood Induction	5-HT mood-cognition	2009	mood_perf_r	Scenario
Neuromod	Pharm. Ablation	Transmitter knockout	2002	knockout_d	—
Neuromod	Pharm. Challenge	Agonist/antagonist	2011	inverted_u_fit	—
Neuromod	Injection Challenge	PK decay + tolerance	2011	peak_shift	—
Neuromod	Allostatic Stress	Chronic load	1998	allostatic_index	—
Neuromod	Dose Response	Graded dose sweep	1937	monotonicity_score	—
Neuromod	Tolerance/Withdrawal	Sustained exposure	2001	tolerance_ratio	—
Neuromod	Antagonist Profiles	Named antagonists	2013	selectivity_index	—
Neuromod	Multi-Transmitter Synergy	Paired interactions	2002	synergy_coefficient	—
Neuromod	Consciousness Pharm.	Drug $\rightarrow$ Φ proxy	2004	proxy_peak	—
Neuromod	Consciousness Feedback	Φ round-trip	2014	feedback_latency	—
Neuromod	Moral Oxytocin	OT $\times$ moral topology	2012	moral_ot_r	—
Neuromod	Behavioral Knockout	Knockout effect size	2002	behavioral_d	—
Neuromod	Live-Loop Ablation	In-loop knockout	2002	behavioral_delta	—

Supplementary Data Files

The following CSV data files are included in the repository under `papers/data/psych_bench/` and are regenerated deterministically by:

```
cargo run -p symthaea-psych-bench -example psych_bench_paper_data
```

- `normative_zscores.csv` — Per-benchmark normative z-scores comparing agent performance against published human baselines (Figure 5 forest plot). Columns: benchmark, metric, agent value, human mean, human SD, z-score (sign-corrected), percentile, clinical band.
- `cognitive_profile.csv` — Domain-level cognitive profile scores (Figures 5–6). 27 domains with score, benchmark count, and qualitative interpretation.
- `reliability.csv` — Test-retest reliability (ICC(3,1)) for 20 benchmarks across 5 sessions $\times$ 30 seed families (Table 2). Columns: benchmark, metric, ICC, Pearson r , SEM, practice direction, practice change %, reliability class.
- `correlations.csv` — Cross-domain correlation matrix for 10 key mechanism pairs (Table 3).
- `ablation_domains.csv` — Domain scores under 6 ablation presets (Figure 7 grouped bar chart). 27 domains $\times$ 6 presets.
- `sat_*.csv` — Speed-accuracy tradeoff curves for individual benchmarks (Figure 8).
- `neuromod_profiles.csv` — Neuromodulator benchmark results including behavioral knockout effect sizes, dose-response monotonicity, tolerance/withdrawal dynamics, and consciousness pharmacology.
- `normative_forest.csv` — Forest plot data for all 123 benchmarks with baselines. Columns: benchmark, domain, metric, agent value, human mean, human SD, z-score, z-clamped, percentile, interpretation.
- `cross_seed_stability.csv` — Cross-seed stability analysis across 5 seeds (42, 123, 789, 1337, 2718). 27 domains with per-seed z-scores, mean, and SD. Mean domain SD = 0.071; most stable domains (SD < 0.01): InstitutionalReasoning, Clinical, Motor, Security, SustainedAttention.

Section S2: Cross-Seed Stability Analysis

To assess robustness to random initialization, the full battery was run at 5 seeds (42, 123, 789, 1337, 2718). Table S2 reports per-domain z-scores at each seed, with mean and standard deviation.

Table 2: Cross-seed stability: domain z-scores across 5 seeds. Domains with $SD < 0.01$ are ablation-invariant; high-SD domains (Creativity, Executive, Mathematics) reflect genuine seed sensitivity in HDC encoding.

Domain	Seed 42	Seed 123	Seed 789	Seed 1337	Seed 2718	Mean	SD
Affect	1.20	1.16	1.25	1.18	1.31	1.22	0.052
Attention	0.34	0.36	0.23	0.17	0.33	0.29	0.073
Binding	0.62	0.71	0.73	0.69	0.67	0.68	0.039
Butlin	0.67	0.67	0.67	0.67	0.67	0.67	0.000
CausalReasoning	0.80	0.80	0.80	0.80	0.80	0.80	0.001
Clinical	2.00	2.00	2.00	2.00	2.00	2.00	0.000
Coding	1.79	1.84	1.73	1.74	1.63	1.75	0.069
CogBench	0.58	0.51	0.58	0.56	0.47	0.54	0.045
Consciousness	0.69	0.71	0.73	0.61	0.64	0.68	0.045
Creativity	0.80	0.52	0.34	1.21	-0.27	0.52	0.491
Executive	0.72	1.10	1.19	0.95	1.15	1.02	0.172
Inhibition	1.57	1.54	1.50	1.48	1.54	1.52	0.031
InstitReasoning	2.25	2.25	2.25	2.25	2.25	2.25	0.000
Language	1.75	1.53	1.69	1.77	1.81	1.71	0.098
Mathematics	1.15	0.65	1.03	0.83	0.73	0.88	0.187
MemoryAgent	1.00	0.82	0.43	0.55	0.72	0.70	0.199
Metacognition	0.75	0.80	0.67	0.69	0.89	0.76	0.080
Motor	2.32	2.33	2.32	2.34	2.31	2.33	0.009
Reasoning	1.39	1.37	1.42	1.37	1.36	1.38	0.023
Security	2.00	2.00	2.00	2.00	2.00	2.00	0.003
Social	1.54	1.49	1.56	1.51	1.58	1.53	0.032
Spatial	1.21	1.23	1.22	1.24	1.21	1.22	0.011
Speech	2.13	1.93	2.04	2.04	1.81	1.99	0.111
Substrate	0.88	0.91	0.97	0.85	0.94	0.91	0.043
SustainedAttention	2.19	2.20	2.20	2.19	2.19	2.19	0.004
ToMBench	1.08	1.02	1.02	0.95	0.95	1.00	0.050

Domain	Seed 42	Seed 123	Seed 789	Seed 1337	Seed 2718	Mean	SD
WorM	0.73	0.77	0.86	0.73	0.68	0.75	0.058
<i>Grand mean (unweighted domain)</i>						1.27	0.024

The Creativity domain shows anomalously high cross-seed variance ($SD = 0.491$), primarily driven by the RemoteAssociates benchmark whose semantic associations are seed-dependent (see Discussion). Mathematics ($SD = 0.187$), MemoryAgent ($SD = 0.199$), and Executive ($SD = 0.172$) show moderate variance reflecting genuine sensitivity to stimulus configuration. The remaining 23 domains have $SD < 0.12$, with 8 domains showing $SD < 0.01$ (effectively deterministic).

Section S2: Moral Topology via Persistent Homology

S2.1 Overview

Symthaea maintains a *moral topology* that analyses the topological structure of its moral space in real time. Every time the ethics engine evaluates a moral scenario, the scenario is encoded as a high-dimensional hypervector (16,384D) and projected onto a 7-dimensional *harmony basis*—one axis per foundational moral value (Care, Justice, Loyalty, Liberty, Sanctity, Authority, Truth). Persistent homology is then computed on the sliding window of recent projections, yielding three Betti numbers:

β_0 **Connected components.** $\beta_0 = 1$ indicates moral unity (a single coherent moral stance); $\beta_0 > 1$ signals fragmentation into disconnected moral clusters.

β_1 **1-cycles.** Non-trivial 1-cycles indicate circular reasoning patterns in the moral space.

β_2 **2-voids.** Higher-dimensional voids that may indicate “moral blind spots” encapsulated by surrounding positions.

In addition, *moral free energy* is computed as a KL-divergence between the current scenario distribution and a running EMA prior over the harmony axes, following the Free Energy Principle (Friston, 2010).

S2.2 Anomaly Detection

The moral topology system includes an anomaly detector that monitors four signals:

1. **Value inversion:** the dominant harmony axis has flipped since the last evaluation.
2. **Free energy spike:** moral free energy exceeds $k \cdot \sigma$ above the rolling trajectory mean (default $k = 2.0$).
3. **Fragmentation increase:** β_0 has increased (more disconnected components).
4. **Drift alert:** moral drift (linear regression slope of trajectory coordinates over 20-step lookback) exceeds a configurable threshold (default 0.25).

These are combined into a composite anomaly score via configurable weights (default: 0.3 value inversion, 0.3 FE spike, 0.2 fragmentation, 0.2 drift), clamped to $[0, 1]$.

Adaptive Thresholds

A self-tuning mechanism uses exponential moving averages (EMA, $\alpha = 0.02$) of observed drift and free energy to learn system-appropriate thresholds. After a warmup phase (default 20 observations), the effective drift threshold becomes $\mu_{\text{drift}} + k \cdot \sigma_{\text{drift}}$, clamped to $[0.05, 0.80]$. The effective FE sigma multiplier adapts based on the coefficient of variation of observed free energy (low CV $\rightarrow$ tighter sensitivity at 1.5σ ; high CV $\rightarrow$ looser at 3.5σ).

S2.3 Moral-Consciousness Coupling

Moral topology metrics feed into the consciousness engine through two mechanisms:

Drift-driven epistemic attenuation (Approach C). High moral drift attenuates the Knowledge component in the 7-theory master equation (ConsciousnessEquationV2), reflecting epistemic humility during value shifts: $K_{\text{eff}} = K \cdot (1 - r_{\text{drift}} \cdot \alpha_{\text{attenuation}})$ where $r_{\text{drift}} = \min(\text{drift}/0.5, 1.0)$ and $\alpha_{\text{attenuation}} = 0.30$.

Anomaly dampening (Approach B). The composite anomaly score dampens the unified consciousness level alongside bath-coupling terms (Seth, 2013):

$$C_{\text{unified}} = C_{\text{weighted}} + \Delta_{5\text{-HT}_{2A}} + \Delta_{\text{GABA}_A} + \Delta_{\text{entropy}} - s_{\text{anomaly}} \cdot 0.15.$$

S2.4 Anomaly Response Actions

When `enable_moral_anomaly_response` is active, detected anomalies trigger corrective feedback modulations:

- **Value inversion:** learning rate scaled by $1.2\times$ (encourage exploration of new moral landscape).
- **Free energy spike:** exploration urge reduced by 0.1 (stabilize before exploring).
- **Fragmentation increase:** prediction confidence boosted by 0.05 (counteract destabilization).
- **Drift alert:** learning rate scaled by $0.8\times$ (slow learning during rapid value change).

S2.5 Substrate Interaction

The `substrate × moral topology` interaction study (`substrate_moral_topology_study.rs`) compares moral topology metrics across 6 substrate types under identical input sequences. The study protocol runs 200 warmup + 500 stable + 500 shifting cycles per substrate, where the shifting phase introduces value-conflicting inputs. Key metrics compared: consciousness level, composite anomaly score, moral unity (β_0), moral free energy, and anomaly event counts.

References

- Baron-Cohen, S., Leslie, A. M., and Frith, U. (1985). Does the autistic child have a “theory of mind”? *Cognition*, 21(1):37–46.
- Baron-Cohen, S., Wheelwright, S., Hill, J., Raste, Y., and Plumb, I. (2001). The “Reading the Mind in the Eyes” test revised version: a study with normal adults, and adults with Asperger syndrome or high-functioning autism. *Journal of Child Psychology and Psychiatry*, 42(2):241–251.
- Bechara, A., Damasio, A. R., Damasio, H., and Anderson, S. W. (1994). Insensitivity to future consequences following damage to human prefrontal cortex. *Cognition*, 50(1–3):7–15.
- Berg, E. A. (1948). A simple objective technique for measuring flexibility in thinking. *The Journal of General Psychology*, 39(1):15–22.
- Bower, G. H. (1981). Mood and memory. *American Psychologist*, 36(2):129–148.
- Butlin, P., Long, R., Elmoznino, E., Bengio, Y., Birch, J., Constant, A., Deane, G., Fleming, S. M., Frith, C., Ji, X., et al. (2023). Consciousness in artificial intelligence: insights from the science of consciousness. *arXiv preprint arXiv:2308.08708*.
- Chollet, F. (2019). On the measure of intelligence. *arXiv preprint arXiv:1911.01547*.
- Cools, R., Clark, L., Owen, A. M., and Robbins, T. W. (2002). Defining the neural mechanisms of probabilistic reversal learning using event-related functional magnetic resonance imaging. *Journal of Neuroscience*, 22(11):4563–4567.
- Corcoran, R., Mercer, G., and Frith, C. D. (1995). Schizophrenia, symptomatology and social inference: investigating “theory of mind” in people with schizophrenia. *Schizophrenia Research*, 17(1):5–13.
- Daw, N. D., Gershman, S. J., Seymour, B., Dayan, P., and Dolan, R. J. (2011). Model-based influences on humans’ choices and striatal prediction errors. *Neuron*, 69(6):1204–1215.

- Eriksen, B. A. and Eriksen, C. W. (1974). Effects of noise letters upon the identification of a target letter in a nonsearch task. *Perception & Psychophysics*, 16(1):143–149.
- Fauconnier, G. and Turner, M. (2002). *The Way We Think: Conceptual Blending and the Mind’s Hidden Complexities*. Basic Books, New York.
- Ferreira, F., Bailey, K. G., and Ferraro, V. (2002). Good enough representations in language comprehension. *Current Directions in Psychological Science*, 11(1):11–15.
- Fitts, P. M. (1954). The information capacity of the human motor system in controlling the amplitude of movement. *Journal of Experimental Psychology*, 47(6):381–391.
- Guilford, J. P. (1967). *The Nature of Human Intelligence*. McGraw-Hill, New York.
- Güth, W., Schmittberger, R., and Schwarze, B. (1982). An experimental analysis of ultimatum bargaining. *Journal of Economic Behavior & Organization*, 3(4):367–388.
- Happé, F. G. (1994). An advanced test of theory of mind: understanding of story characters’ thoughts and feelings by able autistic, mentally handicapped, and normal children and adults. *Journal of Autism and Developmental Disorders*, 24(2):129–154.
- Jaeggi, S. M., Studer-Luethi, B., Buschkuhl, M., Su, Y.-F., Jonides, J., and Perrig, W. J. (2010). The relationship between n-back performance and matrix reasoning — implications for training and transfer. *Intelligence*, 38(6):625–635.
- Lejuez, C., Read, J. P., Kahler, C. W., Richards, J. B., Ramsey, S. E., Stuart, G. L., Strong, D. R., and Brown, R. A. (2002). Evaluation of a behavioral measure of risk taking: the Balloon Analogue Risk Task (BART). *Journal of Experimental Psychology: Applied*, 8(2):75–84.
- Logan, G. D. and Cowan, W. B. (1984). On the ability to inhibit thought and action: a theory of an act of control. *Psychological Review*, 91(3):295–327.
- Luck, S. J. and Vogel, E. K. (1997). The capacity of visual working memory for features and conjunctions. *Nature*, 390(6657):279–281.
- Mednick, S. A. (1962). The associative basis of the creative process. *Psychological Review*, 69(3):220–232.
- Murdock, B. B. (1962). The serial position effect of free recall. *Journal of Experimental Psychology*, 64(5):482–488.
- Nissen, M. J. and Bullemer, P. (1987). Attentional requirements of learning: evidence from performance measures. *Cognitive Psychology*, 19(1):1–32.
- Oberauer, K. (2003). Selective attention to elements in working memory. *Experimental Psychology*, 50(4):257–269.
- Pashler, H. (1994). Dual-task interference in simple tasks: data and theory. *Psychological Bulletin*, 116(2):220–244.
- Raven, J. C. (1938). *Progressive Matrices: A Perceptual Test of Intelligence*. H.K. Lewis, London.
- Robertson, I. H., Manly, T., Andrade, J., Baddeley, A., and Yiend, J. (1997). “Oops!”: performance correlates of everyday attentional failures in traumatic brain injured and normal subjects. *Neuropsychologia*, 35(6):747–758.
- Schultz, W., Dayan, P., and Montague, P. R. (1997). A neural substrate of prediction and reward. *Science*, 275(5306):1593–1599.
- Shallice, T. (1982). Specific impairments of planning. *Philosophical Transactions of the Royal Society of London B*, 298(1089):199–209.
- Stone, V. E., Baron-Cohen, S., and Knight, R. T. (1998). Frontal lobe contributions to theory of mind. *Journal of Cognitive Neuroscience*, 10(5):640–656.

- Stroop, J. R. (1935). Studies of interference in serial verbal reactions. *Journal of Experimental Psychology*, 18(6):643–662.
- Wechsler, D. (2008). *WAIS-IV: Wechsler Adult Intelligence Scale*. Pearson, San Antonio, TX, 4th edition.
- Williams, J. M. G., Mathews, A., and MacLeod, C. (1996). The emotional Stroop task and psychopathology. *Psychological Bulletin*, 120(1):3–24.
- Yerkes, R. M. and Dodson, J. D. (1908). The relation of strength of stimulus to rapidity of habit-formation. *Journal of Comparative Neurology and Psychology*, 18(5):459–482.