


PRODUCT REQUEST FORM

PRODUCT NAME:	Glass Bottle with Glass Dropper Tip
DESCRIPTION OF REQUEST: - New Product - Modification - Product Extension - Country addition - Label Change - Intended Use -...Etc...	Glass Bottle with Glass Dropper Tip, a critical delivery system designed specifically for sublingual immunotherapy (SLIT). This product is designed to capture a specific high-opportunity segment within the expanding allergy clinics market and strengthen our portfolio's competitiveness. Project Background The U.S. allergy immunotherapy market is experiencing robust growth, with a valuation of \$9.49 billion in 2024 and a projected CAGR of 7.5% to reach \$19.56 billion by 2034. A key driver of this growth is the increasing adoption of Sublingual Immunotherapy (SLIT), favored for its convenience and home-based administration. Within the consumables segment (valued at \$2.8-\$3.5 billion), precise and reliable allergen extract delivery is paramount for both treatment efficacy and patient safety. By establishing a "one-stop total solution" for Allergy Clinics Channel, we can engage more deeply across the entire allergy patient journey—from diagnosis (Skin Prick Tests, Blood Tests) to treatment (SLIT/SCIT) and ongoing management. <u>Allergy Immunotherapy Market Size, By Treatment Type, 2019-2030</u>  Source: www.kbvresearch.com
PURPOSE OF REQUEST:	☐ Complaint No. _____ ☐ Supplier _____ ☒ New market _____ <u>US</u> ☐ Customer _____ ☐ Internal _____ ☐ Other _____ Add details:
ESTIMATED BENEFITS:	☒ Financial Benefit: <u>Complete the product lines for the allergy clinics markets, Annual sales amount \$720K</u> (Mandatory For NPD request) <i>Estimate the potential increase in cash flows, revenues, or any other financial benefits</i> ☐ Cost Saving: _____ <i>Decrease in the cogs, transportation or operation expenses, or any other cost-saving opportunities</i> ☐ Improved Operational Efficiencies: _____ <i>Decrease in the Lead time, delivery time, MOQ, Inventory, or any other efficiency improvement</i> ☐ Non-Financial Benefits: _____ <i>Quality Improvement; Enhanced customer satisfaction, product competition, Brand reputation, etc.</i> ☐ Other Benefits: _____

PRODUCT DESCRIPTION: - Functional performance requirements - Appearance - Any unique points of differentiation against similar competitor product lines ...Etc...	Product Definition & Scope • Product: Borosilicate glass bottles (e.g., amber or clear) with fitted glass dropper assemblies (pipettes and rubber bulbs). • Primary Use: For the SLIT compounding, storage, and dispensing of pharmaceutical preparations that are incompatible with plastics or require utmost purity and stability. • Partner Profile: A U.S.-based manufacturer with a proven track record in pharmaceutical primary packaging, compliant with cGMP and relevant USP standards for container closure systems. • Our Role: We will act as the dedicated distributor, managing, sales, and client support, integrating this product into our portfolio of allergy clinic solutions. Agent Brand Proposal <table border="1"> <thead> <tr> <th>Product Family</th> <th>Next Step Action</th> <th>Brand</th> <th>Retail Price</th> </tr> </thead> <tbody> <tr> <td>Glass Bottle & Dropper Tip</td> <td>Distribute Agent Brand</td> <td>    </td> <td>\$2.88/bottle</td> </tr> </tbody> </table>	Product Family	Next Step Action	Brand	Retail Price	Glass Bottle & Dropper Tip	Distribute Agent Brand	  	\$2.88/bottle
Product Family	Next Step Action	Brand	Retail Price						
Glass Bottle & Dropper Tip	Distribute Agent Brand	  	\$2.88/bottle						
REQUEST TYPE	☐ LCR (Labelling Change Request) <i>Changes on the labels without changing the products</i> ☐ SCR (Supplier Change Request) <i>Change applications initiated by Suppliers</i> ☐ ECR (Engineering Change Request) <i>Existing products that SOLM is the legal manufacturer Engineer changes that are not bringing new hazards/risks</i> ☐ NPD (New Product Development) <i>Develop new innovative products that SOLM will be the legal manufacturer Significant changes on existing products that may bring new hazards/risks or new intended use Change products from outsourcing to SOLM to be the legal manufacturer Development of VET/Component products</i> ☒ SDP (SOLM Distributor Product) <i>New product introduction that SOLM will not be the legal manufacturer No change on the product, no SOLM information on the labels</i> ☐ SPP (SOLM Portfolio Product) <i>New product introduction that SOLM will not be the legal manufacturer No change on the product, Add SOLM information on the labels</i> ☐ Customized Product / Market <i>Purchased products that SOLM is not the legal manufacturer Engineering change on products or new customized products requested by SOLM New Market region requested by SOLM</i>								

TARGET MARKET:	☒ US ☐ Canada ☐ EMEA ☐ UK ☐ Brazil ☐ Australia & New Zealand ☐ Other countries/regions, list:		
TARGET USE:	☒ Human Use ☐ Animal Health	STERILE	☐ YES ☒ NO
VOLUME/SALES OPPORTUNITY:	Launch volume required:	Yr 1 estimate	Yr 2 estimate
CUSTOMER NOTIFICATION	Do we have any special quality agreement in place with customer which requires approval before implementing changes? ☐ YES ☒ NO <i>If Yes, please provide the customer's name and evidence. Attach the customer confirmation GF-0083 at the end of the form.</i> Is notification to the customers needed after change project is closed? ☐ YES ☒ NO Remark: <i>Example: change affect regulatory, performance, appearance, etc. Notification method.</i>		
LEGAL MANUFACTURER:	☐ Sol-Millennium ☒ Other: _____	BRANDING	☒ Sol-Millennium ☐ Private Label
EXPECTED PRODUCT LAUNCH PERIOD:	☒ < 1 year ☐ 1-3 year ☐ > 3 years	EXPECTED PRODUCT LIFE PERIOD:	10 years
NAME AND DATE of REQUEST:	Alex Lu 2026/2/2		

Product	COO	Den Uni Price	Target Uni Price	Target Gross Margin	Annual consumption in US	Solm 采购量 (10%)	Est. Sale Revenue
5 mL Glass Dropper Tip	US						
5 mL Glass Screw Top Bottle	US						
10 mL Glass Dropper Tip	US	1.20	0.60	30%	12,000,000	1,200,000	720,000
10 mL Glass Screw Top Bottle	US						
15 mL Glass Dropper Tip	US						
15 mL Glass Screw Top Bottle	US						

Internal use only uncontrolled when printed, make sure it is the latest revision. Access to document control list to verify the latest version, If you do not have access to, or are unfamiliar with the document control list, you should consult your quality representative.