



2026

Brand guidelines

The mark, the colors, the type and the pictures of
Lumovi, and how to use them.



CONTENTS

01	Introduction	3
	What this book is for, and Lumovi on one page.	
03	Logo	10
	The mark and the wordmark, how they're built, their versions, and how to use them.	
05	Typography	33
	Inter for everything you read, the wordmark included, and JetBrains Mono for code.	
07	Imagery	45
	One scene for every picture of the brand, and the rules for showing the product.	
09	In use	53
	The brand in the places Lumovi lives: the installers, the website, the docs and GitHub.	
11	Legal and resources	61
	The rules for the name and logo, and where everything is.	

02	Brand	6
	Where the name comes from, what Lumovi stands for, and the idea behind the mark.	
04	Color	25
	Black, white and true neutral grays carry the brand; color is kept for meaning.	
06	App icon	39
	The mark, lit on graphite: for macOS, Windows, Linux and the web.	
08	Motion	51
	The mark, moving: an intro, and a loading mark.	
10	Voice	57
	How Lumovi talks: plainly, calmly, and to the point.	

01

Introduction

What this book is for, and Lumovi on one page.

About this book Lumovi at a glance

About this book

How Lumovi looks and sounds, and how to use its logo, colors, type and pictures, whether you work on the app, the website or the docs, or you're writing about Lumovi.

Who it's for

- Contributors to the app, the website and the docs, deciding how something should look.
- Designers making anything new for Lumovi: a page, a slide, a sticker.
- Writers, speakers and partners who want to show Lumovi as it should be shown.

Where everything is

Every logo, icon, color and picture in this book is a file in the **Lumovi-design** repository, and all of them, this book included, are built from the same few source files. Take the files from there rather than from this PDF.

If this book and the files ever disagree, the files are right and the book is out of date.

How it's organized

It starts with the idea, then the logo, color and type, the app icon, pictures and motion, how they come together in the places Lumovi lives, and how Lumovi talks. The last pages are the rules for the name and logo, and the list of files.

Lumovi at a glance



The name

Lumovi

From *lumen*, light, and *view*. Light on what's happening in your clusters.

What it is

A beautiful, fast Kubernetes dashboard. On your desktop, or in your cluster.

The line

Your clusters,
at a glance.

Colors



Ink Graphite Silver Mist Paper Blue

Type and addresses

Aa

Inter

{ }

JetBrains Mono

lumovi.dev
docs.lumovi.dev
github.com/Lumovi

02

Brand

Where the name comes from, what Lumovi stands for, and the idea behind the mark.

The name Principles The idea

The name

lumen + **view**

→ **Lumovi**

Lumen is Latin for light, and the unit light is measured in. **View** is what you get when there's enough of it.

Lumovi puts light on what's happening in your clusters, so you can see what's healthy, what's struggling and where to look first.

It was called **KubeStacks**. That named what the app works on; Lumovi names what it gives you. The app, its code and the people making it are the same.

Principles

Four things everything Lumovi makes should be. They come from the app itself, and they decide the close calls.

Calm

Nothing shouts. When something goes wrong, Lumovi is the calm one in the room.

IN PRACTICE

- One light, one subject, plenty of space.
- Gray first; color only when it means something.
- Motion is slow and rare.

Clear

What matters is seen first: at a glance, before any detail.

IN PRACTICE

- Hierarchy before decoration.
- Problems sort to the top, in the app and on the page.
- Plain words, short sentences.

Exact

Everything sits on a grid and has a reason to be where it is.

IN PRACTICE

- The mark is built from circles, on whole pixels.
- Spacing and type from one scale.
- If it can be measured, measure it.


Honest

Show the real thing, and say what it does.

IN PRACTICE

- Real screenshots, never mock-ups dressed as the app.
- No claims the app can't back.
- Every change shows its kubectl.

The idea: Sweep



A square, and light sweeping across it from one corner.

The square is the whole of what you look after: a cluster, every cluster. The light is Lumovi, taking all of it in at once, the way you see a room when someone turns the lights on.

It's drawn only from circles, in black, white and gray, and it reads the same at 16 pixels and on a billboard. Turned into the app icon, the light glows.



The light



The shade



The gap

03

Logo

The mark and the wordmark, how they're built, their versions, and how to use them.


[The mark](#) [Construction](#) [On the pixel grid](#) [The wordmark](#) [The logo](#) [The stacked logo](#) [Versions](#) [Choosing a version](#) [Clear space](#) [Minimum size](#) [Backgrounds](#)
[Things to avoid](#) [Placing the logo](#) [Next to other logos](#)

The mark

Two shapes in a square, with a gap between them:


- 1 **The light**, a quarter circle from the bottom-left corner. It's the brightest thing in the mark, always: ink on light backgrounds, white on dark ones.
- 2 **The shade**, the rest of the square. It holds the shape together and stays quiet: pale gray on light, dark gray on dark.
- 3 **The gap** between them, the same width all along the curve. It keeps the two apart even when the mark is one color.

The light always comes from the bottom left, and the square always sits level.



Construction


Drawn only from circles, on a 48-unit square.



- 1 A **48-unit square** with rounded corners of radius 12.
- 2 The light: a quarter of a circle of **radius 30**, centered on the square's bottom-left corner.
- 3 The shade starts **6 further out**, at radius 36, so the gap is 6 all along the curve.
- 4 As **36 and 12 make 48**, the shade's two ends come to a point exactly where the square's corners begin.
- 5 Every measure is a **multiple of 3**, so at 16 pixels, 3 units to a pixel, the square's edges fall on whole pixels.


On the pixel grid

The mark rendered at its smallest sizes, pixel by pixel. The square's edges are sharp at every size.




16 px

3 units a pixel




24 px

2 units a pixel



32 px

1.5 units a pixel



48 px

1 unit a pixel

At 12 pixels and smaller, as in the 16- and 20-pixel app icons, the gap narrows from 6 units to 4, so it stays one whole pixel wide.

The wordmark

Lumovi

“Lumovi”, set in **Inter Display Semibold**: the typeface the app is set in, so the logo and the interface speak with one voice.

It’s Inter’s letters, outlined, so it needs no font, and tracked a little tighter than the font, as display type is. Use the files; don’t type it out.

Typeface	Inter Display, by Rasmus Andersson
Weight and size	wght 600 · opsz 32
Tracking	-3% (-61 of 2048 units)
Capitals	1490 of 2048 units
License	SIL Open Font License 1.1

The logo

The mark beside the wordmark: the first choice, wherever there's room.




The mark is **1.24 times the height of the capitals** (C), centered on them, so it reads a little larger than the letters beside it.

The space between the mark and the L is **0.38 C**. The two never move closer, further apart, or out of line.

The stacked logo

The mark above the wordmark, for square spaces: a splash screen, a sticker, the middle of a slide.




- 1 The mark is **2.8 times the height of the capitals (C)**.
- 2 The space between the mark and the capitals is **0.62 C**.
- 3 Both are centered on the same axis.

Use it only where the logo doesn't fit side by side; otherwise, use the logo.

Versions

Two tones for light and dark backgrounds, and one color for everything else.



Choosing a version

ON	USE	FILES
Paper, the app’s light backgrounds, light gray	on-light , two tones	lumovi-* -on-light
Ink, graphite, the app’s dark backgrounds	on-dark , two tones	lumovi-* -on-dark
Blue, photos, gradients, other colors	white , one color	lumovi-* -white
One-color printing, engraving, embossing, fax	black , one color	lumovi-* -black
Anywhere the two tones would be too faint to read	black or white	lumovi-* -black , -white

Which kind

- **Logo** (lumovi-logo): the default.
- **Stacked** (lumovi-logo-stacked): square spaces.
- **Mark** (lumovi-mark): small or square spaces, where the name is nearby.
- **Wordmark** (lumovi-wordmark): text-only places, and where the mark is already shown. It’s one color, in white and black.


Every one is in logo/svg and logo/png. Use SVG wherever it’s accepted.

Clear space

Keep space around the logo equal to half the mark's height (x), on every side, free of text, edges and other logos.



The logo: x = half the mark's height



The mark: x = half the mark's height

Minimum size

Below these sizes, use the mark alone. They're shown here at their actual size on screen.



Logo
the mark 18 px · 5 mm



Stacked
64 px tall · 18 mm



Mark
16 px · 4 mm

Lumovi


Wordmark
capitals 14 px · 3 mm

On screen, sizes are in CSS pixels: on a high-density display, the logo has two or three device pixels for each.

In print, sizes are the height of the mark (or of the capitals, for the wordmark) on the page.

Backgrounds

The two-tone logo on paper, graphite and the app's own backgrounds; the white logo on color and photos.



Things to avoid

The logo is the same everywhere. Use the files as they are.



✗ Don't color it



✗ Don't stretch or squash it



✗ Don't turn it



✗ Don't add shadows or effects



✗ Don't outline it



✗ Don't flip the mark



✗ Don't retype the name



✗ Don't rearrange it



✗ Don't change its proportions



✗ Don't put it in a box




✗ Don't lose it in low contrast



✗ Don't crop it


Placing the logo

Top left, on the layout's grid, with its clear space: where people start reading.




A slide

Top left, the margin a twentieth of the width.



A page

Top left, on the text's margin.



A social card

Top left, small: the mark on the right carries the brand.

Align the logo's left edge, the mark's, with the left edge of the text below it. Its height comes from the layout: about the height of the body text's capitals times 2.5 is a good start.

Use one logo per page, and don't repeat the mark large and small on the same view unless one of them is clearly a picture, as on the social cards.

Next to other logos

For integrations, sponsors and talks: side by side, the same height, with a line between.



- Give both logos the same visual weight: as tall as each other, or as wide, whichever looks even.
- Space them by half the mark's height on each side of a line as tall as 1.4 marks, in Mist.
- Don't join them into one shape, and don't change either one's colors to match.

04

Color

Black, white and true neutral grays carry the brand; color is kept for meaning.

[Brand colors](#) [Gray](#) [Blue](#) [Proportion](#) [Contrast](#) [Status and data](#) [Themes](#)

Brand colors

Five neutrals and one blue. The neutrals carry the brand; the blue is only for what you can act on.

Ink

Text, the logo, and the light in the mark on light backgrounds.

HEX#0a0a0a

RGB101010

OKLCH14.5%0.0000

CMYK00096

Graphite

Dark surfaces, and the app icon.

HEX#262626

RGB383838

OKLCH26.9%0.0000

CMYK00085

Silver

Quieter text, and the second line of headlines.

HEX#a3a3a3

RGB163163163

OKLCH71.5%0.0000

CMYK00036

Mist

Lines, and the mark's shade on light.

HEX#d4d4d4

RGB212212212

OKLCH87.0%0.0000

CMYK00017

Paper

Light surfaces, and the logo on dark.

HEX#ffffff

RGB255255255

OKLCH100.0%0.0000

CMYK0000

Blue

Only for what you can act on: links, buttons, focus.

HEX#2675d3

RGB38117211

OKLCH56.6%0.163255.5

CMYK8245017

CMYK values are a starting point by the simple formula, not color-managed: proof them on the press the job is printed on.

 Lumovi brand guidelines

Color · 26

Gray

True neutral grays, without a tint, from near-white to near-black. Most of what people see is these.

50	100	150	200	300	400	500	600	700	750	800	850	900	925	950
#fafafa	#f5f5f5	#efefef	#e5e5e5	#d4d4d4	#a3a3a3	#8f8f8f	#737373	#525252	#404040	#262626	#212121	#181818	#121212	#0a0a0a

Backgrounds

50, 100, 150 on light; 900, 925, 950 on dark.

Lines

Black or white at 7–14% opacity, so they work on any surface.

The mark’s shade

300 (Mist) on light; 750 on dark.

Text

950 (Ink), 700 and 600 on light; #ededed, 400 and 500 on dark.

Overview

Workloads

Nodes

Events

checkout

12 pods on 3 nodes

Updated 2 seconds ago

api-7f9c4d · worker-2×8p · cache-0

Light: app-bg, surface, line, and text-1, text-2, text-3

Overview

Workloads

Nodes

Events

checkout

12 pods on 3 nodes


Updated 2 seconds ago

api-7f9c4d · worker-2×8p · cache-0

Dark: app-bg, surface, line, and text-1, text-2, text-3

Blue

For what you can act on, as in Apple’s interfaces. It isn’t the brand’s color.



✔ Use it for


- Links, in running text and lists.
- Primary buttons, one to a view.
- Focus rings, and the selected row or tab.
- Progress, and the one chart series that matters most.

✖ Don’t use it for


- The logo, in any of its versions.
- Headlines, icons and decoration.
- Backgrounds of whole sections or pages.
- Status: that’s what the status colors are for.

Steps

600 on light and **500** on dark, with **700** and **400** to press or hover. Text in 600, and white text on it, reach 4.5:1 on white.




Light: a button, a link, a focused field, a selected row



Dark: a button, a link, a focused field, a selected row

Proportion

Roughly how much of each, on a typical page of the app, the website or the docs.



Blue, about 4%: what you can act on. Status, about 2%: only where something's wrong.

A page should look gray at a glance, with the blue and the status colors standing out because there's so little of them.

In the brand's own pictures there's even less color: black, white, gray, and the light.

Contrast

Text meets WCAG 2 AA: 4.5:1 for body text, 3:1 for large text (24 px, or 19 px bold).

PAIR	SAMPLE	RATIO	PASSES	FOR
Ink on Paper	Your clusters	19.80:1	AAA	Body text, headlines
Gray 700 on Paper	Your clusters	7.81:1	AAA	Secondary text (text-2)
Gray 600 on Paper	Your clusters	4.74:1	AA	Quiet text, captions (text-3)
Gray 500 on Paper	Your clusters	3.23:1	AA Large	Large text only
Blue 600 on Paper	Your clusters	4.60:1	AA	Links
Paper on Blue 600	Your clusters	4.60:1	AA	Primary buttons
#ededed on Gray 950	Your clusters	16.91:1	AAA	Body text, dark (text-1)
Gray 400 on Gray 950	Your clusters	7.85:1	AAA	Secondary text, dark (text-2)
Gray 500 on Gray 950	Your clusters	6.12:1	AA	Quiet text, dark (text-3)
Blue 500 on Gray 950	Your clusters	5.44:1	AA	Links, dark

Status and data

Health and charts keep their own colors: they say how things are, and never decorate.


Status

Marks (dots, bars) are the same in both themes; text in a status color uses a readable step for its theme. A status color always comes with a word.

STATUS	MARK	TEXT, LIGHT	TEXT, DARK
Good	#0ca30c	Running	Running
Warning	#fab219	Pending	Pending
Serious	#ec835a	Degraded	Degraded
Critical	#d03b3b	CrashLoopBackOff	CrashLoopBackOff
Neutral	#898781	Completed	Completed

Data

Eight categorical colors for charts, in this order: neighbors stay apart for readers with color-blind vision. Use them in order, and gray for "other".



Themes

The app’s semantic tokens, in colors/tokens.css: light, and dark when the system or data-theme says so.

TOKEN	LIGHT	DARK
--app-bg	#f5f5f5	#0a0a0a
--surface	#ffffff	#121212
--surface-2	#fafafa	#181818
--surface-3	#efefef	#212121
--line	rgb(0 0 0 / 0.08)	rgb(255 255 255 / 0.07)
--line-strong	rgb(0 0 0 / 0.14)	rgb(255 255 255 / 0.12)
--text-1	#0a0a0a	#ededed
--text-2	#525252	#a3a3a3
--text-3	#737373	#8f8f8f

Use the tokens, not the hex values, in the app, the website and the docs, so a theme can change in one place.

TOKEN	LIGHT	DARK
--accent	#2675d3	#3987e5
--accent-strong	#1c5cab	#5ea2f0
--accent-soft	rgb(38 117 211 / 0.1)	rgb(57 135 229 / 0.16)
--accent-track	#dcebfe	rgb(57 135 229 / 0.2)
--good-text	#1a7f37	#3fb950
--warn-text	#8a5a00	#e3a008
--serious-text	#b4501f	#f0883e
--critical-text	#b42318	#f85149

05

Typography

Inter for everything you read, the wordmark included, and
JetBrains Mono for code.

[Inter](#) [JetBrains Mono](#) [Type scale](#) [Headlines](#) [Numbers, names and code](#)

Inter

Aa


ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789 ¢ & @ () [] { } → ✓

The typeface of the app, the website, the docs, and the wordmark. Clear at 11 pixels in a dense table, and calm at 76 in a headline.

Regular Medium **Semibold** **Bold**

Designer	Rasmus Andersson
Axes	weight 100–900 · optical size 14–32
Headlines	Display (opsz 32), 600–650
Text	Text (opsz 14), 400–500
Features	cv11 (single-story a), ss01 (open digits)
License	SIL Open Font License 1.1
Get it	rsms.me/inter · @fontsource-variable/inter

JetBrains Mono



```
$ kubectl get pods -n checkout
api-7f9c4d 1/1 Running 0 12d
worker-2x8p 0/1 Pending 0 4m
```

For code, commands, YAML, logs, object names and numbers that line up: anything that’s typed, or read character by character.

Designer	JetBrains
Axes	weight 100–800
Use	400, with 500 for emphasis
Ligatures	Off: code reads as it’s typed
License	SIL Open Font License 1.1
Get it	jetbrains.com/lp/mono · @fontsource-variable/jetbrains-mono

Type scale

For the website, the docs and anything printed. Pick from it rather than between it.

STYLE	SAMPLE	SIZE / LINE · WEIGHT · TRACKING
Display	Your clusters	76/78 · 650 · -0.045em
Title	Every kind, one list	48/52 · 650 · -0.035em
Heading	Usage over time	32/37 · 600 · -0.025em
Subheading	Right-sizing your workloads	20/27 · 600 · -0.01em
Lead	See what’s healthy, and where your capacity goes.	20/30 · 400 · -0.005em
Body	Pick a cluster and Lumovi shows you how it’s doing.	16/26 · 400 · 0
Small	Lists load in chunks, so thousands of pods stay smooth.	14/21 · 400 · 0
Label	NODES · PODS · EVENTS	12/16 · 600 · +0.1em

Display is shown at 60 px here; it’s 76 px on the page. In the app, the interface is denser: 13 px for text, 11 and 12 px in tables, all from Inter.

Headlines

Your clusters,
at a glance.

A beautiful, fast Kubernetes dashboard. On your desktop, or in your cluster.

- **Two tones.** The first line in Ink, what follows in Silver: one statement, read in two beats.
- **Short.** Two lines at most, in sentence case, ending with a period when it's a sentence.
- **Tight.** Display size, semibold, tracked -0.045em , with the line height almost solid.
- **Balanced.** Break lines by meaning, not by the edge of the box.
- **Left-aligned,** with the text below it on the same edge.

Numbers, names and code

What’s read character by character gets JetBrains Mono; numbers that line up get tabular figures.

POD	STATUS	CPU	MEMORY	AGE
api-7f9c4d	● Running	120m	256Mi	12d
worker-2x8p	● Pending	—	—	4m
cache-0	● Running	1,240m	1.8Gi	31d
ingest-5b6c	● CrashLoopBackOff	15m	64Mi	2h

```
$ kubectl scale deployment/api --replicas=3
```

- **Names in mono:** pods, namespaces, nodes, images and anything else you’d type.
- **Numbers in Inter,** with tabular figures (font-variant-numeric: tabular-nums) wherever they line up in a column.
- **Units close:** 120m, 256Mi, 12d, as kubectl writes them.
- **A dash for nothing,** never 0 when there’s no value.
- **Status with a word,** and the color on a dot beside it.

06

App icon

The mark, lit on graphite: for macOS, Windows, Linux and the web.

[The app icon](#) [Liquid Glass](#) [Windows and Linux](#) [Favicons and web icons](#) [Using the icon](#)

The app icon



The mark, lit, on a plate of graphite. The light glows and lights the shade beside it, brightest along the curve: the only place the brand glows.

- 1 Plate.** Graphite, #404040 to #0a0a0a, top to bottom. 824 px with continuous corners.
- 2 Light.** White, warming to #efefef at its edge. The brightest thing in the icon.
- 3 Glow.** The light, blurred and kept inside the square, so its edges stay sharp.
- 4 Shade.** A veil of white, 36% along the curve fading to 13% at the far corner.
- 5 Edge.** A hairline of white at 12%, so the plate holds its shape on dark docks.
- 6 Shadow.** Black at 32%, 10 px down and 12 px soft, as Apple's template has.

Liquid Glass

On macOS 26 and later, the icon is an Icon Composer document: layers the system lights, tints and shadows itself, in light, dark, clear and tinted appearances.



Fill

Graphite, top to bottom, set in icon.json. The system masks it to the icon's shape.



Glow

The light's glow on the plate. Not glass: it stays soft.



Shade

Glass, 40% translucent, with a neutral shadow.



Light





Glass, solid, so it stays the brightest thing.

The layers are drawn on the whole 1024 canvas, with the mark the same share of it as of the plate in the classic icon. Open `icons/app/macos/Lumovi.icon` in Icon Composer to see every appearance.

electron-builder compiles it with Xcode's actool (Xcode 26 or later), together with the .icns that older versions of macOS show.


Windows and Linux

The plate edge to edge, as icons there are, and every size drawn for itself.



- Up to 96 px the mark is larger than on the big icon, and the glow is left out.
- At 16 and 20 px the gap narrows to one pixel.
- The Windows .ico holds ten sizes, 16 to 256; Linux gets a PNG for each.

Favicons and web icons



favicon.svg follows the browser's theme



Touch icon: iOS rounds the corners



Maskable: the mark inside the safe circle

favicon.svg The mark: ink and Mist on light, white and gray on dark

favicon.ico 16, 32, 48 px: the app icon, which reads on any tab

apple-touch-icon.png 180 px, graphite to the edges

icon-192, icon-512 The plate, for installed web apps

site.webmanifest theme and background #0a0a0a

Using the icon

The icon stands for the app itself: on a dock, in a store, beside a download button.



✓ Use it as it is



✗ Don't recolor the plate



✗ Don't add badges or words



✗ Don't use it as the logo

07


Imagery

One scene for every picture of the brand, and the rules for showing the product.

The scene Social images Banners and headers Wallpapers Showing the product

The scene

Every picture of the brand is the same scene: graphite, a floor of dots running into the distance, and the mark standing on it, its light falling on the floor in front.




- 1 The logo, small, top left.
- 2 The address, across from it.
- 3 A two-tone headline, and a line under it.
- 4 The mark: the one light in the picture.
- 5 The floor: a cluster's worth of pods, running into the distance.
- 6 Light falling on the floor in front of the mark.


One light, one subject, and plenty of dark. Black, white and gray: the light is white. The scene is built by `src/scene.ts`, so a new size is a new build.

Social images


Link previews, 1200 × 630 at twice the size, and a preview for each repository on GitHub, 1280 × 640: set it in the repository's Settings, under Social preview.




Lumovi: the app's repository



The docs



The website



This repository


Banners and headers



GitHub profile banner, dark



GitHub profile banner, light




X, Bluesky and Mastodon

The header leaves the bottom left to the avatar (dashed), and keeps the address out of the top corners, where phones put their buttons.

- Header 1500 × 500, at twice the size
- Avatar social/avatar.png, 1024 × 1024


Wallpapers

For desktops and phones, in dark and light: the scene with nothing else in it.




Desktop, dark · 5120 × 2880


Also at 3456 × 2160 for 16:10 displays, in media/wallpapers.



Desktop, light · 5120 × 2880




Phone, dark




Phone, light

Showing the product

Show the real app: real screenshots, in light and dark, framed the same way everywhere.



On light: a hairline and a soft shadow



On dark: a hairline of white, a deeper shadow

- Screenshots from the app as it is, with the demo clusters, at 2×.
- A 12 px corner, a 1 px edge, and one shadow, as above.
- No fake data that looks real, no mock-ups dressed as the app, no device frames.

08

Motion


The mark, moving: an intro, and a loading mark.

The mark, moving


The mark, moving

Two animations, as SVG files that play in an image tag. Both hold still for people who ask for reduced motion.

Intro · once, in 1.3 seconds: the square settles, then the light sweeps across it



Loading · loops every 2.2 seconds: the light breathes



Easing	<code>cubic-bezier(0.16, 1, 0.3, 1)</code>
Square	700 ms, from 94% and transparent
Light	900 ms from 250 ms, from its corner
Breathing	2.2 s, to 80% and back
Reduced motion	The last frame, still

The same easing as the app's panels and toasts: quick to start, slow to settle.

09


In use

The brand in the places Lumovi lives: the installers, the website, the docs and GitHub.


[Installers](#) [Website and docs](#) [GitHub](#)

Installers

The first thing people see of Lumovi on their computer.



The macOS disk image: the names sit on a gray where black and white text both read



The Windows installer's welcome page

Website and docs

The logo top left in the navigation, the rest in gray, and the one blue button: on lumovi.dev and docs.lumovi.dev.



- Logo in the bar The mark 24 px tall (26-28 on wide pages)
- Bar 64 px tall, the logo on the content’s left edge
- Links Body text in Gray 600 (400 on dark)

- Primary button Blue 600 (500 on dark), white text, 9 px corners
- Docs (Mintlify) logo/light.svg and logo/dark.svg: the logo, on-light and on-dark
- Favicon icons/web/favicon.svg

GitHub

The organization and every repository: the avatar, a social preview, and the logo at the top of the README.



The organization's avatar



A beautiful, fast Kubernetes dashboard.

```
<picture>
  <source media="(prefers-color-scheme: dark)" srcset="lumovi-logo-on-dark.svg" />
  
</picture>
```

The README logo follows the reader's theme: on-dark for dark mode, on-light otherwise. Give it alt text: "Lumovi".

10

Voice

How Lumovi talks: plainly, calmly, and to the point.

How Lumovi talks Words Names and addresses

How Lumovi talks

The way the app talks: plainly, calmly, and to the point. Say what something does, not how amazing it is.



Write

Restart the deployment. Its pods are replaced in a rolling update, so it keeps serving.



Not

Supercharge your workflow with one-click, zero-downtime restarts!



Write

Lost the connection to the cluster. The last data stays on screen until it's back.



Not

Oops! Something went wrong. Please try again later.



Write

See what's healthy, what's struggling and where your capacity goes.



Not

The ultimate, next-generation Kubernetes observability platform.

When all is well

Quiet. Routine work needs no applause: "Scaled to 3", not "Success!".

When something's wrong

Calm and specific: what happened, where, and what to do next.

Before a change

Clear about the effect. Destructive actions say what will be lost, and start on Cancel.

Words

WRITE	INSTEAD OF
Kubernetes dashboard	K8s IDE, cockpit, observability platform
cluster, namespace, pod, node	environment, project, container (when you mean a pod)
on your desktop, in your cluster	locally, self-hosted
sign in	log in, authenticate
Couldn't reach the cluster	Error 503, Network failure
Restart, Scale, Roll back	Execute, Perform, Trigger
fast, calm, clear	blazing, revolutionary, seamless

- **Short sentences**, in the active voice, about what people can see and do.
- **Kubernetes' own words** for Kubernetes' things, spelled as kubectl spells them.
- **Buttons say what happens:** "Restart", then "Restarted".
- **Errors say what went wrong and what to do**, without blame or apology.
- **No exclamation marks**, no emoji in the product, no superlatives.

Names and addresses

✓ Write

Lumovi

One word, capital L, everywhere:
in titles, in text, at the start of
a sentence.

✗ Not

LUMОВI • lumovi • LumoVi •
Lumovi App

Not in capitals, not in lowercase (the
wordmark is artwork, not a spelling),
and no “App”.

✓ Write

lumovi.dev

The website, written without https://
or www. The docs are at
docs.lumovi.dev.

✓ Write

KubeStacks

The old name. Say it once where
people need to know (“Lumovi,
formerly KubeStacks”), then drop it.

11

Legal and resources

The rules for the name and logo, and where everything is.

Using the name and logo The files

Using the name and logo

The files in this book are open source, under the Apache License 2.0. The Lumovi name and logo are trademarks of the Lumovi project, and the license doesn't grant rights to them.

✔ You're welcome to

- Use the logo to link to Lumovi or write about it: in articles, talks, videos and lists of tools.
- Show it next to your own logo for an integration, as on page "Next to other logos".
- Use the screenshots and pictures to show what Lumovi is.

✘ Please don't

- Use the name or logo for your own product, fork, company or domain.
- Suggest that Lumovi endorses you, or that something is an official Lumovi project when it isn't.
- Change the logo, or make a new one from it.

Not sure? Open an issue in the Lumovi-design repository and ask.

The files

Everything in this book is in the Lumovi-design repository, built from source with `npm run build`.

logo/	The logo, stacked logo, mark and wordmark, as SVG and PNG; animated marks
icons/app/	macOS (PNG, ICNS, Liquid Glass), Windows (ICO) and Linux (PNG)
icons/web/	Favicons, touch and web app icons, and the web manifest
colors/	CSS custom properties, Tailwind, design tokens, Adobe and GIMP swatches
social/	Link previews, GitHub previews and banners, the avatar, the X header
media/	Wallpapers, and the macOS and Windows installers' artwork
snippets/	The mark as React and Astro components, and the HTML <head> tags
guidelines/	The guidelines online, their pictures, and this book
src/	What everything is built from: colors, the mark, the wordmark, the icons, the scene

github.com/Lumovi/Lumovi-design · Change the source in `src/`, not the built files, and the book follows.



Your clusters, at a glance.

A beautiful, fast Kubernetes dashboard. On your
desktop, or in your cluster.

lumovi.dev
docs.lumovi.dev
github.com/Lumovi