Lumovi



2026

Brand guidelines

The mark, the colors, the type and the pictures of Lumovi, and how to use them.

CONTENTS

01 **Introduction** 3
What this book is for, and Lumovi on one page.

02 **Brand** 6
Where the name comes from, what Lumovi stands for, and the idea behind the mark.

03 **Logo** 10
The mark and the wordmark, how they’re built, their versions, and how to use them.

04 **Color** 25
Black, white and true neutral grays carry the brand; color is kept for meaning.

05 **Typography** 34
Inter for everything you read, the wordmark included, and JetBrains Mono for code.

06 **App icon** 40
The mark, lit on graphite: for macOS, Windows, Linux and the web.

07 **Imagery** 46
One scene for every picture of the brand, and the rules for showing the product.

08 **Motion** 52
The mark, moving: an intro, and a loading mark.

09 **In use** 54
The brand in the places Lumovi lives: the installers, the app’s sponsor card, the website, the docs and GitHub.

10 **Voice** 59
How Lumovi talks: plainly, calmly, and to the point.

11 **Legal and resources** 63
The rules for the name and logo, and where everything is.

01

Introduction

What this book is for, and Lumovi on one page.

About this book Lumovi at a glance

About this book

How Lumovi looks and sounds, and how to use its logo, colors, type and pictures, whether you work on the app, the website or the docs, or you're writing about Lumovi.

Who it's for

- Contributors to the app, the website and the docs, deciding how something should look.
- Designers making anything new for Lumovi: a page, a slide, a sticker.
- Writers, speakers and partners who want to show Lumovi as it should be shown.

Where everything is

Every logo, icon, color and picture in this book is a file in the **Lumovi-design** repository, and all of them, this book included, are built from the same few source files. Take the files from there rather than from this PDF.

If this book and the files ever disagree, the files are right and the book is out of date.

How it's organized

It starts with the idea, then the logo, color and type, the app icon, pictures and motion, how they come together in the places Lumovi lives, and how Lumovi talks. The last pages are the rules for the name and logo, and the list of files.

Lumovi at a glance



The name

Lumovi

From *lumen*, light, and *view*. Light on what's happening in your clusters.

What it is

A calm, fast Kubernetes dashboard, on your desktop or in your cluster.

The line

Your clusters,
at a glance.

Colors

Ink · Graphite · Silver · Mist · Paper · Blue

Type and addresses

Aa — Inter

{} — JetBrains Mono

lumovi.dev
docs.lumovi.dev
github.com/Lumovi

02

Brand

Where the name comes from, what Lumovi stands for, and the idea behind the mark.

The name Principles The idea

The name

lumen + view

→ Lumovi

Lumen is Latin for light, and the unit light is measured in. **View** is what you get when there’s enough of it.

Lumovi puts light on what’s happening in your clusters, so you can see what’s healthy, what’s struggling and where to look first.

It was called **KubeStacks**. That named what the app works on; Lumovi names what it gives you. The app, its code and the people making it are the same.

Principles

Four things everything Lumovi makes should be. They come from the app itself, and they decide the close calls.

Calm

Nothing shouts. When something goes wrong, Lumovi is the calm one in the room.

IN PRACTICE

- One light, one subject, plenty of space.
- Gray first; color only when it means something.
- Motion is slow and rare.

Clear

What matters is seen first: at a glance, before any detail.

IN PRACTICE

- Hierarchy before decoration.
- Problems sort to the top, in the app and on the page.
- Plain words, short sentences.

Exact

Everything sits on a grid and has a reason to be where it is.

IN PRACTICE

- The mark is built from circles, on whole pixels.
- Spacing and type from one scale.
- If it can be measured, measure it.

Honest

Show the real thing, and say what it does.

IN PRACTICE

- Real screenshots, never mock-ups dressed as the app.
- No claims the app can’t back.
- Every change shows its kubectl.

The idea: Sweep



A square, and light sweeping across it from one corner.

The square is the whole of what you look after: a cluster, every cluster. The light is Lumovi, taking all of it in at once, the way you see a room when someone turns the lights on.

It’s drawn only from circles, in black, white and gray, and it reads the same at 16 pixels and on a billboard. Turned into the app icon, the light glows.

The light The shade The gap

03

Logo

The mark and the wordmark, how they’re built, their versions, and how to use them.


The mark Construction On the pixel grid The wordmark The logo The stacked logo Versions Choosing a version Clear space Minimum size Backgrounds Things to avoid Placing the logo Next to other logos

The mark

Two shapes in a square, with a gap between them:


1. **The light**, a quarter circle from the bottom-left corner. It’s the brightest thing in the mark, always: ink on light backgrounds, white on dark ones.
2. **The shade**, the rest of the square. It holds the shape together and stays quiet: pale gray on light, dark gray on dark.
3. **The gap** between them, the same width all along the curve. It keeps the two apart even when the mark is one color.

The light always comes from the bottom left, and the square always sits level.



Construction


Drawn only from circles, on a 48-unit square.



1. A **48-unit square** with rounded corners of radius 12.
2. The light: a quarter of a circle of **radius 30**, centered on the square’s bottom-left corner.
3. The shade starts **6 further out**, at radius 36, so the gap is 6 all along the curve.
4. As **36 and 12 make 48**, the shade’s two ends come to a point exactly where the square’s corners begin.
5. Every measure is a **multiple of 3**, so at 16 pixels, 3 units to a pixel, the square’s edges fall on whole pixels.


On the pixel grid

The mark rendered at its smallest sizes, pixel by pixel. The square’s edges are sharp at every size.




16 px

3 units a pixel




24 px

2 units a pixel



32 px

1.5 units a pixel



48 px

1 unit a pixel

At 12 pixels and smaller, as in the 16- and 20-pixel app icons, the gap narrows from 6 units to 4, so it stays one whole pixel wide.

The wordmark

Lumovi

"Lumovi", set in **Inter Display Semibold**: the typeface the app is set in, so the logo and the interface speak with one voice.

It's Inter's letters, outlined, so it needs no font, and tracked a little tighter than the font, as display type is. Use the files; don't type it out.

Typeface	Inter Display, by Rasmus Andersson
Weight and size	wght 600 · opsz 32
Tracking	-3% (-61 of 2048 units)
Capitals	1490 of 2048 units
License	SIL Open Font License 1.1

The logo

The mark beside the wordmark: the first choice, wherever there’s room.



The mark is **1.24 times the height of the capitals** (C), centered on them, so it reads a little larger than the letters beside it.

The space between the mark and the L is **0.38 C**. The two never move closer, further apart, or out of line.

The stacked logo

The mark above the wordmark, for square spaces: a splash screen, a sticker, the middle of a slide.




1. The mark is **2.8 times the height of the capitals** (C).
2. The space between the mark and the capitals is **0.62 C**.
3. Both are centered on the same axis.


Use it only where the logo doesn’t fit side by side; otherwise, use the logo.

Versions


Two tones for light and dark backgrounds, and one color for everything else.



















Choosing a version

ON	USE	FILES
Paper, the app’s light backgrounds, light gray	**on-light**, two tones	`lumovi-*-on-light`
Ink, graphite, the app’s dark backgrounds	**on-dark**, two tones	`lumovi-*-on-dark`
Blue, photos, gradients, other colors	**white**, one color	`lumovi-*-white`
One-color printing, engraving, embossing, fax	**black**, one color	`lumovi-*-black`
Anywhere the two tones would be too faint to read	**black** or **white**	`lumovi-*-black, -white`

Which kind

- **Logo** (`lumovi-logo`): the default.
- **Stacked** (`lumovi-logo-stacked`): square spaces.
- **Mark** (`lumovi-mark`): small or square spaces, where the name is nearby.
- **Wordmark** (`lumovi-wordmark`): text-only places, and where the mark is already shown. It’s one color, in white and black.


Every one is in `logo/svg` and `logo/png`. Use SVG wherever it’s accepted.

Clear space

Keep space around the logo equal to half the mark’s height (x), on every side, free of text, edges and other logos.



The logo: x = half the mark’s height



The mark: x = half the mark’s height

Minimum size

Below these sizes, use the mark alone. They’re shown here at their actual size on screen.



Logo
the mark 18 px · 5 mm



Stacked
64 px tall · 18 mm



Mark
16 px · 4 mm



Wordmark
capitals 14 px · 3 mm

On screen, sizes are in CSS pixels: on a high-density display, the logo has two or three device pixels for each.


In print, sizes are the height of the mark (or of the capitals, for the wordmark) on the page.

Backgrounds

The two-tone logo on paper, graphite and the app’s own backgrounds; the white logo on color and photos.


















Things to avoid

The logo is the same everywhere. Use the files as they are.



Don’t color it



Don’t stretch or squash it



Don’t turn it



Don’t add shadows or effects



Don’t outline it



Don’t flip the mark



Don’t retype the name



Don’t rearrange it



Don’t change its proportions



Don’t put it in a box




Don’t lose it in low contrast




Don’t crop it

Placing the logo


Top left, on the layout’s grid, with its clear space: where people start reading.



A slide
Top left, the margin a twentieth of the width.



A page
Top left, on the text’s margin.




A social card
Top left, small: the mark on the right carries the brand.

Align the logo’s left edge, the mark’s, with the left edge of the text below it. Its height comes from the layout: about the height of the body text’s capitals times 2.5 is a good start.

Use one logo per page, and don’t repeat the mark large and small on the same view unless one of them is clearly a picture, as on the social cards.

Next to other logos

For integrations, sponsors and talks: side by side, the same height, with a line between.



- Give both logos the same visual weight: as tall as each other, or as wide, whichever looks even.
- Space them by half the mark’s height on each side of a line as tall as 1.4 marks, in Mist.
- Don’t join them into one shape, and don’t change either one’s colors to match.

04

Color

Black, white and true neutral grays carry the brand; color is kept for meaning.

Brand colors Gray Blue Proportion Contrast Status Status in use, and data Themes

Brand colors

Five neutrals and one blue. The neutrals carry the brand; the blue is only for what you can act on.

Ink

Text, the logo, and the light in the mark on light backgrounds.

HEX	#0a0a0a
RGB	10 10 10
OKLCH	14.5% 0.000 0
CMYK	0 0 0 96

Graphite

Dark surfaces, and the app icon.

HEX	#262626
RGB	38 38 38
OKLCH	26.9% 0.000 0
CMYK	0 0 0 85

Silver

Quieter text on dark backgrounds.

HEX	#a3a3a3
RGB	163 163 163
OKLCH	71.5% 0.000 0
CMYK	0 0 0 36

Mist

Lines, and the mark's shade on light.

HEX	#d4d4d4
RGB	212 212 212
OKLCH	87.0% 0.000 0
CMYK	0 0 0 17

Paper

Light surfaces, and the logo on dark.

HEX	#ffffff
RGB	255 255 255
OKLCH	100.0% 0.000 0
CMYK	0 0 0 0

Blue

Only for what you can act on: links, buttons, focus.

HEX	#2675d3
RGB	38 117 211
OKLCH	56.6% 0.163 255.5
CMYK	82 45 0 17

CMYK values are a starting point by the simple formula, not color-managed: proof them on the press the job is printed on.

Gray

True neutral grays, without a tint, from near-white to near-black. Most of what people see is these.

50	100	150	200	300	400	500	600	650	700	750	800	850	900	925	950
#fafafa	#f5f5f5	#efefef	#e5e5e5	#d4d4d4	#a3a3a3	#8f8f8f	#737373	#6b6b6b	#525252	#404040	#262626	#212121	#181818	#121212	#0a0a0a

Backgrounds

50, 100, 150 on light; 900, 925, 950 on dark.

Lines


Black or white at 7–14% opacity, so they work on any surface.

The mark's shade


300 (Mist) on light; 750 on dark.

Text

950 (Ink), 700 and 650 on light; #ededed, 400 and 500 on dark.



Light: app-bg, surface, line, and text-1, text-2, text-3



Dark: app-bg, surface, line, and text-1, text-2, text-3

Blue

For what you can act on. It isn’t the brand’s color.

50	100	200	300	400	500	600	700	800	900	950
#eff7ff	#dcebfe	#bfdcff	#8cc2ff	#5ea2f0	#3987e5	#2675d3	#1c5cab	#184789	#153365	#112242

Use it for


- Links, in running text and lists.
- Primary buttons, one to a view.
- Focus rings, and the selected row or tab.
- Progress bars for something you started, and the one chart series that matters most.

Don’t use it for


- The logo, in any of its versions.
- Headlines, icons and decoration.
- Backgrounds of whole sections or pages.
- Status, even in progress: that’s what the status colors are for.

Steps

600 for fills, rings and icons in both themes, deepening to **700** on hover, so white labels reach 4.60:1 and 6.63:1. Blue words use 700 on light and 400 on dark (accent-strong): 4.5:1 on every surface.




Light: a button, a link, a focused field, a selected row



Dark: a button, a link, a focused field, a selected row

Proportion

Roughly how much of each, on a typical page of the app, the website or the docs.



Blue, about 4%: what you can act on. Status, about 2%: only where something’s wrong.

A page should look gray at a glance, with the blue and the status colors standing out because there’s so little of them.

In the brand’s own pictures there’s even less color: black, white, gray, and the light.






Contrast

Text meets WCAG 2 AA on every surface, shown here on the hardest:
4.5:1, or 3:1 for large text (24 px, or 19 px bold).

PAIR	SAMPLE	RATIO	PASSES	FOR
Ink on Gray 150	Your clusters	17.22:1	AAA	Body text, headlines (text-1)
Gray 700 on Gray 150	Your clusters	6.80:1	AA	Secondary text (text-2)
Gray 650 on Gray 150	Your clusters	4.63:1	AA	Quiet text, captions (text-3)
Gray 600 on Gray 150	Your clusters	4.12:1	AA large	A headline's second line: large text
Blue 700 on Gray 150	Your clusters	5.76:1	AA	Blue words: links (accent-strong)
Paper on Blue 600	Your clusters	4.60:1	AA	Primary buttons, in both themes; 6.63:1 on hover (Blue 700)
#ededed on Gray 850	Your clusters	13.75:1	AAA	Body text, dark (text-1)
Gray 400 on Gray 850	Your clusters	6.38:1	AA	Secondary text, dark (text-2)
Gray 500 on Gray 850	Your clusters	4.98:1	AA	Quiet text and second lines, dark (text-3)
Blue 400 on Gray 850	Your clusters	6.06:1	AA	Blue words, dark (accent-strong)

Status

Five levels of health, the same in the app, the docs and the website. Each has a color, an icon and a word, and never shows as color alone.

LEVEL	IN THE APP, LIGHT AND DARK	MEANS	MARK	WORDS
Critical Filter: Failing		Broken, and won’t fix itself: a crash loop, a failed job, a node that isn’t ready.	#d03b3b 4.18 #d03b3b 3.35	#b42318 4.84 #fc554c 4.56
Warning Filter: Warning		Working, but not as it should: degraded, under pressure, pending, terminating.	#bd7800 3.12 #fab219 8.78	#8a5a00 4.56 #e3a008 5.59
Progressing Filter: In progress		On its way: creating containers, reconciling, running a job. **Neutral, moving:** the dot pulses and the dashed circle turns.	#737373 4.12 #737373 3.40	#525252 5.92 #a3a3a3 5.61
Healthy Filter: Healthy		Doing what it’s meant to.	#009e00 3.10 #009e00 4.52	#00732b 4.55 #3fb950 5.54
Neutral Filter: Inactive		Nothing to worry about: completed, suspended, scaled to zero.	#737373 4.12 #737373 3.40	#525252 5.92 #a3a3a3 5.61

Light, then dark. Each ratio is the lowest on any surface of its theme, and for words on the pill’s fill too: marks need 3:1 (WCAG 1.4.11), words 4.5:1.

Status in use, and data


Health and charts keep their own colors: they say how things are, and never decorate.

Status

- **Never color alone.** A dot sits beside a name, and a pill has its icon and its word.
- **Marks and words.** Dots, bars and fills take the status color; words take its `*-text` token, which reads on every surface.
- **A pill** is its words on its mark at 12%, over whatever it’s on.
- **Progressing is neutral, moving.** Its dot pulses, to 45% and back every 2 s; the dashed circle on its pill turns once every 3 s. Both hold still for reduced motion.
- **Blue is never a status,** not even for something in progress: it’s for what you can act on.
- **Four colors, five levels.** There’s no orange between warning and critical: it’s hard to tell from either, more so for color-blind readers.
- **Lists sort by level,** critical first, so what needs you is at the top.

Data

Eight categorical colors for charts, in this order: neighbors stay apart for readers with color-blind vision. Use them in order, and gray for “other”.



Themes

The app’s semantic tokens, in colors/tokens.css: light, and dark when the system or data-theme says so.

TOKEN	LIGHT	DARK
--app-bg	#f5f5f5	#0a0a0a
--surface	#ffffff	#121212
--surface-2	#fafafa	#181818
--surface-3	#efefef	#212121
--line	rgb(0 0 0 / 0.08)	rgb(255 255 255 / 0.07)
--line-strong	rgb(0 0 0 / 0.14)	rgb(255 255 255 / 0.12)
--text-1	#0a0a0a	#ededed
--text-2	#525252	#a3a3a3
--text-3	#6b6b6b	#8f8f8f
--accent	#2675d3	#2675d3
--accent-strong	#1c5cab	#5ea2f0
--accent-hover	#1c5cab	#1c5cab

TOKEN	LIGHT	DARK
--accent-soft	rgb(38 117 211 / 0.1)	rgb(57 135 229 / 0.16)
--accent-track	#dcebfe	rgb(57 135 229 / 0.2)
--good-text	#00732b	#3fb950
--warn-text	#8a5a00	#e3a008
--critical-text	#b42318	#fc554c
--neutral-text	#525252	#a3a3a3
--critical-hover	#bb3535	#bb3535
--good	#009e00	#009e00
--warn	#bd7800	#fab219
--critical	#d03b3b	#d03b3b
--neutral	#737373	#737373

Use the tokens, not the hex values, in the app, the website and the docs, so a theme can change in one place.

05

Typography

Inter for everything you read, the wordmark included, and JetBrains Mono for code.

Inter JetBrains Mono Type scale Headlines Numbers, names and code

Inter

Aa


ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789 ¶ & @ ( ) [ ] { } → ✓

The typeface of the app, the website, the docs, and the wordmark. Clear at 11 pixels in a dense table, and calm at 76 in a headline.

Regular **Medium** **Semibold** **Bold**

Designer	Rasmus Andersson
Axes	weight 100–900 · optical size 14–32
Headlines	Display (opsz 32), 600–650
Text	Text (opsz 14), 400–500
Features	cv11 (single-story a), ss01 (open digits)
License	SIL Open Font License 1.1
Get it	rsms.me/inter · @fontsource-variable/inter

JetBrains Mono



For code, commands, YAML, logs, object names and numbers that line up: anything that’s typed, or read character by character.

Designer	JetBrains
Axes	weight 100–800
Use	400, with 500 for emphasis
Ligatures	Off: code reads as it’s typed
License	SIL Open Font License 1.1
Get it	jetbrains.com/lp/mono · @fontsource-variable/jetbrains-mono

Type scale

For the website, the docs and anything printed. Pick from it rather than between it.

STYLE	SAMPLE	SIZE / LINE · WEIGHT · TRACKING
Display	Your clusters	76/78 · 650 · -0.045em
Title	Every kind, one list	48/52 · 650 · -0.035em
Heading	Usage over time	32/37 · 600 · -0.025em
Subheading	Right-sizing your workloads	20/27 · 600 · -0.01em
Lead	See what’s healthy, and where your capacity goes.	20/30 · 400 · -0.005em
Body	Pick a cluster and Lumovi shows you how it’s doing.	16/26 · 400 · 0
Small	Lists load in chunks, so thousands of pods stay smooth.	14/21 · 400 · 0
Label	NODES · PODS · EVENTS	12/16 · 600 · +0.1em

Display is shown at 60 px here; it’s 76 px on the page. In the app, the interface is denser: 13 px for text, 11 and 12 px in tables, all from Inter.

Headlines

Your clusters,
at a glance.

A calm, fast Kubernetes dashboard, on your desktop or in your cluster.

- **Two tones.** The first line in Ink, what follows quieter: gray 600 on light, gray 500 on dark. One statement, read in two beats.
- **Short.** Two lines at most, in sentence case, ending with a period when it's a sentence.
- **Tight.** Display size, semibold, tracked −0.045em, with the line height almost solid.
- **Balanced.** Break lines by meaning, not by the edge of the box.
- **Left-aligned,** with the text below it on the same edge.

Numbers, names and code

What’s read character by character gets JetBrains Mono; numbers that line up get tabular figures.

POD	STATUS	CPU	MEMORY	AGE
api-7f9c4d	Running	120m	256Mi	12d
worker-2x8p	Pending	—	—	4m
cache-0	Running	1,240m	1.8Gi	31d
ingest-5b6c	CrashLoopBackOff	15m	64Mi	2h

```
$ kubectl scale deployment/api --replicas=3
```

- **Names in mono:** pods, namespaces, nodes, images and anything else you’d type.
- **Numbers in Inter,** with tabular figures (font-variant-numeric: tabular-nums) wherever they line up in a column.
- **Units close:** 120m, 256Mi, 12d, as kubectl writes them.
- **A dash for nothing**, never 0 when there’s no value.
- **Status with a word,** and the color on a dot beside it.

06

App icon

The mark, lit on graphite: for macOS, Windows, Linux and the web.

The app icon Liquid Glass Windows and Linux Favicons and web icons Using the icon

The app icon



The mark, lit, on a plate of graphite. The light glows and lights the shade beside it, brightest along the curve: the only place the brand glows.

1. **Plate.** Graphite, #404040 to #0a0a0a, top to bottom. 824 px with continuous corners.
2. **Light.** White, warming to #efefef at its edge. The brightest thing in the icon.
3. **Glow.** The light, blurred and kept inside the square, so its edges stay sharp.
4. **Shade.** A veil of white, 36% along the curve fading to 13% at the far corner.
5. **Edge.** A hairline of white at 12%, so the plate holds its shape on dark docks.
6. **Shadow.** Black at 32%, 10 px down and 12 px soft, as Apple’s template has.

Liquid Glass

On macOS 26 and later, the icon is an Icon Composer document: layers the system lights, tints and shadows itself, in light, dark, clear and tinted appearances.



Fill

Graphite, top to bottom, set in icon.json. The system masks it to the icon’s shape.



Glow

The light’s glow on the plate. Not glass: it stays soft.



Shade

Glass, 40% translucent, with a neutral shadow.



Light

Glass, solid, so it stays the brightest thing.

The layers are drawn on the whole 1024 canvas, with the mark the same share of it as of the plate in the classic icon. Open `icons/app/macos/Lumovi.icon` in Icon Composer to see every appearance.


electron-builder compiles it with Xcode’s actool (Xcode 26 or later), together with the .icns that older versions of macOS show.


Windows and Linux


The plate edge to edge, as icons there are, and every size drawn for itself.



At their actual size








- Up to 96 px the mark is larger than on the big icon, and the glow is left out.
- At 16 and 20 px the gap narrows to one pixel.
- The Windows .ico holds ten sizes, 16 to 256; Linux gets a PNG for each.
- The Microsoft Store package gets every size Windows asks for, and its tiles have the icon in the middle, on transparency.

Favicons and web icons



favicon.svg follows the browser’s theme



Touch icon: iOS rounds the corners



Maskable: the mark inside the safe circle

favicon.svg	The mark: ink and Mist on light, white and gray on dark
favicon.ico	16, 32, 48 px: the app icon, which reads on any tab

apple-touch-icon.png	180 px, graphite to the edges
icon-192, icon-512	The plate, for installed web apps
site.webmanifest	theme and background #0a0a0a

Using the icon

The icon stands for the app itself: on a dock, in a store, beside a download button.



✓ Use it as it is



✗ Don’t recolor the plate



✗ Don’t add badges or words



✗ Don’t use it as the logo

07


Imagery

One scene for every picture of the brand, and the rules for showing the product.

The scene Social images Banners and headers Wallpapers Showing the product

The scene

Every picture of the brand is the same scene: graphite, a floor of dots running into the distance, and the mark standing on it, its light falling on the floor in front.




1. The logo, small, top left.
2. The address, across from it.
3. A two-tone headline, and a line under it.
4. The mark: the one light in the picture.
5. The floor: a cluster’s worth of pods, running into the distance.
6. Light falling on the floor in front of the mark.


One light, one subject, and plenty of dark. Black, white and gray: the light is white. The scene is built by src/scene.ts, so a new size is a new build.

Social images


Link previews, 1200 × 630 at twice the size, and a preview for each repository on GitHub, 1280 × 640: set it in the repository’s Settings, under Social preview.




Lumovi: the app’s repository



The docs



The website



This repository


Banners and headers



GitHub profile banner, dark



GitHub profile banner, light




X, Bluesky and Mastodon

The header leaves the bottom left to the avatar, and the top corners to the buttons phones put there (dashed): the mark sits beside the words, the two centered as one group.


Header	`1500 × 500, at twice the size`
Avatar	`social/avatar.png, 1024 × 1024`

Wallpapers

For desktops and phones, in dark and light: the scene with nothing else in it.




Desktop, dark · 5120 × 2880




Desktop, light · 5120 × 2880

Also at 3456 × 2160 for 16:10 displays, in media/wallpapers.




Phone, dark




Phone, light

Showing the product

Show the real app: real screenshots, in light and dark, framed the same way everywhere.



On light: a hairline and a soft shadow



On dark: a hairline of white, a deeper shadow

- Screenshots from the app as it is, with the demo clusters, at 2×.
- A 12 px corner, a 1 px edge, and one shadow, as above.
- No fake data that looks real, no mock-ups dressed as the app, no device frames.

08

Motion

The mark, moving: an intro, and a loading mark.

The mark, moving

The mark, moving


Two animations, as SVG files that play in an image tag. Both hold still for people who ask for reduced motion.

Intro · once, in 1.3 seconds: the square settles, then the light sweeps across it



Loading · loops every 2.2 seconds: the light breathes





Easing	`cubic-bezier(0.16, 1, 0.3, 1)`
Square	`700 ms, from 94% and transparent`
Light	`900 ms from 250 ms, from its corner`
Breathing	`2.2 s, to 80% and back`
Reduced motion	`The last frame, still`

The same easing as the app’s panels and toasts: quick to start, slow to settle.

09

In use

The brand in the places Lumovi lives: the installers, the app’s sponsor card, the website, the docs and GitHub.


Installers The sponsor card Website and docs GitHub

Installers

The first thing people see of Lumovi on their computer.



The macOS disk image: the names sit on a gray where black and white text both read




The Windows installer's welcome page

The sponsor card

One card at the bottom of the app’s sidebar: Lumovi’s own, a sponsor’s, or none.

It’s made of the sidebar’s own parts, so it reads as part of Lumovi, not as an ad: a label like the nav’s, over a card like the cluster’s. Lumovi’s card and a sponsor’s are the same size, so one replaces the other without moving anything.


Label	“Sponsor”, as the nav’s section labels
Card	220 × 108, 12 px corners, Surface 2
Picture	204 × 68 (3:1), sent at 408 × 136
Hover, focus	Surface 3, and the link’s domain fades in
A long nav	Fades where it goes on, under a hairline
Short windows	Under 720 px tall, no card
Motion	Plays once, 5 s at most; the first frame for reduced motion



None, Lumovi’s own, a sponsor’s, on hover and with focus. Acme is a placeholder.

Website and docs

The logo top left in the navigation, the rest in gray, and the one blue button: on lumovi.dev and docs.lumovi.dev.



Logo in the bar	The mark 24 px tall (26–28 on wide pages)
Bar	64 px tall, the logo on the content’s left edge
Links	Body text in Gray 600 (400 on dark)
Primary button	Blue 600 (700 on hover), white text, 9 px corners
Docs (Mintlify)	logo/light.svg and logo/dark.svg: the logo, on-light and on-dark
Favicon	icons/web/favicon.svg

09 — IN USE

GitHub

The organization and every repository: the avatar, a social preview, and the logo at the top of the README.



The organization’s avatar

Lumovi

A calm, fast Kubernetes dashboard, on your desktop or in your cluster.

```
<picture>
  <source media="(prefers-color-scheme: dark)" srcset="lumovi-logo-on-dark.svg" />
  <img src="lumovi-logo-on-light.svg" alt="Lumovi" height="48" />
</picture>
```

The README logo follows the reader’s theme: on-dark for dark mode, on-light otherwise. Give it alt text: “Lumovi”.

10

Voice

How Lumovi talks: plainly, calmly, and to the point.

How Lumovi talks Words Names and addresses

How Lumovi talks

The way the app talks: plainly, calmly, and to the point. Say what something does, not how amazing it is.

Write

Restart the deployment. Its pods are replaced in a rolling update, so it keeps serving.

Not

Supercharge your workflow with one-click, zero-downtime restarts!

Write

Lost the connection to the cluster. The last data stays on screen until it’s back.

Not

Oops! Something went wrong. Please try again later.

Write

See what’s healthy, what’s struggling and where your capacity goes.

Not

The ultimate, next-generation Kubernetes observability platform.

When all is well

Quiet. Routine work needs no applause: “Scaled to 3”, not “Success!”.

When something’s wrong

Calm and specific: what happened, where, and what to do next.

Before a change

Clear about the effect. Destructive actions say what will be lost, and start on Cancel.

Words

WRITE	INSTEAD OF
Kubernetes dashboard	K8s IDE, cockpit, observability platform
cluster, namespace, pod, node	environment, project, container (when you mean a pod)
on your desktop, in your cluster	locally, self-hosted
sign in	log in, authenticate
Couldn’t reach the cluster	Error 503, Network failure
Restart, Scale, Roll back	Execute, Perform, Trigger
fast, calm, clear	blazing, revolutionary, seamless

- **Short sentences,** in the active voice, about what people can see and do.
- **Kubernetes’ own words** for Kubernetes’ things, spelled as kubectl spells them.
- **Buttons say what happens:** “Restart”, then “Restarted”.
- **Errors say what went wrong and what to do,** without blame or apology.
- **No exclamation marks,** no emoji in the product, no superlatives.

Names and addresses

Write

Lumovi

One word, capital L, everywhere: in titles, in text, at the start of a sentence.

Not

LUMOVI · lumovi · LumoVi · Lumovi App

Not in capitals, not in lowercase (the wordmark is artwork, not a spelling), and no “App”.

Write

lumovi.dev

The website, written without https:// or www. The docs are at docs.lumovi.dev.

Write

KubeStacks

The old name. Say it once where people need to know (“Lumovi, formerly KubeStacks”), then drop it.

11

Legal and resources

The rules for the name and logo, and where everything is.

Using the name and logo The files

Using the name and logo

The files in this book are open source, under the Apache License 2.0. The Lumovi name and logo are trademarks of the Lumovi project, and the license doesn’t grant rights to them.

You’re welcome to

- Use the logo to link to Lumovi or write about it: in articles, talks, videos and lists of tools.
- Show it next to your own logo for an integration, as on page “Next to other logos”.
- Use the screenshots and pictures to show what Lumovi is.

Please don’t

- Use the name or logo for your own product, fork, company or domain.
- Suggest that Lumovi endorses you, or that something is an official Lumovi project when it isn’t.
- Change the logo, or make a new one from it.

Not sure? Open an issue in the Lumovi-design repository and ask.

The files

Everything in this book is in the Lumovi-design repository, built from source with npm run build.

`logo/`	The logo, stacked logo, mark and wordmark, as SVG and PNG; animated marks
`icons/app/`	macOS (PNG, ICNS, Liquid Glass), Windows (ICO, Microsoft Store) and Linux (PNG)
`icons/web/`	Favicons, touch and web app icons, and the web manifest
`colors/`	CSS custom properties, Tailwind, design tokens, Adobe and GIMP swatches
`social/`	Link previews, GitHub previews and banners, the avatar, the X header
`media/`	Wallpapers, and the macOS and Windows installers' artwork
`snippets/`	The mark as React and Astro components, and the HTML <head> tags
`guidelines/`	The guidelines online, their pictures, and this book
`src/`	What everything is built from: colors, the mark, the wordmark, the icons, the scene

github.com/Lumovi/Lumovi-design · Change the source in src/, not the built files, and the book follows.



Your clusters,
at a glance.

A calm, fast Kubernetes dashboard, on your desktop or in your cluster.

lumovi.dev

docs.lumovi.dev

github.com/Lumovi