

TRIBHUWAN UNIVERSITY

E-Commerce

(B.Sc.CSIT)

PADMA KANYA MULTIPLE CAMPUS

(Affiliated to TU)

Bagbazar, Kathmandu



Submitted by: Luna Parajuli

Submitted to: Yograj Joshi

Roll no : 25

6th Semester

Lab1. Add Category

Source Code

```
<?php require_once('inc/top.php');?>

</head>

<body id="page-top">

<!-- Page Wrapper -->

<div id="wrapper">

<!-- Sidebar -->

<?php require_once('inc/sidebar.php');?>

<!-- End of Sidebar -->

<!-- Content Wrapper -->

<div id="content-wrapper" class="d-flex flex-column">

<!-- Main Content -->

<div id="content">

<!-- Topbar -->

<?php require_once('inc/navbar.php');?>

<!-- End of Topbar -->

<!-- Begin Page Content -->

<div class="container-fluid">

<!-- Page Heading -->

<h1 class="h3 mb-4 text-gray-800">Add Category</h1>

<div class="row">

<div class="col">

<form action="" method="post">

<div class="form-group">

<label>Category Name</label>

<input type="text" name="category_name" class="form-control">

</div>

<div class="form-group">
```

```

<label>Category Purpose</label>
<select class="form-control" name="category_purpose" >
<option >Income</option>
<option >Expense</option>
</select>
</div>
<div class="form-group">
<input type="submit" name="insert-btn" value="Add category" class="btn btn-success"/>
</div>
</form>
<?php
require_once('inc/db.php');
// if(mysqli_connect_errno()){
//     echo"fail";
// }else{
//     echo"connection successful";
// }
if(isset($_POST['insert-btn'])){
$category_name = $_POST['category_name'];
$category_purpose = $_POST['category_purpose'];
$insert_category = "INSERT INTO category(category_name,category_purpose)
VALUES('$category_name','$category_purpose)";
$run_category = mysqli_query($conn,$insert_category);
if($run_category == true){
echo"Data has been inserted";
}else{
echo"failed try again";
}
}
}

```

```
?>

</div>

</div>

</div>

<!-- /.container-fluid -->

</div>

<!-- End of Main Content -->

<!-- Footer -->

<footer class="sticky-footer bg-white">

<div class="container my-auto">

<div class="copyright text-center my-auto">

<span>Copyright &copy; Your Website 2020</span>

</div>

</div>

</footer>

<!-- End of Footer -->

</div>

<!-- End of Content Wrapper -->

</div>

<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->

<a class="scroll-to-top rounded" href="#page-top">

<i class="fas fa-angle-up"></i>

</a>

<!-- Logout Modal-->

<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"

aria-hidden="true">

<div class="modal-dialog" role="document">
```

```

<div class="modal-content">
<div class="modal-header">

<h5 class="modal-title" id="exampleModalLabel">Ready to Leave?</h5>

<button class="close" type="button" data-dismiss="modal" aria-label="Close">

<span aria-hidden="true">×</span>

</button>

</div>

<div class="modal-body">Select "Logout" below if you are ready to end your current session.</div>

<div class="modal-footer">

<button class="btn btn-secondary" type="button" data-dismiss="modal">Cancel</button>

<a class="btn btn-primary" href="login.html">Logout</a>

</div>

</div>

</div>

</div>

</div>

<?php require_once('inc/footer.php');?>

```

Output

Database

Server: 127.0.0.1 » Database: labwork » Table: category

Showing rows 0 - 3 (4 total, Query took 0.0002 seconds.)

SELECT * FROM `category`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	category_id	category_name	category_purpose
<input type="checkbox"/> Edit Copy Delete	1	Clothes	Expense
<input type="checkbox"/> Edit Copy Delete	3	Education	Expense
<input type="checkbox"/> Edit Copy Delete	4	Salary	Income
<input type="checkbox"/> Edit Copy Delete	5	spices	Income

Check all | With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Result

Add Category

Category Name

Category Purpose

Income

Add category

Category

Source Code

```
<?php require_once('inc/top.php');?>

</head>

<body id="page-top">

    <!-- Page Wrapper -->

    <div id="wrapper">

        <!-- Sidebar -->

        <?php require_once('inc/sidebar.php');?>

        <!-- End of Sidebar -->

        <!-- Content Wrapper -->

        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->

            <div id="content">

                <!-- Topbar -->

                <?php require_once('inc/navbar.php');?>

                <!-- End of Topbar -->

                <!-- Begin Page Content -->

                <div class="container-fluid">

                    <!-- Page Heading -->

                    <h1 class="h3 mb-4 text-gray-800">All Categories</h1>

                    <div class = "row">
```

```

<div class = "col">

    <!-- DataTables Example -->

<div class="card shadow mb-4">

    <div class="card-header py-3">

        <h6 class="m-0 font-weight-bold text-primary">DataTables Example</h6>

    </div>

    <div class="card-body">

        <div class="table-responsive">

            <table      class="table      table-bordered"      id="dataTable"      width="100%"
cellspacing="0">

                <thead>

                    <tr>

                        <th>ID</th>

                        <th>Name</th>

                        <th>Purpose</th>

                    </tr>

                </thead>

                <tbody>

                    <?php
                    require_once('inc/db.php');

                    $select_category = "SELECT * FROM category";

                    $run_category = mysqli_query($conn,$select_category);

                    while($row_category = mysqli_fetch_array($run_category)){

                        $category_id = $row_category[0];

                        $category_name = $row_category[1];

                        $category_purpose = $row_category[2];

                        ?>

                    <tr>

                        <td><?php echo $category_id; ?></td>

```

```
        <td><?php echo ucfirst($category_name); ?></td>
        <td><?php echo ucfirst($category_purpose); ?></td>
    </tr>
    <?php } ?>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
<!-- /.container-fluid -->
</div>
<!-- End of Main Content -->
<!-- Footer -->
<footer class="sticky-footer bg-white">
    <div class="container my-auto">
        <div class="copyright text-center my-auto">
            <span>Copyright &copy; Your Website 2020</span>
        </div>
    </div>
</footer>
<!-- End of Footer -->
</div>
<!-- End of Content Wrapper -->
</div>
<!-- End of Page Wrapper -->
<!-- Scroll to Top Button-->
```



```

<a class="scroll-to-top rounded" href="#page-top">

    <i class="fas fa-angle-up"></i>

</a>

<!-- Logout Modal-->

<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"

    aria-hidden="true">

    <div class="modal-dialog" role="document">

        <div class="modal-content">

            <div class="modal-header">

                <h5 class="modal-title" id="exampleModalLabel">Ready to Leave?</h5>

                <button class="close" type="button" data-dismiss="modal" aria-label="Close">

                    <span aria-hidden="true">x</span>

                </button>

            </div>

            <div class="modal-body">Select "Logout" below if you are ready to end your current
session.</div>

            <div class="modal-footer">

                <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>

                <a class="btn btn-primary" href="login.html">Logout</a>

            </div>

        </div>

    </div>

</div>

</div>

<?php require_once('inc/footer.php');?>

```

Output

Result

All Categories

DataTables Example

ID	Name	Purpose
1	Clothes	Expense
3	Education	Expense
4	Salary	Income
5	Spices	Income

Lab2. Add Product

Source Code

```
<?php require_once('inc/top.php');?>

</head>

<body id="page-top">

    <!-- Page Wrapper -->

    <div id="wrapper">

        <!-- Sidebar -->

        <?php require_once('inc/sidebar.php');?>

        <!-- End of Sidebar -->

        <!-- Content Wrapper -->

        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->

            <div id="content">

                <!-- Topbar -->

                <?php require_once('inc/navbar.php');?>

                <!-- End of Topbar -->

                <!-- Begin Page Content -->

                <div class="container-fluid">
```

```

<!-- Page Heading -->

<h1 class="h3 mb-4 text-gray-800">Add Product</h1>

<div class="row">
  <div class="col">
    <form action="" method="post">
      <div class="form-group">
        <label>Product Name</label>
        <input type="text" name="category_name" class="form-control">
      </div>
      <div class="form-group">
        <label>Category ID</label>
        <input type="text" name="category_id" class="form-control">
      </div>
      <div class="form-group">
        <label> Product Details</label>
        <select class="form-control" name="product_details" >
          <option >Good Quality</option>
          <option >Certified Course</option>
          <option >Above 10000</option>
        </select>
      </div>
      <div class="form-group">
        <input type="submit" name="insert-btn" value="Add product" class="btn btn-
success"/>
      </div>
    </form>
    <?php
    require_once('inc/db.php');

```

```

        // if(mysqli_connect_errno()){
        //     echo"fail";
        // }else{
        //     echo"connection successful";
        // }

        if(isset($_POST['insert-btn'])){

            $product_name = $_POST['product_name'];
            $category_id = $_POST['category_id'];
            $product_details = $_POST['product_details'];

            $insert_product= "INSERT INTO product(product_name,category_id,product_details)
VALUES('$product_name','$category_id','$product_details')";

            $run_product = mysqli_query($conn,$insert_product);

            if($run_product == true){
                echo"Data has been inserted";
            }else{
                echo"failed try again";
            }
        }
    }
    ?>
</div>
</div>
</div>
<!-- /.container-fluid -->
</div>
<!-- End of Main Content -->
<!-- Footer -->
<footer class="sticky-footer bg-white">
    <div class="container my-auto">
        <div class="copyright text-center my-auto">

```

```

        <span>Copyright &copy; Your Website 2020</span>
    </div>
</div>
</footer>
<!-- End of Footer -->
</div>
<!-- End of Content Wrapper -->
</div>
<!-- End of Page Wrapper -->
<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>
<!-- Logout Modal-->
<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
    aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Ready to Leave?</h5>
                <button class="close" type="button" data-dismiss="modal" aria-label="Close">
                    <span aria-hidden="true">x</span>
                </button>
            </div>
            <div class="modal-body">Select "Logout" below if you are ready to end your current
session.</div>
            <div class="modal-footer">
                <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>

```

```

        <a class="btn btn-primary" href="login.html">Logout</a>

    </div>

</div>

</div>

<?php require_once('inc/footer.php');?>

```

Output

Database

Server: 127.0.0.1 » Database: labwork » Table: product

[Browse](#)
[Structure](#)
[SQL](#)
[Search](#)
[Insert](#)
[Export](#)
[Import](#)
[Privileges](#)
[Operations](#)
[Tracking](#)
[Triggers](#)

Showing rows 0 - 1 (2 total, Query took 0.0002 seconds)

SELECT * FROM `product`

☐ Profiling
 [\[Edit inline \]](#)
[\[Edit \]](#)
[\[Explain SQL \]](#)
[\[Create PHP code \]](#)
[\[Refresh \]](#)

☐ Show all |
 Number of rows: 25 |
 Filter rows: Search this table |
 Sort by key: None

Extra options

	product_id	product_name	category_id	product_details
<input type="checkbox"/> Edit Copy Delete	5		0	Good Quality
<input type="checkbox"/> Edit Copy Delete	6		0	Good Quality

☐ Check all |
 With selected: [Edit](#) [Copy](#) [Delete](#) [Export](#)

Result

Add Product

Product Name

Category ID

Product Details

Add product

Product

Source Code

```

<?php require_once('inc/top.php');?>

</head>

<body id="page-top">

    <!-- Page Wrapper -->

```

```
<div id="wrapper">
  <!-- Sidebar -->

  <?php require_once('inc/sidebar.php');?>

  <!-- End of Sidebar -->

  <!-- Content Wrapper -->

  <div id="content-wrapper" class="d-flex flex-column">

    <!-- Main Content -->

    <div id="content">

      <!-- Topbar -->

      <?php require_once('inc/navbar.php');?>

      <!-- End of Topbar -->

      <!-- Begin Page Content -->

      <div class="container-fluid">

        <!-- Page Heading -->

        <h1 class="h3 mb-4 text-gray-800">All Products</h1>

        <div class="row">

          <div class="col">

            <!-- DataTables Example -->

            <div class="card shadow mb-4">

              <div class="card-header py-3">

                <h6 class="m-0 font-weight-bold text-primary">DataTables Example</h6>

              </div>

              <div class="card-body">

                <div class="table-responsive">

                  <table class="table table-bordered" id="dataTable" width="100%"
cellspacing="0">

                    <thead>

                      <tr>

                        <th>ID</th>


```

```

        <th>Name</th>

        <th>Category ID</th>

        <th>Details</th>

    </tr>
</thead>
<tbody>

    <?php
    require_once('inc/db.php');
    $select_product = "SELECT * FROM product";
    $run_product= mysqli_query($conn,$select_product);
    while($row_category = mysqli_fetch_array($run_product)){
        $product_id = $row_product[0];
        $product_name = $row_product[1];
        $category_id = $row_product[2];
        $product_details = $row_product[3];

        ?>

    <tr>

        <td><?php echo ucfirst($product_name); ?></td>

        <td><?php echo $category_id; ?></td>

        <td><?php echo ucfirst($product_details); ?></td>

    </tr>

    <?php } ?>

</tbody>

</table>

</div>

</div>

</div>

</div>

```



```
</div>

<!-- /.container-fluid -->

</div>

<!-- End of Main Content -->

<!-- Footer -->

<footer class="sticky-footer bg-white">

  <div class="container my-auto">

    <div class="copyright text-center my-auto">

      <span>Copyright &copy; Your Website 2020</span>

    </div>

  </div>

</footer>

<!-- End of Footer -->

</div>

<!-- End of Content Wrapper -->

</div>

<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->

<a class="scroll-to-top rounded" href="#page-top">

  <i class="fas fa-angle-up"></i>

</a>

<!-- Logout Modal-->

<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"

  aria-hidden="true">

  <div class="modal-dialog" role="document">

    <div class="modal-content">

      <div class="modal-header">

        <h5 class="modal-title" id="exampleModalLabel">Ready to Leave?</h5>
```

```

        <button class="close" type="button" data-dismiss="modal" aria-label="Close">
            <span aria-hidden="true">x</span>
        </button>
    </div>

    <div class="modal-body">Select "Logout" below if you are ready to end your current
session.</div>

    <div class="modal-footer">

        <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>

        <a class="btn btn-primary" href="login.html">Logout</a>

    </div>
</div>
</div>
</div>

<?php require_once('inc/footer.php');?>

```

Output

Result

ID	Name	Category ID

Lab3. Shopping Cart adding product and wishlist

Source Code

Shoppingcart.html

```

<!DOCTYPE html>

<html>

<head>

    <title>E-commerce Site</title>

    <script src="shopping.js"></script>

</head>

```

```
<body>

  <h1>Welcome to our E-commerce Site</h1>

  <h2>Products</h2>

  <div id="products">

    <div class="product">

      <h3>Product 1</h3>

      <button onclick="addToCart(1)">Add to Cart</button>

      <button onclick="addToWishlist(1)">Add to Wishlist</button>

    </div>

    <div class="product">

      <h3>Product 2</h3>

      <button onclick="addToCart(2)">Add to Cart</button>

      <button onclick="addToWishlist(2)">Add to Wishlist</button>

    </div>

    <div class="product">

      <h3>Product 3</h3>

      <button onclick="addToCart(3)">Add to Cart</button>

      <button onclick="addToWishlist(3)">Add to Wishlist</button>

    </div>

    <div class="product">

      <h3>Product 4</h3>

      <button onclick="addToCart(4)">Add to Cart</button>

      <button onclick="addToWishlist(4)">Add to Wishlist</button>

    </div>

    <div class="product">

      <h3>Product 5</h3>

      <button onclick="addToCart(5)">Add to Cart</button>

      <button onclick="addToWishlist(5)">Add to Wishlist</button>

    </div>

  </div>
```

```
        <!-- Add more products here -->
    </div>

    <h2>Cart</h2>
    <div id="cart">
        <ul id="cart-items"></ul>
    </div>

    <h2>Wishlist</h2>
    <div id="wishlist">
        <ul id="wishlist-items"></ul>
    </div>
</body>
</html>
```

Shoppingcart.js

```
// Cart and Wishlist arrays to store the selected items
var cart = [];
var wishlist = [];

// Function to add item to the cart
function addToCart(productId) {
    cart.push(productId);
    updateCart();
}

// Function to remove item from the cart
function removeFromCart(productId) {
    var index = cart.indexOf(productId);
    if (index !== -1) {
        cart.splice(index, 1);
    }
    updateCart();
}
```

```

// Function to add item to the wishlist
function addToWishlist(productId) {
    wishlist.push(productId);
    updateWishlist();
}

// Function to remove item from the wishlist
function removeFromWishlist(productId) {
    var index = wishlist.indexOf(productId);
    if (index !== -1) {
        wishlist.splice(index, 1);
    }
    updateWishlist();
}

// Function to update the cart UI
function updateCart() {
    var cartItems = document.getElementById('cart-items');
    cartItems.innerHTML = "";
    for (var i = 0; i < cart.length; i++) {
        var listItem = document.createElement('li');
        listItem.innerHTML = 'Product ' + cart[i] + ' <button onclick="removeFromCart(' + cart[i] +
        ')">Remove from Cart</button>';
        cartItems.appendChild(listItem);
    }
}

// Function to update the wishlist UI
function updateWishlist() {
    var wishlistItems = document.getElementById('wishlist-items');
    wishlistItems.innerHTML = "";
    for (var i = 0; i < wishlist.length; i++) {

```

```
var listItem = document.createElement('li');

listItem.innerHTML = 'Product ' + wishlist[i] + ' <button onclick="removeFromWishlist(' +
wishlist[i] + ')">Remove from Wishlist</button>';

wishlistItems.appendChild(listItem);
}
}
```

Result

Welcome to our E-commerce Site

Products

Product 1

[Add to Cart](#) [Add to Wishlist](#)

Product 2

[Add to Cart](#) [Add to Wishlist](#)

Product 3

[Add to Cart](#) [Add to Wishlist](#)

Product 4

[Add to Cart](#) [Add to Wishlist](#)

Product 5

[Add to Cart](#) [Add to Wishlist](#)

Cart

- Product 5 [Remove from Cart](#)
- Product 4 [Remove from Cart](#)

Wishlist

- Product 5 [Remove from Wishlist](#)
- Product 1 [Remove from Wishlist](#)