

Parkinson's Disease Predictive Machine Learning Model

Luna Pérez Troncoso

Introduction



The **early detection of PD** is a **growing priority** within both clinical practice and research.

Introduction

The **early detection of PD** is a **growing priority** within both clinical practice and research.

Many individuals remain undiagnosed until the disease has already progressed, limiting the effectiveness of available therapeutic interventions.

Introduction

The **early detection of PD** is a **growing priority** within both clinical practice and research.

Many individuals remain undiagnosed until the disease has already progressed, limiting the effectiveness of available therapeutic interventions. Consequently, **timely diagnosis** can significantly **influence patient outcomes and long-term quality of life**.

Introduction

The **early detection of PD** is a **growing priority** within both clinical practice and research.

Many individuals remain undiagnosed until the disease has already progressed, limiting the effectiveness of available therapeutic interventions. Consequently, **timely diagnosis** can significantly **influence patient outcomes and long-term quality of life**.



Early identification could allow for **timelier monitoring, lifestyle adjustments, and targeted therapeutic strategies** that may slow **disease progression or improve quality of life**.

Why develop a predictive model?

A reliable predictive system has the potential to **support clinicians in recognizing subtle signs that might otherwise go unnoticed**.





Why develop a predictive model?

A reliable predictive system has the potential to **support clinicians in recognizing subtle signs that might otherwise go unnoticed**.

01

Why develop a predictive model?

A reliable predictive system has the potential to **support clinicians in recognizing subtle signs that might otherwise go unnoticed**.

Predictive modeling can help researchers **gain deeper insight into the complex interactions that contribute to the onset of neurodegenerative disorders**



Why develop a predictive model?

A reliable predictive system has the potential to **support clinicians in recognizing subtle signs that might otherwise go unnoticed**.

Predictive modeling can help researchers **gain deeper insight into the complex interactions that contribute to the onset of neurodegenerative disorders**

Why develop a predictive model?

A reliable predictive system has the potential to **support clinicians in recognizing subtle signs that might otherwise go unnoticed**.

Predictive modeling can help researchers **gain deeper insight into the complex interactions that contribute to the onset of neurodegenerative disorders**

Beyond clinical impact, creating a predictive model encourages the integration of modern **data-driven approaches** into neurological healthcare, which stands out as a promising path to **more personalized and proactive patient care**.

Objective

Integrating diverse variables (demographic, lifestyle, clinical, cognitive, and symptom-related variables) into a unified predictive framework, the project seeks to **evaluate multiple machine learning algorithms and determine their capability to accurately identify patients at risk.**



Data Description and Sources



As part of this project, I selected a synthetic **dataset from Kaggle** generated by Mr. Rabie El Kharoua, to support the development of a predictive model for Parkinson's disease.

Data Description and Sources



As part of this project, I selected a synthetic **dataset from Kaggle** generated by Mr. Rabie El Kharoua, to support the development of a predictive model for Parkinson's disease.

This dataset contains diverse features:

Data Description and Sources



As part of this project, I selected a synthetic **dataset from Kaggle** generated by Mr. Rabie El Kharoua, to support the development of a predictive model for Parkinson's disease.

This dataset contains diverse features:

- **Demographic variables** (age, gender, ethnicity, educational level).

Data Description and Sources



As part of this project, I selected a synthetic **dataset from Kaggle** generated by Mr. Rabie El Kharoua, to support the development of a predictive model for Parkinson's disease.

This dataset contains diverse features:

- **Demographic variables** (age, gender, ethnicity, educational level).
- **Lifestyle Factors** (BMI, smoking, alcohol, physical activity, diet and sleep quality).

Data Description and Sources



As part of this project, I selected a synthetic **dataset from Kaggle** generated by Mr. Rabie El Kharoua, to support the development of a predictive model for Parkinson's disease.

This dataset contains diverse features:

- **Demographic variables** (age, gender, ethnicity, educational level).
- **Lifestyle Factors** (BMI, smoking, alcohol, physical activity, diet and sleep quality).
- **Medical History** (TBI, Depression, Stroke, Diabetes…)

Data Description and Sources



As part of this project, I selected a synthetic **dataset from Kaggle** generated by Mr. Rabie El Kharoua, to support the development of a predictive model for Parkinson's disease.

This dataset contains diverse features:

- **Demographic variables** (age, gender, ethnicity, educational level).
- **Lifestyle Factors** (BMI, smoking, alcohol, physical activity, diet and sleep quality).
- **Medical History** (TBI, Depression, Stroke, Diabetes…)
- **Clinical Meassurements**(Cholesterol, Triglycerides, BP).

Data Description and Sources



As part of this project, I selected a synthetic **dataset from Kaggle** generated by Mr. Rabie El Kharoua, to support the development of a predictive model for Parkinson's disease.

This dataset contains diverse features:

- **Demographic variables** (age, gender, ethnicity, educational level).
- **Lifestyle Factors** (BMI, smoking, alcohol, physical activity, diet and sleep quality).
- **Medical History** (TBI, Depression, Stroke, Diabetes…)
- **Clinical Meassurements**(Cholesterol, Triglycerides, BP).
- **Cognitive and Functional Assessments** (UPDRS, MoCA…).

Data Description and Sources



As part of this project, I selected a synthetic **dataset from Kaggle** generated by Mr. Rabie El Kharoua, to support the development of a predictive model for Parkinson's disease.

This dataset contains diverse features:

- **Demographic variables** (age, gender, ethnicity, educational level).
- **Lifestyle Factors** (BMI, smoking, alcohol, physical activity, diet and sleep quality).
- **Medical History** (TBI, Depression, Stroke, Diabetes…)
- **Clinical Meassurements**(Cholesterol, Triglycerides, BP).
- **Cognitive and Functional Assessments** (UPDRS, MoCA…).
- **Symptom indicators** (Tremor, Constipation, Rigidity).

RESULTS: Final Models

In this project **two reliable predictive models with subtle differences** were developed

RESULTS: Final Models

In this project **two reliable predictive models with subtle differences** were developed



01

MODEL 1

Maximizes correct predictions

RESULTS: Final Models

In this project **two reliable predictive models with subtle differences** were developed

01

MODEL 1

Maximizes correct predictions

02

MODEL 2

Maximazes Parkinson's Disease patients detection

01 MODEL 1: Test Results

01

MODEL 1: Test Results



96.9%

This model predicted correctly 408 of 421 patients' diagnosis

01 MODEL 1: Test Results



96.9%

This model predicted correctly 408 of 421 patients' diagnosis



95.7%

155 of 162 of the heatlhy patients were diagnosed as healthy.

01 MODEL 1: Test Results



96.9%

This model predicted correctly 408 of 421 patients' diagnosis



95.7%

155 of 162 of the heatlhy patients were diagnosed as healthy.

97.7%

253 of 259 Parkinson's Disease patients were detected

02

MODEL 2: Test Results

02

MODEL 2: Test Results



96.4%

This model predicted correctly 406 of 421 patients' diagnosis

02

MODEL 2: Test Results



96.4%

This model predicted correctly 406 of 421 patients' diagnosis



93.8%

152 of 162 of the heatlhy patients were diagnosed as healthy.

02

MODEL 2: Test Results



96.4%

This model predicted correctly 406 of 421 patients' diagnosis



93.8%

152 of 162 of the heatlhy patients were diagnosed as healthy.

98.1%

254 of 259 Parkinson's Disease patients were detected

Conclusions

Conclusions

Two machine learning **predictive models with impresive performance were developed sucessfully.**

Conclusions

Two machine learning **predictive models with impresive performance were developed sucessfully.**

These models can support clinicians in **recognizing subtle signs** that might otherwise go unnoticed, **gain deeper insight** into the **complex interactions that contribute to neurodegenerative disorders** and reach **more personalized and proactive patient care**.

Conclusions

Two machine learning **predictive models with impresive performance were developed sucessfully.**

These models can support clinicians in **recognizing subtle signs** that might otherwise go unnoticed, **gain deeper insight** into the **complex interactions that contribute to neurodegenerative disorders** and reach **more personalized and proactive patient care**.

Timely diagnosis will improve the **effectiveness of available therapeutic interventions**, **influencing patient outcomes and long-term quality of life**.

Strenghs and Limitations

Stenghs

- Predictive models detected the majority of the Parkinson’s Disease Patients.
- Components of the model are scalable and fast-performing, allowing fast prediction of huge datasets in seconds.
- Models has great flexibility. Consequently it can be adjusted and re-trained with new data with training times of less than one minute in train dataset of 2000 registers.

Strenghs and Limitations

Stenghs

- Predictive models detected the majority of the Parkinson's Disease Patients.
- Components of the model are scalable and fast-performing, allowing fast prediction of huge datasets in seconds.
- Models has great flexibility. Consequently it can be adjusted and re-trained with new data with training times of less than one minute in train dataset of 2000 registers.

Limitations

- Although the models detected the majority of the Parkinson's Disease Patients, sometimes healthy patients are diagnosed with Parkinson's Disease.
- The model has not been tested in datasets with missing information.

THE BRIDGE

THANKS FOR YOUR ATTENTION

Github Repository

Streamlit Webpage