CHL5233: Descriptive Characteristics of the Analysis Dataset

Luna Jia Ning Zhan

The analysis dataset contains 3720 country-year observations from 186 countries between 2000 and 2019. Armed conflict was defined as at least 25 battle-related deaths in a country-year and is lagged by one year, so a conflict observed in year t is assigned to year $t + 1$. 704 country-years (18.9%) were exposed to armed conflict.

Table 1 summarises the mortality outcomes and covariates by armed conflict status. Table 2 compares country-years with complete and incomplete data.

3205 country-years (86.2%) have no missing data. Maternal mortality is the main source of missingness: 372 of its 426 missing values fall after 2017, the last year it was reported.

Table 1: Characteristics of country-years by armed conflict status in the previous year (armed conflict: at least 25 battle-related deaths)

Variable		No conflict (n = 3016 country-years, 172 countries)	Armed conflict (n = 704 country-years, 88 countries)	Total (n = 3720 country-years, 186 countries)	N (%)	Missing
Mortality outcomes						
Maternal mortality (per 100,000 live births)	Median (IQR)	51.0 (12.0 to 201.0)	251.5 (69.0 to 641.0)	66.0 (17.0 to 299.8)	3294 (88.5)	426
Infant mortality (per 1,000 live births)	Median (IQR)	16.1 (6.2 to 37.1)	42.5 (19.1 to 66.7)	18.9 (7.6 to 44.5)	3700 (99.5)	20
Neonatal mortality (per 1,000 live births)	Median (IQR)	10.4 (4.0 to 22.4)	25.6 (12.0 to 36.6)	12.1 (4.9 to 25.3)	3700 (99.5)	20
Under-5 mortality (per 1,000 live births)	Median (IQR)	18.6 (7.3 to 47.9)	58.4 (22.5 to 98.7)	22.2 (9.0 to 61.3)	3700 (99.5)	20
Socioeconomic and demographic						
GDP per capita (1,000 USD)	Median (IQR)	5.1 (1.6 to 17.3)	1.3 (0.6 to 4.0)	4.1 (1.2 to 13.2)	3658 (98.3)	62
OECD member	No	2420 (80.2)	664 (94.3)	3084 (82.9)	3720 (100.0)	0
	Yes	596 (19.8)	40 (5.7)	636 (17.1)		
Population density (%)	Median (IQR)	29.3 (14.8 to 41.8)	23.3 (14.5 to 36.1)	27.5 (14.8 to 40.7)	3700 (99.5)	20
Urban residence (%)	Median (IQR)	30.4 (16.3 to 42.0)	29.4 (19.9 to 39.7)	30.3 (17.3 to 41.7)	3700 (99.5)	20
Age dependency ratio	Median (IQR)	53.9 (47.3 to 71.3)	74.5 (53.0 to 90.6)	55.5 (47.9 to 77.1)	3720 (100.0)	0
Male education (years)	Median (IQR)	8.8 (6.5 to 11.2)	6.6 (4.6 to 8.3)	8.4 (5.9 to 10.8)	3700 (99.5)	20
Geography and environment						
Region	Africa	758 (25.1)	322 (45.7)	1080 (29.0)	3720 (100.0)	0
	Americas	615 (20.4)	85 (12.1)	700 (18.8)		
	Asia	658 (21.8)	262 (37.2)	920 (24.7)		
	Europe	768 (25.5)	32 (4.5)	800 (21.5)		
	Oceania	217 (7.2)	3 (0.4)	220 (5.9)		
Temperature (°C)	Median (IQR)	21.5 (11.6 to 25.7)	23.6 (19.8 to 26.5)	22.0 (12.9 to 25.9)	3700 (99.5)	20
Rainfall (1,000 mm)	Median (IQR)	1.0 (0.6 to 1.7)	1.0 (0.4 to 1.5)	1.0 (0.6 to 1.7)	3700 (99.5)	20
Drought	No	2783 (92.3)	612 (86.9)	3395 (91.3)	3720 (100.0)	0
	Yes	233 (7.7)	92 (13.1)	325 (8.7)		
Earthquake	No	2821 (93.5)	589 (83.7)	3410 (91.7)	3720 (100.0)	0
	Yes	195 (6.5)	115 (16.3)	310 (8.3)		

Continuous variables: median (Q1 to Q3).
Categorical variables: n (column %).
N (%), observations with non-missing data; Missing, observations with missing data.
A country can contribute country-years to more than one column, so country counts do not add up to the total.

Table 2: Characteristics of country-years by whether any variable is missing

Variable		Complete (n = 3205 country-years, 180 countries)	Incomplete (n = 515 country-years, 186 countries)	Total (n = 3720 country-years, 186 countries)	N (%)	Missing
Mortality outcomes						
Maternal mortality (per 100,000 live births)	Median (IQR)	63.0 (16.0 to 281.0)	540.0 (94.0 to 985.0)	66.0 (17.0 to 299.8)	3294 (88.5)	426
Infant mortality (per 1,000 live births)	Median (IQR)	19.0 (7.8 to 45.4)	18.4 (6.4 to 37.0)	18.9 (7.6 to 44.5)	3700 (99.5)	20
Neonatal mortality (per 1,000 live births)	Median (IQR)	12.1 (5.0 to 25.5)	12.5 (4.3 to 23.1)	12.1 (4.9 to 25.3)	3700 (99.5)	20
Under-5 mortality (per 1,000 live births)	Median (IQR)	22.2 (9.3 to 62.7)	22.4 (7.4 to 48.8)	22.2 (9.0 to 61.3)	3700 (99.5)	20
Socioeconomic and demographic						
GDP per capita (1,000 USD)	Median (IQR)	3.9 (1.1 to 12.4)	6.1 (2.1 to 19.4)	4.1 (1.2 to 13.2)	3658 (98.3)	62
OECD member	No	2639 (82.3)	445 (86.4)	3084 (82.9)	3720 (100.0)	0
	Yes	566 (17.7)	70 (13.6)	636 (17.1)		
Population density (%)	Median (IQR)	27.4 (14.7 to 40.6)	28.8 (15.4 to 41.5)	27.5 (14.8 to 40.7)	3700 (99.5)	20
Urban residence (%)	Median (IQR)	30.3 (17.4 to 41.6)	29.9 (15.5 to 42.2)	30.3 (17.3 to 41.7)	3700 (99.5)	20
Age dependency ratio	Median (IQR)	55.6 (48.0 to 77.2)	55.1 (47.8 to 76.2)	55.5 (47.9 to 77.1)	3720 (100.0)	0
Male education (years)	Median (IQR)	8.2 (5.8 to 10.7)	9.2 (7.1 to 11.5)	8.4 (5.9 to 10.8)	3700 (99.5)	20
Geography and environment						
Region	Africa	924 (28.8)	156 (30.3)	1080 (29.0)	3720 (100.0)	0
	Americas	591 (18.4)	109 (21.2)	700 (18.8)		
	Asia	808 (25.2)	112 (21.7)	920 (24.7)		
	Europe	702 (21.9)	98 (19.0)	800 (21.5)		
	Oceania	180 (5.6)	40 (7.8)	220 (5.9)		
Temperature (°C)	Median (IQR)	21.8 (13.0 to 25.9)	22.9 (12.5 to 25.7)	22.0 (12.9 to 25.9)	3700 (99.5)	20
Rainfall (1,000 mm)	Median (IQR)	1.0 (0.6 to 1.7)	1.0 (0.6 to 1.9)	1.0 (0.6 to 1.7)	3700 (99.5)	20
Drought	No	2924 (91.2)	471 (91.5)	3395 (91.3)	3720 (100.0)	0
	Yes	281 (8.8)	44 (8.5)	325 (8.7)		
Earthquake	No	2922 (91.2)	488 (94.8)	3410 (91.7)	3720 (100.0)	0
	Yes	283 (8.8)	27 (5.2)	310 (8.3)		
Armed conflict						
Armed conflict	No	2608 (81.4)	408 (79.2)	3016 (81.1)	3720 (100.0)	0
	Yes	597 (18.6)	107 (20.8)	704 (18.9)		
Battle-related deaths	Median (IQR)	0.0 (0.0 to 1.0)	0.0 (0.0 to 3.5)	0.0 (0.0 to 2.0)	3720 (100.0)	0
Conflict intensity	No conflict (<25 deaths)	2608 (81.4)	408 (79.2)	3016 (81.1)	3720 (100.0)	0
	Minor conflict (25-999 deaths)	410 (12.8)	69 (13.4)	479 (12.9)		
	War (>=1,000 deaths)	187 (5.8)	38 (7.4)	225 (6.0)		
Battle-related deaths (quintile)	None (0 deaths)	2361 (73.7)	369 (71.7)	2730 (73.4)	3720 (100.0)	0
	Positive deaths: quintile 1	168 (5.2)	30 (5.8)	198 (5.3)		
	Positive deaths: quintile 2	174 (5.4)	24 (4.7)	198 (5.3)		
	Positive deaths: quintile 3	171 (5.3)	27 (5.2)	198 (5.3)		
	Positive deaths: quintile 4	166 (5.2)	32 (6.2)	198 (5.3)		
	Positive deaths: quintile 5	165 (5.1)	33 (6.4)	198 (5.3)		

Continuous variables: median (Q1 to Q3).
Categorical variables: n (column %).
N (%), observations with non-missing data; Missing, observations with missing data.
A country can contribute country-years to more than one column, so country counts do not add up to the total.
Complete: no missing values in any variable; Incomplete: at least one missing value.