Adjustment Frame with Exponential Growth Using Newton-Raphson Method

Sir Hrishi Mukherjee I

April 30, 2024

1 Introduction

The adjustment frame with exponential growth is a concept used in various fields to scale and magnify values exponentially. When combined with the Newton-Raphson method, it becomes a powerful tool for numerical approximation of roots or solutions. This document explores the process of finding the adjustment frame value using the Newton-Raphson method in the context of exponential growth.

2 Adjustment Frame Equation

The adjustment frame equation with exponential growth can be defined as follows:

$$AF = \frac{(x - x_{\min})}{(x_{\max} - x_{\min})} \times (e^k) \times 100 \tag{1}$$

Where:

$$\begin{aligned} AF &: \text{Adjustment Frame Value} \\ x &: \text{Input Value} \\ x_{\min} &: \text{Minimum Value of the Scale} \\ x_{\max} &: \text{Maximum Value of the Scale} \\ k &: \text{Scaling Factor for Exponential Growth} \end{aligned}$$

3 Newton-Raphson Method

The Newton-Raphson method is an iterative technique for finding successively better approximations to the roots of a real-valued function. The iteration formula is given by:

$$x_{n+1} = x_n - \frac{f(x_n)}{f'(x_n)} \tag{2}$$

Where:

$$\begin{aligned}
x_n &: \text{Current Approximation of the Root} \\
x_{n+1} &: \text{Next Approximation of the Root} \\
f(x_n) &: \text{Function Value at } x_n \\
f'(x_n) &: \text{Derivative Value at } x_n
\end{aligned}$$

4 Numerical Iteration

To find the adjustment frame value using the Newton-Raphson method:

1. Start with an initial guess for the adjustment frame value AF_0.
2. Calculate the function value $f(AF_n)$ and its derivative $f'(AF_n)$ at each iteration AF_n.
3. Update the guess using the Newton-Raphson formula until convergence is achieved.

5 Conclusion

The combination of adjustment frame with exponential growth and the Newton-Raphson method provides a robust approach for numerical approximation, especially in scenarios where exponential scaling is involved. Understanding the principles and equations involved can help in applying this method effectively in various computational tasks.