


Data Modeling

Dominic Duggan
Stevens Institute of Technology

1

1




2

2

Data Modeling


- Entity Types
- Entities (instance)
- Relationship Types
- Relationships (instance)
- Attributes



3

3

Relationships versus Attributes



4

4

```

<Person>
  <Id>123456</Id>
  <Name>John Smith</Name>
  <Department>Finance</Department>
  <Salary>50</Salary>
  <Contact>
    <Email>js@email.com</Email>
    <Telephone>555-6789</Telephone>
  </Contact>
</Person>
<Person>
  <Id>654321</Id>
  <Name>Jane Doe</Name>
  <Department>Marketing</Department>
  <Salary>39</Salary>
  <Contact>
    <Email>jd@email.com</Email>
    <Telephone>555-1234</Telephone>
  </Contact>
</Person>

```

5

5

```

<Person>
  <Id>123456</Id>
  <Name>John Smith</Name>
  <Department>Finance</Department>
  <Salary>50</Salary>
  <Contact>
    <Email>js@email.com</Email>
    <Telephone>555-6789</Telephone>
  </Contact>
</Person>
<Person>
  <Id>654321</Id>
  <Name>Jane Doe</Name>
  <Department>Marketing</Department>
  <Salary>39</Salary>
  <Contact>
    <Email>jd@email.com</Email>
    <Telephone>555-1234</Telephone>
  </Contact>
</Person>

```



Person:

Id	Name	Department	Salary
123456	John Smith	Finance	50
654321	Jane Doe	Marketing	39

Contact:


Id	Email	Telephone
123456	js@email.com	555-6789
654321	jd@email.com	555-1234

(b) Representation in relational model

6

6


One-to-Many and Many-to-many relationships



7

7

Elementary Relationships



Functional Dependency: Course, Campus → Faculty ⁸

8

Elementary Relationships

- Non-elementary


Prof Duggan teaches CS548 to BetteDavis in Hoboken
Prof Duggan teaches CS548 to CaryGrant in Hoboken
Prof Duggan teaches CS548 to JeanArthur in WebCampus

- Elementary

Prof Duggan teaches CS548 in Hoboken
Prof Duggan teaches CS548 in WebCampus
BetteDavis enrolled in CS548 in Hoboken
CaryGrant enrolled in CS548 in Hoboken
JeanArthur enrolled in CS548 in WebCampus

9


9



10

10

Elementary Relationships



Multi-valued dependency: $Course \twoheadrightarrow Text \mid Campus$

11


11

Elementary Relationships


- Non-elementary
CS548 has text "Enterprise Soft Arch" in Hoboken
CS548 has text "Enterprise Soft Arch" in WebCampus
- Elementary
CS548 has text "Enterprise Soft Arch"
CS548 is taught in Hoboken
CS548 is taught in WebCampus

12

12




13



14


Composition



15

15


Generalization



16


16

Specialization




17

Reification of Committee Membership



18

Reification of Enrollment



19

19

RELATIONAL DATA MODEL

20


20

Relational Data Model

- A database is comprised of **tables**
 - Ex: Customers and Products tables
- A table is comprised of one or more **columns**
 - Attributes
 - Ex: Customers: Name, Address, City, State, etc.
 - Each column has an associated **data type**
- Each table has zero or more **records**

21

Relational Data Model



22

Primary Keys

- A column that **uniquely identifies** each record in a table
 - Ex: customer ID, product ID

23

23

Identity Columns

- If no natural primary key column
- Create a numeric column
 - Mark as **primary key**
 - Mark as **identity column**
- Values generated by DBMS

24

24

Identity Columns



Cust ID	Name	Email	City	Zip
1	Mary	m@m.com	Hoboken	07030
2	Joe	j@j.com	Orange	07050
3	Pat	p@p.com	Milburn	07041
4	Dolores	d@d.dom	S Orange	07079

25

25

RELATIONSHIPS IN THE RELATIONAL MODEL

26

26

Rela

Data Duplication

- Difficult to maintain
- Wasted space in storage
- Hard to query efficiently



EmpID	Name	Email	Dept	Manager
1	Mary	m@m.com	IT	Mary
2	Joe	j@j.com	IT	Mary
3	Pat	p@p.com	Sales	Pat
4	Dolores	d@d.dom	Executive	Dolores
5	Tina	t@t.com	HR	Tina
6	Bruce	b@b.com	Executive	Dolores

27


Relationships



EmpID	Name	Email	DeptID
1	Mary	...	1
2	Joe	...	1
3	Pat	...	2
4	Dolores	...	3
5	Tina	...	4
6	Bruce	...	3



DeptID	Name
1	IT
2	Sales
3	Exec
4	HR



28


Relationships

- Three kinds of relationships:
 - One-to-one
 - Ex: Customer preferences

29

29

One-to-one




30

```

<Person>
  <Id>123456</Id>
  <Name>John Smith</Name>
  <Department>Finance</Department>
  <Salary>50</Salary>
  <Contact>
    <Email>js@email.com</Email>
    <Telephone>555-6789</Telephone>
  </Contact>
</Person>

```



Person:

Id	Name	Department	Salary
123456	John Smith	Finance	50
654321	Jane Doe	Marketing	39

Contact:

Id	Email	Telephone
123456	js@email.com	555-6789
654321	jd@email.com	555-1234

(b) Representation in relational model

```

<Person>
  <Id>654321</Id>
  <Name>Jane Doe</Name>
  <Department>Marketing</Department>
  <Salary>39</Salary>
  <Contact>
    <Email>jd@email.com</Email>
    <Telephone>555-1234</Telephone>
  </Contact>
</Person>

```

31

31


Relationships

- Three kinds of relationships:
 - One-to-one
 - Ex: Customer preferences
 - One-to-many
 - Ex: Customer posts on a blog
 - Ex: Replies to a blog post
 - Ex: Customer comments on a picture gallery

32

32

One-to-many




33

Relationships

- Three kinds of relationships:
 - One-to-one
 - Ex: Customer preferences
 - One-to-many
 - Ex: Customer posts on a blog
 - Ex: Replies to a blog post
 - Ex: Customer comments on a picture gallery
 - Many-to-many
 - Ex: Students enrolled in courses

34


34



35

Referential Integrity

- Don't allow "orphan records"
 - Ex: Comment for non-existent picture
 - Foreign key constraint
 - On foreign key
 - On record deletion



36