

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 7.0 Revision Date 22.10.2024 Print Date 29.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 4-Chloro-3-methylphenol

Product Number : C55402 Brand : Aldrich

Index-No. : 604-014-00-3

REACH No. : 01-2119938953-25-XXXX

CAS-No. : 59-50-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Merck Life Science (Pty) Ltd.

1 Friesland Drive

Longmeadow Business Estate

**MODDERFONTEIN** 

1609

SOUTH AFRICA

Telephone : +27 +27 (0) 8600 63725 Fax : +27 +27 (0) 860 522 329

E-mail address : Melissa.byrne@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : 0-800-983-611

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

1C) damage.

Serious eye damage, (Category H318: Causes serious eye damage.

1)

Skin sensitization, (Sub-category H317: May cause an allergic skin reaction.

1B)

Aldrich- C55402 Page 1 of 13

Specific target organ toxicity - single exposure, (Category 3),

Respiratory system

H335: May cause respiratory irritation.

Short-term (acute) aquatic

hazard, (Category 1)

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic

hazard, (Category 3)

H412: Harmful to aquatic life with long

lasting effects.

#### 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary Statements** 

P260 Do not breathe dust.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

**Hazard Statements** 

H317 May cause an allergic skin reaction.

H314 Causes severe skin burns and eye damage.

**Precautionary Statements** 

P260 Do not breathe dust.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

Aldrich- C55402 Page 2 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada  $\,$ 



P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Synonyms : 4-Chloro-m-cresol

Formula :  $C_7H_7CIO$  Molecular weight : 142,58 g/mol CAS-No. : 59-50-7 EC-No. : 200-431-6 Index-No. : 604-014-00-3

Component		Classification	Concentration
chlorocresol			
CAS-No. EC-No. Index-No.	59-50-7 200-431-6 604-014-00-3	Acute Tox. 4; Skin Corr. 1C; Eye Dam. 1; Skin Sens. 1B; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 3; H302, H314, H318, H317, H335, H400, H412 M-Factor - Aquatic Acute:	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

Aldrich- C55402 Page 3 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada  $\,$ 



#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen chloride gas

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **5.4** Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

A

Aldrich- C55402 Page 4 of 13

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage conditions**

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

**Ingredients with workplace control parameters** 

#### 8.2 Exposure controls

Personal protective equipment

# **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please

Aldrich- C55402 Page 5 of 13



contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

# **Body Protection** protective clothing

#### **Respiratory protection**

Recommended Filter type: Filter A-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Physical state solid

b) Color colorless

c) Odor characteristic

d) Melting Melting point/ range: 63 - 65 °C - lit.

point/freezing point

e) Initial boiling point 235 °C - lit.

and boiling range

f) Flammability (solid, No data available

gas)

g) Upper/lower No data available flammability or explosive limits

h) Flash point 118,0 °C - closed cup - DIN 51758

i) Autoignition 590,0 °C temperature

j) Decomposition 200,0 °C temperature

k) pH 5,25 at 30 °C

I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

m) Water solubility 4 g/l at 30 °C - soluble

n) Partition coefficient: log Pow: 0,47 at 30 °C - Bioaccumulation is not expected.

n-octanol/water

o) Vapor pressure 6,9 hPa at 100,0 °C

Aldrich- C55402 Page 6 of 13



0,1 hPa at 20,0 °C

p) Density 1,335 g/cm3 at 20 °C

Relative density No data available

q) Relative vapor

density

No data available

r) Particle characteristics

No data available

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

## 9.2 Other safety information

Surface tension 61,49 mN/m at 1g/l at 20 °C

- Surface tension

Dissociation constant 9,4 at 20 °C

- OECD Test Guideline 112

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

#### 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Oxidizing agents

Acid anhydrides

acid halides

Bases

Copper

Aldrich- C55402

Copper alloys

Mild steel

#### 10.4 Conditions to avoid

Strong heating.

## 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

Page 7 of 13

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male - 1.830 mg/kg

(OECD Test Guideline 401)

Remarks: (ECHA)

Acute toxicity estimate Oral - 1.830 mg/kg (ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - male and female - 4 h - > 583 mg/l - dust/mist

(OECD Test Guideline 403)

Remarks: (ECHA)

LD50 Dermal - Rat - female - > 2.000 mg/kg

(OECD Test Guideline 402)

Remarks: (ECHA)

#### Skin corrosion/irritation

Skin - Rabbit

Result: Corrosive after 1 to 4 hours of exposure

(OECD Test Guideline 404)

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage. - 72 h

(OECD Test Guideline 405)

Remarks: (ECHA)

#### Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: positive

(OECD Test Guideline 406)

## Germ cell mutagenicity

Test Type: UDS (Unscheduled DNA synthesis assay)

Test system: rat hepatocytes Method: OECD Test Guideline 482

Result: negative Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal Method: OECD Test Guideline 474

Result: negative

#### Carcinogenicity

Aldrich- C55402 Page 8 of 13

No data available

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

May cause respiratory irritation. - Respiratory Tract

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

## Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

#### **Endocrine disrupting properties**

#### **Product:**

Assessment The

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male - Oral - 3 Months - NOAEL (No observed adverse effect level) - 120 mg/kg

Repeated dose toxicity - Rat - male and female - Dermal - 13 Weeks - NOAEL (No observed adverse effect level) - >= 500 mg/kg

RTECS: G07100000

Damage to the eyes., Depending on the intensity and duration of exposure, effects may vary from mild irritation to severe destruction of tissue.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Body weight change Drowsiness Headache Shortness of breath Unconsciousness Dizziness

Damage to:

Liver Kidney

Central nervous system

The following applies to phenols in general: irritant or even caustic effect upon contact with skin or mucous membranes.

Handle in accordance with good industrial hygiene and safety practice.

Aldrich- C55402 Page 9 of 13

Por S

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 0,917

> mg/l - 96 h (US-EPA)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 2,29 mg/l - 48 h

(US-EPA)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 30,62

mg/l - 72 h

(OECD Test Guideline 201)

static test NOEC - Desmodesmus subspicatus (green algae) - 9,8

semi-static test NOEC - Daphnia magna (Water flea) - 0,32 mg/l -

mg/l - 72 h

(OECD Test Guideline 201)

static test EC50 - activated sludge - 41,4 mg/l - 3 h Toxicity to bacteria

(OECD Test Guideline 209)

Toxicity to semi-static test NOEC - Oncorhynchus mykiss (rainbow trout) - 0,15

fish(Chronic toxicity) mg/l - 28 d

(OECD Test Guideline 215)

Toxicity to daphnia

and other aquatic

invertebrates(Chronic (OECD Test Guideline 211)

toxicity)

#### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 85 % - Readily biodegradable.

(OECD Test Guideline 301D)

Theoretical oxygen

demand

1.852 mg/g

#### 12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 6 Weeks

at 25 °C - 0,002 mg/l(chlorocresol)

Bioconcentration factor (BCF): 5,5 - 11

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission

Page 10 of 13 Aldrich- C55402

The life science business of Merck operates as MilliporeSigma in the US and Canada



#### 12.7 Other adverse effects

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

# **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 3437 IMDG: 3437 IATA: 3437

14.2 UN proper shipping name

ADR/RID: CHLOROCRESOLS, SOLID IMDG: CHLOROCRESOLS, SOLID IATA: Chlorocresols, solid

14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

Tunnel restriction code : (D/E)

Further information : No data available

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

# **National legislation**

Seveso III: Directive 2012/18/EU of the E1 ENVIRONMENTAL HAZARDS European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Aldrich- C55402 Page 11 of 13

A

#### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

# **SECTION 16: Other information**

#### **Full text of H-Statements**

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

# Relevant changes since previous version

2. Hazards identification

Aldrich- C55402 Page 12 of 13



The life science business of Merck operates as MilliporeSigma in the US and Canada

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Aldrich- C55402 Page 13 of 13



The life science business of Merck operates as MilliporeSigma in the US and Canada