

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.11 Revision Date 02.06.2023 Print Date 07.08.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Sodium tetraborate decahydrate

Product Number : B3545

Brand : Sigma-Aldrich Index-No. : 005-011-01-1

REACH No. : 01-2119490790-32-XXXX

CAS-No. : 1303-96-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Merck Life Science (Pty) Ltd.

1 Friesland Drive

Longmeadow Business Estate

MODDERFONTEIN

1609

SOUTH AFRICA

Telephone : +27 +27 (0) 8600 63725Fax : +27 +27 (0) 860 522 329

E-mail address : Melissa.byrne@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : 0-800-983-611

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Eye irritation (Category 2), H319

Reproductive toxicity (Category 1B), H360FD

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Sigma-Aldrich- B3545 Page 1 of 13



Pictogram



Signal Word Danger

Hazard statement(s)

H319 Causes serious eye irritation.

H360FD May damage fertility. May damage the unborn child.

Precautionary statement(s)

P202 Do not handle until all safety precautions have been read and

understood.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention.

Supplemental Hazard

Statements

none

Restricted to professional users.

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard statement(s)

H360FD May damage fertility. May damage the unborn child.

Precautionary statement(s)

P202 Do not handle until all safety precautions have been read and

understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : Boraxdecahydrate

Sigma-Aldrich- B3545 Page 2 of 13



Sodium borate decahydrate

Formula : B4Na2O7.10H2O Molecular weight : 381,37 g/mol CAS-No. : 1303-96-4 EC-No. : 603-411-9 Index-No. : 005-011-01-1

Component		Classification	Concentration	
disodium tetraborate decahydrate Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)				
CAS-No. EC-No. Index-No.	1303-96-4 603-411-9 005-011-01-1	Eye Irrit. 2; Repr. 1B; H319, H360FD	<= 100 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Sigma-Aldrich- B3545 Page 3 of 13

A

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Borane/boron oxides

Sodium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Sigma-Aldrich- B3545 Page 4 of 13



Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Derived No Effect Level (DNEL)

Application Area	Routes of	Health effect	Value
	exposure		
Worker DNEL,	inhalation	Local effects	2,52 mg/m3
acute	 	<u></u>	
Remarks	Expressed as,		
Worker DNEL, longterm	dermal	Systemic effects	
	Expressed as,	Boron	
Worker DNEL, longterm	inhalation	Systemic effects	1,45 mg/m3
_	Expressed as,	Boron	
Worker DNEL, longterm	inhalation	Local effects	2,52 mg/m3
	Expressed as, Boron		
Consumer DNEL, acute	oral	Systemic effects	
	Expressed as, Boron		
Consumer DNEL, acute	inhalation	Local effects	2,52 mg/m3
	Expressed as, Boron		
Consumer DNEL, longterm	dermal	Systemic effects	
	Expressed as, Boron		
Consumer DNEL, longterm	inhalation	Systemic effects	0,73 mg/m3
J	Expressed as, Boron		
Consumer DNEL, longterm	oral	Systemic effects	
- J.E.	Expressed as, Boron		
Consumer DNEL, longterm	inhalation	Local effects	2,52 mg/m3
	Expressed as,	Boron	

Predicted No Effect Concentration (PNEC)

i redicted No Effect concentration (1 NEO)		
Compartment	Value	
Fresh water	2,9 mg/l	
Remarks	Expressed as, Boron	
Sea water	2,9 mg/l	

Sigma-Aldrich- B3545 Page 5 of 13

	Expressed as, Boron
Aquatic intermittent release	13,7 mg/l
	Expressed as, Boron
Sewage treatment plant	10 mg/l
	Expressed as, Boron
Soil	5,7 mg/kg
	Expressed as, Boron

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Sigma-Aldrich- B3545 Page 6 of 13

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state crystallineb) Color whitec) Odor odorless

d) Melting Melting point: 75 °C - Elimination of water of crystallization point/freezing point

e) Initial boiling point No data available and boiling range

f) Flammability (solid, The product is not flammable. gas)

g) Upper/lower No data available flammability or explosive limits

h) Flash point Not applicablei) Autoignition No data available temperature

j) Decomposition No data available temperature

k) pH 9,0 - 9,5 at 38,1 g/l at 25 °C

I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

m) Water solubility 38,1 g/l at 20 °C - completely soluble
 n) Partition coefficient: Not applicable for inorganic substances n-octanol/water

o) Vapor pressure 0,213 hPa at 20 °C

p) Density 1,73 g/cm3 at 25 °C - lit.

q) Relative density No data available density No data available density

r) Particle No data available characteristics

s) Explosive properties No data available

t) Oxidizing properties none

Sigma-Aldrich- B3545 Page 7 of 13

M

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: strong oxidising agents Acids metallic salts

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - > 2.500 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - > 2,12 mg/l - dust/mist

(OECD Test Guideline 403)

Remarks: The value is given in analogy to the following substances: boric acid LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg

Remarks: (ECHA)

The value is given in analogy to the following substances: disodium tetraborate pentahydrate

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

Remarks: (ECHA)

The value is given in analogy to the following substances: disodium tetraborate

pentahydrate

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye irritation. - 14 Days

Sigma-Aldrich- B3545 Page 8 of 13

(OECD Test Guideline 405)

Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: (in analogy to similar products)

Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Micronucleus test

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

May damage the unborn child.

May damage fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

Sigma-Aldrich- B3545 Page 9 of 13

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 2 yr - NOAEL (No observed adverse effect level) - 100 mg/kg - LOAEL (Lowest observed adverse effect level) - 334 mg/kg Remarks: (ECHA)

Animal feeding studies in rat, mouse and dog, at high doses, have demonstrated effects on fertility and testes. Studies with the chemically related boric acid in the rat, mouse and rabbit, at high doses, demonstrate developmental effects on the fetus, including fetal weight loss and minor skeletal variations. The doses administered were many times in excess of those to which humans would normally be exposed. Human epidemiological studies show no increase in pulmonary disease in occupational populations with cronic exposures to boric acid dust and sodium borate dust. A recent epidemiological study under the conditions of normal occupational eposure to borate dusts indicated no effect on fertility.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Herbicide

Discharge into the environment must be avoided.

Sigma-Aldrich- B3545 Page 10 of 13

M

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: -IMDG: -IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods Not dangerous goods IMDG: IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: -IMDG: -IATA: -

14.4 Packaging group

ADR/RID: -IMDG: -IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

REACH - Restrictions on the manufacture, : disodium tetraborate decahydrate

placing on the market and use of certain dangerous substances, mixtures and articles

(Annex XVII)

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

Sigma-Aldrich- B3545 Page 11 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



: disodium tetraborate decahydrate

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H319 Causes serious eye irritation.

H360FD May damage fertility. May damage the unborn child.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See

Sigma-Aldrich- B3545 Page 12 of 13

M

www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- B3545 Page 13 of 13

