The TreeMAPPO (Tree Maximum-A-Posteriori) Algorithm

Q: What is 3x2+1?

1 Generate the trunk trajectories.

```
Q┬3x2=42. 42+1=\boxed{43} ✗
 │
 ├Let’s do it step by step. 3x2+1=6+1=\boxed{7} ✓
 │
 └```python 3*2+1``` ```7``` \boxed{7} ✓
```

2 Branch from existing trunks.

```
Q┬3x2=42.┬42+1=\boxed{43} ✗
 │       └wait, actually 3x2=6. 6+1=\boxed{7} ✓
 ├Let’s do it step by step.┬3x2+1=6+1=\boxed{7} ✓
 │                         └3x2=6.┬6+1=\boxed{7} ✓
 │                                └6+1=\boxed{42} ✗
 └```python 3┬*2+1``` ```7``` \boxed{7} ✓
             └x2+1``` ```error``` \boxed{error} ✗
```

3 Calculate the advantages using Maximum-A-Posteriori algorithm and our proposed segment contribution model.

Q



4 Generate the flattened training trajectories from the tree with segment-level credit assignment.

```
Q─3x2=42. 42+1=\boxed{43}
Q─3x2=42. wait, actually 3x2=6. 6+1=\boxed{7}
Q─Let’s …… step. 3x2+1=6+1=\boxed{7}
Q─Let’s …… step. 3x2=6. 6+1=\boxed{7}
Q─Let’s …… step. 3x2=6. 6+1=\boxed{42}
Q─```python 3*2+1``` ```7``` \boxed{7}
Q─```python 3x2+1``` ```error``` \boxed{error}
```