# Data tidying with tidyr : : **CHEAT SHEET**

Tidy data is a way to organize tabular data in a consistent data structure across packages. A table is tidy if:

Each **variable** is in its own **column**

&

Each **observation**, or **case**, is in its own row

Access **variables** as **vectors**

Preserve **cases** in vectorized operations

Tibbles

AN ENHANCED DATA FRAME

Tibbles are a table format provided by the **tibble** package. They inherit the data frame class, but have improved behaviors:

- **Subset** a new tibble with], a vector with [[and $.
- **No partial matching** when subsetting columns.
- **Display** concise views of the data on one screen.

options(tibble.print_max = n, tibble.print_min = m, tibble.width = Inf) Control default display settings.

View() or **glimpse()** View the entire data set.

CONSTRUCT A TIBBLE

tibble(…**)** Construct by columns.
tibble(x = 1:3, y = c("a", "b", "c"))

tribble(…**)** Construct by rows.
tribble(~x, ~y,
        1, "a",
        2, "b",
        3, "c")

Both make this tibble

```
A tibble: 3 × 2
     x     y
  <int> <chr>
1     1     a
2     2     b
3     3     c
```

as_tibble(x, …**)** Convert a data frame to a tibble.

enframe(x, name = "name", value = "value"**)** Convert a named vector to a tibble. Also **deframe()**.

is_tibble(x**)** Test whether x is a tibble.

Reshape Data - Pivot data to reorganize values into a new layout.

table4a

country	1999	2000
A	0.7K	2K
B	37K	80K
C	212K	213K

→

country	year	cases
A	1999	0.7K
B	1999	37K
C	1999	212K
A	2000	2K
B	2000	80K
C	2000	213K

pivot_longer(data, cols, names_to = "name", values_to = "value", values_drop_na = FALSE**)**

"Lengthen" data by collapsing several columns into two. Column names move to a new names_to column and values to a new values_to column.

pivot_longer(table4a, cols = 2:3, names_to ="year", values_to = "cases")

table2

country	year	type	count
A	1999	cases	0.7K
A	1999	pop	19M
A	2000	cases	2K
A	2000	pop	20M
B	1999	cases	37K
B	1999	pop	172M
B	2000	cases	80K
B	2000	pop	174M
C	1999	cases	212K
C	1999	pop	1T
C	2000	cases	213K
C	2000	pop	1T

→

country	year	cases	pop
A	1999	0.7K	19M
A	2000	2K	20M
B	1999	37K	172M
B	2000	80K	174M
C	1999	212K	1T
C	2000	213K	1T

pivot_wider(data, names_from = "name", values_from = "value"**)**

The inverse of pivot_longer(). "Widen" data by expanding two columns into several. One column provides the new column names, the other the values.

pivot_wider(table2, names_from = type, values_from = count)

Split Cells - Use these functions to split or combine cells into individual, isolated values.

table5

country	century	year
A	19	99
A	20	00
B	19	99
B	20	00

→

country	year
A	1999
A	2000
B	1999
B	2000

unite(data, col, …, sep = "_", remove = TRUE, na.rm = FALSE**)** Collapse cells across several columns into a single column.

unite(table5, century, year, col = "year", sep = "")

table3

country	year	rate
A	1999	0.7K/19M
A	2000	2K/20M
B	1999	37K/172M
B	2000	80K/174M

→

country	year	cases	pop
A	1999	0.7K	19M
A	2000	2K	20M
B	1999	37K	172
B	2000	80K	174

separate(data, col, into, sep = "[^[:alnum:]]+", remove = TRUE, convert = FALSE, extra = "warn", fill = "warn", …**)** Separate each cell in a column into several columns. Also **extract()**.

separate(table3, rate, sep = "/", into = c("cases", "pop"))

table3

country	year	rate
A	1999	0.7K/19M
A	2000	2K/20M
B	1999	37K/172M
B	2000	80K/174M

→

country	year	rate
A	1999	0.7K
A	1999	19M
A	2000	2K
A	2000	20M
B	1999	37K
B	1999	172M
B	2000	80K
B	2000	174M

separate_rows(data, …, sep = "[^[:alnum:].]+", convert = FALSE**)** Separate each cell in a column into several rows.

separate_rows(table3, rate, sep = "/")

Expand Tables

Create new combinations of variables or identify implicit missing values (combinations of variables not present in the data).

x

x1	x2	x3
A	1	3
B	1	4
B	2	5

→

x1	x2
A	1
A	2
B	1
B	2

expand(data, …**)** Create a new tibble with all possible combinations of the values of the variables listed in … Drop other variables.

expand(mtcars, cyl, gear, carb)

x

x1	x2	x3
A	1	3
B	1	4
B	2	5

→

x1	x2	x3
A	1	3
A	2	NA
B	1	4
B	2	5

complete(data, …, fill = list()**)** Add missing possible combinations of values of variables listed in … Fill remaining variables with NA.

complete(mtcars, cyl, gear, carb)

Handle Missing Values

Drop or replace explicit missing values (NA).

x

x1	x2
A	1
B	NA
C	NA
D	3
E	NA

→

x1	x2
A	1
D	3

drop_na(data, …**)** Drop rows containing NA's in … columns.

drop_na(x, x2)

x

x1	x2
A	1
B	NA
C	NA
D	3
E	NA

→

x1	x2
A	1
B	1
C	1
D	3
E	3

fill(data, …, .direction = "down"**)** Fill in NA's in … columns using the next or previous value.

fill(x, x2)

x

x1	x2
A	1
B	NA
C	NA
D	3
E	NA

→

x1	x2
A	1
B	2
C	2
D	3
E	2

replace_na(data, replace**)** Specify a value to replace NA in selected columns.

replace_na(x, list(x2 = 2))

Nested Data

A **nested data frame** stores individual tables as a list-column of data frames within a larger organizing data frame. List-columns can also be lists of vectors or lists of varying data types.
Use a nested data frame to:
- Preserve relationships between observations and subsets of data. Preserve the type of the variables being nested (factors and datetimes aren't coerced to character).
- Manipulate many sub-tables at once with **purrr** funcitons like map(), map2(), or pmap() or with **dplyr** rowwise() grouping.

CREATE NESTED DATA

nest(data, …) Moves groups of cells into a list-column of a data frame. Use alone or with dplyr::**group_by()**:

1. Group the data frame with **group_by()** and use **nest()** to move the groups into a list-column.
   ```
   n_storms <- storms %>%
       group_by(name) %>%
       nest()
   ```

2. Use **nest(new_col = c(x, y))** to specify the columns to group using dplyr::**select()** syntax.
   ```
   n_storms <- storms %>%
       nest(data = c(year:long))
   ```

name	yr	lat	long
Amy	1975	27.5	-79.0
Amy	1975	28.5	-79.0
Amy	1975	29.5	-79.0
Bob	1979	22.0	-96.0
Bob	1979	22.5	-95.3
Bob	1979	23.0	-94.6
Zeta	2005	23.9	-35.6
Zeta	2005	24.2	-36.1
Zeta	2005	24.7	-36.6

nested data frame

name	data
Amy	<tibble [50x3]>
Bob	<tibble [50x3]>
Zeta	<tibble [50x3]>

"cell" contents

yr	lat	long
1975	27.5	-79.0
1975	28.5	-79.0
1975	29.5	-79.0

yr	lat	long
1979	22.0	-96.0
1979	22.5	-95.3
1979	23.0	-94.6

yr	lat	long
2005	23.9	-35.6
2005	24.2	-36.1
2005	24.7	-36.6

Index list-columns with [[]]. n_storms$data[[1]]

CREATE TIBBLES WITH LIST-COLUMNS

tibble::**tribble(…)** Makes list-columns when needed.
```
tribble( ~max, ~seq,
            3,  1:3,
            4,  1:4,
            5,  1:5)
```

max	seq
3	<int [3]>
4	<int [4]>
5	<int [5]>

tibble::**tibble(…)** Saves list input as list-columns.
```
tibble(max = c(3, 4, 5), seq = list(1:3, 1:4, 1:5))
```

tibble::**enframe(**x, name="name", value="value"**)**
Converts multi-level list to a tibble with list-cols.
```
enframe(list('3'=1:3, '4'=1:4, '5'=1:5), 'max', 'seq')
```

OUTPUT LIST-COLUMNS FROM OTHER FUNCTIONS

dplyr::**mutate()**, **transmute()**, and **summarise()** will output list-columns if they return a list.
```
mtcars %>%
    group_by(cyl) %>%
    summarise(q = list(quantile(mpg)))
```

RESHAPE NESTED DATA

unnest(data, cols, ..., keep_empty = FALSE) Flatten nested columns back to regular columns. The inverse of nest().
n_storms %>% unnest(data)

unnest_longer(data, col, values_to = NULL, indices_to = NULL) Turn each element of a list-column into a row.

```
starwars %>%
    select(name, films) %>%
    unnest_longer(films)
```

name	films
Luke	<chr [5]>
C-3PO	<chr [6]>
R2-D2	<chr[7]>

name	films
Luke	The Empire Strik…
Luke	Revenge of the S…
Luke	Return of the Jed…
C-3PO	The Empire Strik…
C-3PO	Attack of the Cl…
C-3PO	The Phantom M…
R2-D2	The Empire Strik…
R2-D2	Attack of the Cl…
R2-D2	The Phantom M…

unnest_wider(data, col) Turn each element of a list-column into a regular column.

```
starwars %>%
    select(name, films) %>%
    unnest_wider(films)
```

name	films
Luke	<chr [5]>
C-3PO	<chr [6]>
R2-D2	<chr[7]>

name	..1	..2	..3
Luke	The Empire…	Revenge of…	Return of…
C-3PO	The Empire…	Attack of…	The Phantom…
R2-D2	The Empire…	Attack of…	The Phantom…

hoist(.data, .col, ..., .remove = TRUE) Selectively pull list components out into their own top-level columns. Uses purrr::pluck() syntax for selecting from lists.

```
starwars %>%
    select(name, films) %>%
    hoist(films, first_film = 1, second_film = 2)
```

name	films
Luke	<chr [5]>
C-3PO	<chr [6]>
R2-D2	<chr[7]>

name	first_film	second_film	films
Luke	The Empire…	Revenge of…	<chr [3]>
C-3PO	The Empire…	Attack of…	<chr [4]>
R2-D2	The Empire…	Attack of…	<chr [5]>

TRANSFORM NESTED DATA

A vectorized function takes a vector, transforms each element in parallel, and returns a vector of the same length. By themselves vectorized functions cannot work with lists, such as list-columns.

dplyr::**rowwise(**.data, …**)** Group data so that each row is one group, and within the groups, elements of list-columns appear directly (accessed with [[ ], not as lists of length one. **When you use rowwise(), dplyr functions will seem to apply functions to list-columns in a vectorized fashion.**

data
<tibble [50×4]>
<tibble [50×4]>
<tibble [50×4]>

data
<tibble [50×4]>
<tibble [50×4]>
<tibble [50×4]>

fun(<tibble [50×4]> , …)
fun(<tibble [50×4]> , …)
fun(<tibble [50×4]> , …)

result
result 1
result 2
result 3

Apply a function to a list-column and **create a new list-column.**

```
n_storms %>%
    rowwise() %>%
    mutate(n = list(dim(data)))
```
dim() returns two values per row
wrap with list to tell mutate to create a list-column

Apply a function to a list-column and **create a regular column.**

```
n_storms %>%
    rowwise() %>%
    mutate(n = nrow(data))
```
nrow() returns one integer per row

Collapse **multiple list-columns** into a single list-column.

```
starwars %>%
    rowwise() %>%
    mutate(transport = list(append(vehicles, starships)))
```
append() returns a list for each row, so col type must be list

Apply a function to **multiple list-columns.**

```
starwars %>%
    rowwise() %>%
    mutate(n_transports = length(c(vehicles, starships)))
```
length() returns one integer per row

See **purrr** package for more list functions.