## Read in and prepare text data

```
In [ ]: with open("goblet book.txt", "r") as f:
            data = f.read()
        data = list(data)
        book chars = list(set(data))
        K = len(book chars)
        charToInd = {c:i for i,c in enumerate(book chars)}
        indToChar = {i:c for i,c in enumerate(book chars)}
        K = len(indToChar)
In [ ]: def toString(encoded text):
            return ''.join([indToChar[i] for i in encoded text])
In [ ]: def oneHotEncode(x):
            Y = np.zeros((K, len(x)))
            for i,c in enumerate(x):
                Y[charToInd[c],i] = 1.0
            return Y
In [ ]: class RNN():
            def init (self, K, m=100, seed=123456789):
                np.random.seed(seed)
                self.K = K
                self.m = m
                self.sigma = 0.01
                self.weights = {}
                self.momentum = {}
                # Biases
                self.weights["b"] = np.zeros(shape=(self.m,1))
                self.weights["c"] = np.zeros(shape=(K,1))
                # Weights
                self.weights["U"] = np.random.randn(self.m, self.K) * self.sigma
                self.weights["W"] = np.random.randn(self.m, self.m) * self.sigma
                self.weights["V"] = np.random.randn(self.K, self.m) * self.sigma
                # Momentum
                for key, value in self.weights.items():
                    self.momentum[key] = np.zeros(value.shape)
                # Set initial hidden state
                self.hprev = np.zeros(shape=(self.m,1))
            def cost(self, X, Y):
                P = self.forward(X)
                loss = -np.sum(Y * np.log(P))
                return loss
            def forward(self, X, train=False):
```

```
hList = [self.hprev.copy()]
   aList = []
   pList = []
   for x in X.T:
       a = self.weights["W"] @ hList[-1] + self.weights["U"] @ x.reshape(-1,1) + self.weights["b"]
       h = np.tanh(a)
       o = self.weights["V"] @ h + self.weights["c"]
       p = np.exp(o) / np.sum(np.exp(o), axis=0)
       hList.append(h)
       aList.append(a)
       pList.append(p)
   H = np.hstack(hList)
   A = np.hstack(aList)
   P = np.hstack(pList)
   if train:
       self.hprev = H[:, -1].reshape(-1,1)
       # P: K x seq length, H: m x seq length+1, A: m x seq length, O: K x seq length
        return P, H, A
   else:
        return P
def backward(self, X, Y):
       P, H, A = self.forward(X, train=True)
       g = P - Y \#grad0
       qV = q @ H.T[1:]
       gc = np.sum(g, axis = 1).reshape(-1,1)
       gH = g.T[-1] @ self.weights["V"]
       gA = gH * (1 - np.square(np.tanh(A.T[-1])))
       lH = [gH]
       lA = [gA]
       # Page 42
        for gt, at in zip(g.T[-2::-1], A.T[-2::-1]):
           gH = gt @ self.weights["V"] + gA @ self.weights["W"]
           gA = gH * (1 - np.square(np.tanh(at)))
           lH.append(gH)
           lA.append(gA)
       gH = np.vstack(lH[::-1]).T
       gA = np.vstack(lA[::-1]).T
       gW = gA @ H.T[:-1]
       gU = gA @ X.T
       gb = np.sum(gA, axis = 1).reshape(-1,1)
        return {"W":gW, "U":gU, "V":gV, "b":gb, "c":gc}
def synth(self, x0, n):
   h = self.hprev
   x = x0
   for i in range(n):
       a = self.weights["W"] @ h + self.weights["U"] @ x[:,-1].reshape(-1,1) + self.weights["b"]
       h = np.tanh(a)
       o = self.weights["V"] @ h + self.weights["c"]
```

```
p = np.exp(o) / np.sum(np.exp(o), axis=0)
                    idx = np.random.choice(range(self.K),p=np.squeeze(p))
                    newX = np.zeros(shape=(self.K,1))
                    newX[idx,0] = 1
                    x = np.c_[x,newX]
                return [np.argmax(c) for c in x.T]
            def computeGradsNumerical(self, X, Y, eps):
                grads = {}
                for name, weight in self.weights.items():
                    shape = weight.shape
                    wPerturb = np.zeros(shape)
                    wGradsNum = np.zeros(shape)
                    w0riginal = weight.copy()
                    for i in range(shape[0]):
                        for j in range(shape[1]):
                            # Perturb the weight negatively
                            wPerturb[i, j] = eps
                            self.weights[name] = wOriginal - wPerturb
                            cost1 = self.cost(X, Y)
                            # Perturb the weight positively
                            self.weights[name] = w0riginal + wPerturb
                            cost2 = self.cost(X, Y)
                            # Calculate the gradient numerically
                            wGradsNum[i, j] = (cost2 - cost1) / (2 * eps)
                            # Reset the perturbation
                            wPerturb[i, j] = 0
                    # Store the calculated gradients
                    grads[name] = wGradsNum
                    # Reset the weight to the original
                    self.weights[name] = w0riginal
                return grads
            def train(self, X, Y, eta=0.1):
                eps = 1e-8
                grads = self.backward(X, Y)
                for key, weight in self.weights.items():
                    # Clip as per instructions
                    grads[key] = np.clip(grads[key], -5, 5)
                    self.momentum[key] += np.square(grads[key])
                    weight -= eta * grads[key] / np.sqrt(self.momentum[key] + eps)
In [ ]: m = 100
        eta = 0.1
```

seq\_length = 25

```
In [ ]: x = oneHotEncode(["a"])
        model = RNN(K, m=5)
In [ ]: toString(model.synth(x, 20))
Out[]: 'aiQyX19d1-C"\tST iXsiY'
        0.4
In [ ]: def relerr(ga, gn, eps=1e-6):
                Calculates the relative error between two vectors.
                Args:
                    ga (numpy.ndarray): Analytical gradient.
                    gn (numpy.ndarray): Numerical gradient.
                    eps (float, optional): A small value to avoid division by zero. Defaults to 1e-6.
                Returns:
                    float: The relative error between ga and gn.
                diff = np.linalg.norm(ga - gn)
                norma = np.linalg.norm(ga)
                normn = np.linalg.norm(gn)
                numer = max(eps, norma + normn)
                return diff / numer
In [ ]: Xchars = data[0:seq length]
        Ychars = data[1:seq_length+1]
        X = oneHotEncode(Xchars) # K x seq length
        Y = oneHotEncode(Ychars) # K x seq length
In [ ]: P, H, A = model.forward(X, train=True)
In [ ]: P.shape, H.shape, A.shape
        # P: K x seq_length, H: m x seq_length+1, A: m x seq_length
Out[]: ((80, 25), (5, 26), (5, 25))
        Numerical sanity check
        for m=5
       angrads = model.backward(X, Y)
        numgrads = model.computeGradsNumerical(X, Y, 1e-4)
        for key in numgrads.keys():
```

print(key)

print(relerr(angrads[key], numgrads[key]))

```
b
1.4749889309780247e-09
3.147934664526794e-10
2.5802235915813572e-09
5.907033780816311e-08
5.345316230238328e-09
```

## 0.5 - Training Loop

```
In [ ]: m = 100
        eta = 0.1
        seq_length = 25
        # Important! For reproducibility set PYTHONHASHSEED=0 on execution, and find good session seed.
        # Ideally get step 1000 loss to ~76
        model = RNN(K, m=m, seed=41)
        dataSetSize = len(data)
        # Epoch Counter
        epoch = 0
        # Text position counter
        e = 0
        # Initialize smooth loss
        Xchars = data[0:seq length]
        Ychars = data[1:seq_length+1]
        X = oneHotEncode(Xchars) # K x seq length
        Y = oneHotEncode(Ychars) # K x seq_length
        lossSmooth = model.cost(X,Y)
        lossHistory = []
        synthHistory = {}
        lossBest = lossSmooth
        weightBest = model.weights.copy()
        iterCount = 0
        print(f"==== Epoch {0} ====")
        while epoch < 6:
            Xchars = data[e:e+seq_length]
            Ychars = data[e+1:e+seq_length+1]
            X = oneHotEncode(Xchars) # K x seq_length
            Y = oneHotEncode(Ychars) # K x seq length
            model.train(X, Y, eta=eta)
            loss = model.cost(X,Y)
            lossSmooth = 0.999*lossSmooth + 0.001*loss
            # Checkpoint when loss is improved
            if lossSmooth < lossBest:</pre>
                weightsBest = model.weights.copy()
                lossBest = lossSmooth
            # Log loss every 100 steps
            if iterCount % 100 == 0:
                lossHistory.append(lossSmooth)
            # Synth 200 chars of text every 1000 steps
```

```
if iterCount % 10000 == 0:
    txtenc = model.synth(X, 200)[seq_length:]

txt = "".join([indToChar[ind] for ind in txtenc])
    if iterCount <= 100000:
        synthHistory[iterCount] = txt
    print("Step: ", iterCount, " loss: ",lossSmooth,"\n")
    print(txt,"\n")

e += seq_length
    iterCount += 1

if e + seq_length >= dataSetSize:
    e = 0
    epoch += 1
    print(f"\n==== Epoch {epoch} ====\n")
    model.hprev = np.zeros(shape=(m,1))
```

Step: 0 loss: 109.53701347501567 XSU7CaMq 3VmV:TvtjogmvS(w}k26:f2FW?ymZS •IüpsPh22üBjF7(Kü9gj-TSIFdeHLejZ^UBG 20I7Rga^yqhLyCü0yhCS,lh^zsMM::a172oqEoiaZ:Qs0Vr)LU0Dbn2/ZxHo)pN(xGBi iZ,fX0dHI6(gRt L?rymo^•u66 qF)9ixcfcmz;xx:FCüLLl}Cj!R Step: 10000 loss: 49.241641527023575 Arire t makrarbem. ere ats Tfeavart )ringich han the of Bfestry, the sar phacorst Harming roul caod acr. The kyighterine to lang surcer cor's and samy to mannemexpnere" said .e. Salling," said alle, S Step: 20000 loss: 47.71613609260471 ins elcofingly. ." "the net owited dit Haid wirc" saig eat and if the fid io her sayterstrink-" Satring brenmelf." "Itk-"phem he wet," . Harry come's?" ... miin tuttre brat soubly eeplystar't er-"Teel Step: 30000 loss: 47.32423551057326 ewer, stoon, miretel in thear sar not whonr her youeggensoor lound was mindy's cawmen more compingion, deerel repe him ale was of a were of tand.. "Ho wat the foibed. To fright'he on tarterstersing o Step: 40000 loss: 46.42920862796607 doccor; beto lrnith upellirge hich thin't torredlinged bar odernth greferught wast formor Harry walden. And prefartem a his up tore heashers?" Harry way if was stant donche not Erlyone s pumill at the ==== Epoch 1 ==== Step: 50000 loss: 47.516756144076595 befter cancerly'ntsed a theveds his an treard. To Cemmough butly, wiglirld at her theng, leclle the pleplidT. Frryed a miggly was amair, ster of a bas'ed door lig!" Mr. pery mesmoun. Ther whar smre Step: 60000 loss: 46.5507099925093 Amging with hand stiand netcle will." Armsed - alded Dee, "he Durmbren. "Lich. "Weanged he hever the ghat astwart madsent thoods, stausset nowby. . Sncy. She cousser, anderang -" Thin of rump Step: 70000 loss: 46.41072474411647 facirs. Harry gimblicuser, who was justed aboup, Harwy her. "Eucd Hapruslle in an candned of fiven an herr ton so been, himaeared a knoo dinns flid parmase - do as Poor caching?" Bral him keeck fer mo Step: 80000 loss: 45.14179837606143 nes was comeed. "No tinto backing. The prealer. He sleppoone a memuck, Elking thraDd. He aroun of Pothere; a on the ke a demuco wand the had-st was for aedit." "I coriegg." "CEsnen dawk degoinabn. ==== Epoch 2 ====

==== Epoch 0 ====

Step: 90000 loss: 45.629479466995456

ld his a gave was surripby you lable bedcusene gram far of Poller thouch?.

```
"woy....
BAong to ill phem leete. With nair youddem dist his whutron till no rusts Quiter crady ctasp you was a fillont, a
Step: 100000 loss: 47.03134226363713
gade. "Weld the gooce, Harry. "De joustreevine-led whuted of wat heang was reawly of the Dumblethe you'le!" Hermestion - Umo. neat ese gritilnf egoppionor Snapmed seap ysun?"
"What it tome bettatc
Step: 110000 loss: 45.15196379763833
e poisius, his goke, bloking, -" 'rosunond it? . . and the said staviin. . .T
CEdrived to she stbast I've, tham splop het morrit in the huing be the grovinays, use of rears-dly had avois noad. Alr.
Step: 120000 loss: 45.52653147057576
m, whinnedser him thoun faster. Harry gur chethrous ond costak tho pould his unail, Skfoth the runden up - clear his ablooke of and very'le?. . . Snath cancatyon in anked, so befloy that
it vagaar. D
Step: 130000 loss: 44.49630474567369
nst cournle onirs. Hyow is his from cons, was - the finied. The mane dreme-the burner tull hivasse his are muped hy shound will, wattwarted a for be?" he paghing bectwrot with the gring
complered be
==== Epoch 3 ====
Step: 140000 loss: 47.858198636539115
, mordads with sboin whend and hood and in, en. "It's arm yoold and lowned to they the and folly and intad I pinille, I plang now and was stodt! Feettlyenting tope - lays Iglames beling
simplastarge
Step: 150000 loss: 45.10679681977779
ly out look." Hermione, theve to groyed nave you fight, conwer, he faziza, so, inn'll now feet.
Harry pad hand . . . "
Cenillorered of Fied deast anstast handly joinding parred yours at to hurdowing
Step: 160000 loss: 45.487412803358815
nch a a a rearenf-skins at 's frown't as he corsu, but ance wand off sioking be Cedrid deturch to said man," said goon aly that!". . ."
"I'd of exnel under's and keam!". ."
Rot per...."
Unte
Step: 170000 loss: 44.74378945950503
ery beatioverish's and bedoves.
ROK" Rot you us not of the fase fight he were Dagnturome here Swaels aly; Browh it sabont's
"What belly a loaked peel of the S"
"Do didsh's had Prefe?" said Ron the muc
==== Epoch 4 ====
Step: 180000 loss: 45.289376106503866
d to somese at Herwish strect,"
"My fack Harry Winke.
"My thing raven. Harry, there that you off stligoave befaldn't ed, know ill Uncle the burdh a Burd Petink grivechavely at the through bleally wirn
Step: 190000 loss: 46.03488581936081
ur onde toy on a prigued and recien, you diar it.
```

Ares, it, said Prlde, and fulased actives, to sord excilving you walngbatelild. Mesres is sching, put enry, Mllerger heapring bis leete

Rot ster?"


```
Step: 200000 loss: 44.79340416510559
       Roff (they tons, everyly," said Hall arah beand."
       Arner; insay,, the pleak!"
       "What dang ofsoud.
       "Nere, in the Canding dnorseporid over bonilled back of shrion ulnhil edol demoten he donsshared drew
       Step: 210000 loss: 44.75711891642465
       Profr a musts it. The Wen unders with rewealy pather any shightling awyonsed and was boive claster stuch whomward bleon apy got his nats les, has fingy to likes an app cleakys. He bena
       ped. . . . "
       Step: 220000 loss: 43.806083654699634
      I afe of it the baf?"
       "hore my wized this - Ffroy to the craw tcrought all fanked ouned, there - then a I showy butge flom a was the appreash a barkred I doar," sand nove the seemeroush lastly - alawl
       ==== Epoch 5 ====
       Step: 230000 loss: 44.57819595501457
       A cound, there bownenfing theared which with emalpsed man benound was erinedce then that shoasthe this wanties, "sandirge's? Corned it when'er looking.
       "We's of creasted put up ynuren't incy might,
       Step: 240000 loss: 45.019841711208144
      l the boincur over the roisey, "feet," said Magicarrave have mopiling beang madely, docy, lookes an. have, frimt Race-erted his hapsenssod."
       "Wein your quitelaten, and enture thad was sliked of agozor
       Step: 250000 loss: 45.45741172372452
       ighies the lass and wigh bacy, arling hard, his as he parter to himpore fean as bleardn the could he intered the okef Moicting triened stung amm Hagrid."
       Pother of the choct of bromes. "Come the Grim
       Step: 260000 loss: 43.83259045350417
       n was schoost head not rot exardundeat him will at the was spottipecned his around ofeou treasior how-yearst, velzing."
       Keiclode as thengry feat timust, huw all flom, and gone atiegerunces and and inv
       ==== Epoch 6 ====
In [ ]: for iter, txt in synthHistory.items():
            print(f"Step: {iter}\n{txt}\n")
```

```
Step: 0
       XSU7CaMq
                       3VmV:TvtjogmvS(w)k26:f2FW?ymZS •IüpsPh22üBjF7(Kü9gj-TSIFdeHLejZ^UBG
                                                                                               20I7Rqa^yqhLyCü0yhCS,lh^zsMM::a172oqEoiaZ:Qs0Vr)LUODbn2/ZxHo)pN(xGBi
       iZ,fX0dHI6(gRt L?rymo^•u66
       qF)9ixcfcmz;xx:FCüLLl}Cj!R
       Step: 10000
       Arire t makrarbem. ere ats Tfeavart )ringich han the of Bfestry, the sar phacorst Harming roul caod acr.
      The kyighterine to lang surcer cor's and samy to mannemexpnere" said .e. Salling," said alle, S
       Step: 20000
       ins elcofingly. ."
       "the net owited dit Haid wirc" saig eat and if the fid io her sayterstrink-" Satring brenmelf."
       "Itk-"phem he wet," . Harry come's?"
       ... miin tuttre brat soubly eeplystar't er-"Teel
       Step: 30000
       ewer, stoon, miretel in thear sar not whonr her youeggensoor lound was mindy's cawmen more compingion, deerel repe him ale was of a were of tand..
       "Ho wat the foibed. To fright'he on tarterstersing o
       Step: 40000
       doccor; beto lrnith upellirge hich thin't torredlinged bar odernth greferught wast formor Harry walden. And prefartem a his up tore heashers?" Harry way if was stant donche not Erlyone s
       pumill at the
       Step: 50000
       befter cancerly'ntsed a theveds his an treard. To Cemmough butly, wiglirld at her theng, leclle the pleplidT.
       Frryed a miggly was amair, ster of a bas'ed door lig!"
       Mr. pery mesmoun. Ther whar smre
       Step: 60000
       . . . . "
       Amging with hand stiand netcle will."
       Armsed - alded Dee, "he Durmbren. "Lich. "Weanged he hever the ghat astwart madsent thoods, stausset nowby. . Sncy.
       She cousser, anderang -"
       Thin of rump
       Step: 70000
       facirs.
       Harry gimblicuser, who was justed aboup, Harwy her. "Eucd Hapruslle in an candned of fiven an herr ton so been, himaeared a knoo dinns flid parmase - do as Poor caching?"
       Bral him keeck fer mo
       Step: 80000
       nes was comeed.
       "No tinto backing. The prealer. He sleppoone a memuck, Elking thraDd. He aroun of Pothere; a on the ke a demuco wand the had-st was for aedit."
       "I coriegg."
       "CEsnen dawk degoinabn.
       Step: 90000
       ld his a gave was surripby you lable bedcusene gram far of Poller thouch?.
                       "woy....
       BAong to ill phem leete. With nair youddem dist his whutron till no rusts Quiter crady ctasp you was a fillont, a
       Step: 100000
       gade. "Weld the gooce, Harry. "De joustreevine-led whuted of wat heang was reawly of the Dumblethe you'le!" Hermestion - Umo. neat ese gritilnf egoppionor Snapmed seap ysun?"
       "What it tome bettatc
In [ ]: #plot loss history
        import matplotlib.pyplot as plt
        x = [10000*i for i in range(len(lossHistory))]
```

plt.plot(x, lossHistory)
plt.xlabel("Iteration")
plt.ylabel("Loss")

plt.show()

plt.title("Smoothed Loss history")



```
In [ ]: model.weights = weightsBest
    txtenc = model.synth(X, 1000)[seq_length:]
    txt = "".join([indToChar[ind] for ind in txtenc])
    print(txt)
```

he reave tis at a herselt out knsite. The hy with Firht slew ter. He reelfy, at hessise spint the Goold Perser, "Ron word it ir as shioks. Hogmace's as with touonedly at a very over fightly, and waines, he let me the Sido the Gey.

Bed good Hermione there dreve," he's staring a sidiso, I at the don't had and had stors Mont don't, and de my levired at Eot all rean.

"Mr he keath Harry.

"Ceflyoke?"

"Gobigue and been."

Ferting yough cuming fingled from talkes ussim. Malfed of he was everyones, with corrizared disent poare of put yold a ner.

"I was for Been to con at the had of the Worttall said. Daginging, lestorouse ian dourd, and it wand, and sold! He the way hand tayed to so to got anything to med. But lins and and we the now ne toward Uncely, dundemide rookicaling thim, Harry but scared porpLon't finger mf ofgendand here-led-on.

"Sall one to lack eacing the Ron.

"I with him.

"I con't?" He pround youl two to have all his lamso dark one of scate just owerce, theor she cenate her

```
In [ ]: # Print the best loss
print(f"Best loss: {lossBest}")
```

Best loss: 43.10980083088671