FOURTH IMPLEMENTATION PROMPT

Cut the Waterfall Sheet Into Game-Ready Assets

Use the supplied catalog image exactly. Extract and clean its existing waterfall, houses, hills, fog, cliff, mist, splash, and chimney pieces. Do not ask AI to redraw, regenerate, reinterpret, or replace any artwork.



Authoritative source: Second_prompt/zombies, skeletons/generated photo.png (1536 x 1024 RGBA). The bottom placement preview is a guide only and must never be imported as a runtime sprite.

1. Copy-paste implementation objective

Act as the asset extraction and Godot implementation engineer for the existing Silent City project. Take the single supplied catalog sheet, separate every named artwork item into its own clean PNG, preserve the exact supplied design, then integrate the resulting assets into the story-mode cemetery as non-destructive background environment.

> **This is a crop, matte-cleaning, export, and implementation task. It is not an image-generation task.**

Non-negotiable source rule

- Use only visible pixels from generated photo.png for these new environment assets.
- Do not redraw missing edges, repaint details, invent new houses, change colors, upscale through generative filling, or create stylistic substitutes.
- Do not treat the text labels, cell borders, gray-blue panel backgrounds, or bottom placement preview as part of any asset.
- If a source piece cannot be cleanly separated without inventing pixels, stop and report that specific limitation instead of using AI reconstruction.
- Preserve the original source sheet unchanged.

Scope

- Story-mode cemetery environment only. Do not modify online mode, multiplayer maps, networking, shared online assets, player controls, combat, or HUD.
- Place these assets behind gameplay and keep them non-collidable unless a separately approved visible cliff surface is deliberately used as terrain.
- Preserve the previously approved single-moon background. These new assets are layered in front of it; they must not add or repeat another moon.

Before editing

1. Inspect the real project structure, renderer, camera, viewport sizes, current cemetery scene, background layering, and import conventions.
2. Identify the correct story-only destination folders and confirm that no runtime asset is shared with online mode.
3. Inspect the 1536 x 1024 source at 100 percent zoom and record exact artwork bounds before cropping.

2. Required extracted files

Create one file per asset with transparent backgrounds where specified. Use these stable filenames:

Output	Type	Required treatment
waterfall_000.png through waterfall_007.png	8 animation frames	Transparent; identical canvas, pivot, scale, and padding
waterfall_cliff.png	Static sprite	Transparent; preserve grass, rock, and small plants
waterfall_back.png	Static/animated layer	Transparent soft water; preserve translucency
waterfall_front.png	Static/animated layer	Transparent bright water layer
waterfall_mist.png	Atmospheric sprite	Transparent soft alpha; no rectangular panel
waterfall_splash.png	Splash sprite	Transparent droplets and foam
house_01.png through house_04.png	4 static sprites	Each house separate and transparent
broken_chimney.png	Static sprite	Transparent; include rubble but no label
distant_hills.png	Wide background layer	Keep its intentional rectangular sky/hill composition
background_fog_01.png / 02.png	2 atmospheric layers	Transparent soft alpha; preserve blue-gray haze

Suggested destination after auditing the project's conventions: story/cemetery/environment/ with subfolders for waterfall, houses, and atmosphere. Use the real project convention if it differs.

Source-layout inspection hints

- The eight waterfall frames occupy the first row. Each frame's artwork is above its filename label.
- Cliff, water layers, mist, splash, and distant hills occupy the second visual row.
- Houses, chimney, and fog occupy the third visual row.
- The large bottom section marked PLACEMENT PREVIEW is not an asset source. Do not crop objects from it.
- Do not assume one uniform grid across the sheet: the catalog cells have different widths and heights. Detect or inspect every cell independently.

3. Cropping and alpha-cleaning procedure

1. Work from a lossless copy of the source. Never edit the original sheet in place.
2. Locate the inner artwork panel for each named item. Exclude outer border lines, neighboring panels, filename labels, and surrounding sheet background.
3. Create an alpha mask that removes the panel's gray-blue background while preserving the intended art, glow, fog, spray, mist, and antialiased edges.
4. Inspect the cutout over black, white, medium gray, and the real cemetery background. Remove halos, box edges, label fragments, and accidental holes.
5. Trim transparent margins for static houses and props, but retain a small consistent safety margin so shadows, glow, leaves, rubble, and antialiasing are not clipped.
6. Do not independently tight-crop the eight waterfall frames. Compute a common union canvas and place every frame in the same coordinates to prevent animation jitter.
7. Save as straight-alpha RGBA PNG files. Do not flatten onto black, gray, white, or the catalog panel background.
8. Record the extraction bounds, final dimensions, alpha method, and any manual corrections in the final report.

Important transparency rules

- Houses, chimney, cliff, waterfall layers, waterfall frames, mist, splash, and fog must not retain a rectangular catalog-card background.
- Distant hills are the exception: they are a full wide background strip and may keep the intended sky gradient contained within that artwork panel.
- For fog and mist, preserve partial transparency. Do not convert all visible pixels to fully opaque white or blue.
- For waterfall glow and spray, use soft alpha falloff. Avoid dark matte fringes caused by removing the panel background too aggressively.
- If the panel gradient is inseparable from soft glow in some pixels, prefer careful manual masking and report the tradeoff. Do not hallucinate replacement pixels.

Visual integrity

- Do not recolor, relight, sharpen, blur, stretch, or change the supplied designs during extraction.
- Do not remove warm window light from the houses.
- Do not turn the waterfall into a foreground gameplay hazard unless separately approved.

4. Waterfall animation setup

Build a Godot SpriteFrames resource or the project's equivalent from the eight extracted images.

- Frame order: waterfall_000.png, 001, 002, 003, 004, 005, 006, 007.
- All eight frames must have identical pixel dimensions, the same waterfall centerline, the same top attachment height, the same splash baseline, and the same pivot.
- Start at approximately 8 frames per second and loop continuously. Tune only after previewing the actual game scene.
- Check the transition from frame 007 back to frame 000. There must be no positional jump, brightness flash, blank frame, or scale change.
- Keep the AnimatedSprite2D centered consistently. If using bottom-center alignment, document that pivot and keep it identical across frames.
- Do not stretch individual frames to repair inconsistent crops; correct the shared canvas and placement instead.

Layer composition

- Place waterfall_back behind the animated main fall when it adds depth without doubling brightness.
- Place waterfall_front or the eight-frame animation as the readable water body.
- Place waterfall_splash at the impact point and waterfall_mist above/around it.
- Use restrained modulation or transparency if the waterfall is too bright against the dark cemetery. Do not permanently recolor the extracted source PNGs.
- Keep every waterfall component behind the playable bridge, ground edge, player, enemies, hit effects, and HUD.

Performance

- Import losslessly with filtering suitable for smooth painted/cartoon art.
- Disable texture repeat for all extracted sprites.
- Avoid loading unused duplicate source-sheet regions at runtime. The catalog image and placement preview must not be referenced by the playable scene.
- Use visibility culling or normal scene lifecycle if appropriate, but never spawn duplicate waterfall nodes when the camera enters another chunk.

5. Cemetery environment implementation

Integrate the extracted pieces as story-mode background layers that enrich the bridge/waterfall area without changing collisions or the existing route.

Recommended depth order

1. Approved single-moon cemetery background: one instance, synchronized with the active camera, no repeat.
2. distant_hills.png: one wide distant layer; cover the visible background without tiling another moon or duplicating hills at every chunk.
3. background_fog_01.png and background_fog_02.png: subtle separate layers with different slow motion or opacity only if the project supports it.
4. house_01.png through house_04.png and broken_chimney.png: distant village silhouettes placed on background hills or cemetery ridges.
5. waterfall_cliff.png and waterfall components: behind the bridge/open chasm, aligned so the water falls naturally from a visible ledge into darkness or water below.
6. Existing gameplay terrain, bridge, lanterns, graves, enemies, player, effects, and UI remain above the new environment layers.

Placement rules

- Use the bottom placement preview only to understand relationships and scale. Recompose the extracted pieces for the real camera and level geometry.
- Do not paste the placement preview into the game and do not recreate its full foreground platform or water if those elements conflict with the existing level.
- Keep houses small enough to read as background. They must not look like reachable foreground doors unless gameplay is later designed for them.
- Keep warm windows restrained so they support the lantern palette without overpowering the player or enemy telegraphs.
- Place the waterfall where the scene currently feels empty near the bridge/chasm, but never hide a landing, platform edge, enemy, hazard, or route marker.
- Keep all background houses, fog, hills, waterfall, mist, and splash non-collidable.
- Do not add another moon. Do not repeat the single-moon background or spawn the environment once per terrain segment.

6. Camera behavior and testing

Camera behavior

- Keep the full environment stable relative to the active Camera2D. Use the project's existing screen-fixed or controlled parallax system.
- If using Parallax2D, set intentional scroll scales and disable repeat_size for non-tiling pieces. Never allow the waterfall or homes to wrap across the screen.
- At every supported aspect ratio, extend or crop the distant background cleanly without stretching assets or exposing empty voids.

Required testing

- Open every exported PNG on checkerboard transparency and verify that it contains only its named artwork.
- Verify no filename text, white border, cell outline, catalog panel, neighboring asset, or placement-preview pixel remains.
- Inspect every edge at 100 percent and 400 percent zoom for dark halos, clipped glow, holes, and jagged matte artifacts.
- Overlay all eight waterfall frames and confirm the canvas, centerline, top anchor, baseline, pivot, and scale are identical.
- Preview the waterfall loop for at least 30 seconds and check frame 007 to frame 000 carefully.
- Test the new environment in the real cemetery at all supported resolutions and camera bounds.
- Walk across the full bridge and through the cemetery. Confirm there is only one waterfall arrangement, one set of houses, and one moon.
- Reload the scene, die, respawn, and return from menus. Confirm no duplicate background or waterfall nodes appear.
- Check that the new layers never cover the player, enemies, attack warnings, platform edges, HUD, or navigation cues.
- Confirm the bottom placement preview and full catalog sheet are not loaded by the runtime scene.
- Run regression checks and confirm online/multiplayer resources were not modified.

7. Acceptance and final report

Acceptance criteria

- Every required named asset exists as its own clean PNG and exactly matches the supplied source art.
- All cutout assets have correct transparency, while distant_hills.png retains only its intended full background panel.
- The eight waterfall frames animate without jitter, scale changes, flashes, or a visible loop seam.
- The cemetery gains a waterfall, layered fog, distant hills, and abandoned homes without changing gameplay collisions.
- The environment complements the existing dark cemetery, single-moon background, lantern lighting, and readable foreground.
- No AI-redrawn substitute, generated repair, label, card border, panel background, or placement-preview crop is used.
- No online/multiplayer behavior or shared asset is changed.

Final report

Return the exported-file list and dimensions, extraction bounds, alpha-cleaning method, waterfall fps/pivot/loop settings, Godot node and layer structure, changed files, tests and results, limitations, and explicit online-mode isolation confirmation.

Do not claim completion until every PNG is individually inspected and the waterfall is tested as a live looping animation in the real cemetery scene.

END OF IMPLEMENTATION PROMPT

CONTINUATION 03

Responsive Ground Coverage

Extend the underground soil tiles below the camera so the bottom edge is never visible at 1920 x 1080 or any other supported resolution.

CRITICAL: keep the playable surface fixed. Do not move the entire platform down. Add repeated underground rows beneath it.

Reference comparison

CURRENT PROBLEM



The bottom of the soil texture is visible and an empty dark strip appears below it.

REQUIRED RESULT



The soil continues beyond the camera boundary and fills the complete lower viewport.

Visual rule

- The top soil/platform line must stay at the same world Y position.
- Only the underground tile rows extend downward.
- For a 1920 x 1080 viewport, the lower area should resemble the second reference and remain filled to the bottom edge.
- Never vertically stretch the tile texture; repeat complete tile rows at their native scale.

COPY-PASTE IMPLEMENTATION PROMPT

Fix the Ground Tile Coverage

Continue the existing cemetery implementation. Make the following change without altering the completed background, waterfall, houses, enemies, HUD, or gameplay layout.

Required behavior

- The bottom edge of the underground soil TileMap/TileMapLayer must never enter the camera view.
- Keep the top walking surface, player spawn, enemy positions, collisions, graves, houses, waterfall, props, and camera framing exactly where they are.
- Extend the soil downward by repeating additional full tile rows. Do not move the complete ground object and do not stretch a single texture vertically.
- At 1920 x 1080, the soil should cover the entire lower portion of the viewport and continue beyond the bottom edge, matching Reference Image 2.
- Support 1280 x 720, 1366 x 768, 1600 x 900, 1920 x 1080, 2560 x 1440, ultrawide screens, fullscreen, windowed mode, and live window resizing.
- Always add at least two complete tile rows below the calculated visible bottom as overscan.
- The camera must never reveal a black strip, gray clear color, transparent gap, card border, or the final bottom contour of the soil artwork.

Godot implementation guidance

Use the active Camera2D and viewport transform to calculate the visible bottom in world coordinates. Do not assume that viewport pixels equal world pixels when camera zoom or stretch settings are active.

```
visible_bottom_world = inverse(viewport canvas transform) * Vector2(viewport_width / 2,
viewport_height)
required_bottom_world = visible_bottom_world.y + (2 * tile_height)
fill_rows = ceil((required_bottom_world - ground_origin_y) / tile_height)
```

- Use the actual imported tile cell size rather than a hard-coded visual estimate.
- Rebuild or extend the visual rows on level load and when viewport size, fullscreen state, camera zoom, or relevant display settings change.
- Avoid rebuilding every frame. Update only when the required visible coverage changes.
- If the level already contains enough rows, do not duplicate or recreate them.

IMPLEMENTATION DETAILS

Collision, Layering and Validation

Collision rules

- Keep collision on the top gameplay surface and on any intentionally solid terrain walls.
- The extra underground rows are visual coverage; do not create unnecessary internal collision shapes for every added row.
- Do not change player movement, gravity, jump height, enemy navigation, spawn points, or multiplayer synchronization.

Rendering rules

- Preserve the original tile scale, filtering mode, pixel-art sharpness, colors, seams, and repeating pattern.
- Keep the ground in the game world with the same z-index and ordering. It must remain below characters and props.
- Do not scale the complete level to fit the window. Resolution changes must reveal the correct camera area while the soil continues below it.
- If the camera can move vertically, coverage must remain sufficient at the camera's lowest allowed position.

Acceptance tests

TEST	PASS CONDITION
1920 x 1080	Soil fills the full lower viewport; no bottom edge is visible.
Small window	Resizing never exposes an empty strip below the TileMap.
2560 x 1440	Additional rows cover the taller viewport with two-row overscan.
Ultrawide	Horizontal coverage remains seamless and vertical coverage remains complete.
Fullscreen toggle	Coverage updates once without a flash, gap, or duplicated rows.
Camera zoom	World-space calculation still keeps the last soil row off-screen.

FINAL ACCEPTANCE: The playable surface is unchanged, but the underground soil always extends beyond the camera. No supported resolution can reveal its bottom edge.

END OF CONTINUATION 03

CONTINUATION 04

Make the 2D Cemetery Feel Alive

The final cemetery must feel like a living, believable game world - not a flat picture and not a recreation of the catalog placement preview.

The catalog sheet and placement preview are reference material only. Never import the combined preview as one background image. Build the level from the separate supplied PNG files.

Exact 2D asset rule

- Use the supplied house, forest, hills, fog, graveyard, and environment PNG files directly as Sprite2D or equivalent Godot nodes.
- Do not ask AI to draw, redraw, regenerate, repaint, reinterpret, upscale, or replace any house or environment artwork.
- Preserve the original pixels, transparency, proportions, style, and filenames.
- Do not turn the houses into photorealistic art, 3D models, paintings, or newly generated illustrations.
- Create realism through placement, depth, lighting, atmosphere, animation, sound, and camera behavior - not by changing the artwork.

Cemetery content rule

- The cemetery contains the supplied houses, forest, hills, fog, grave silhouettes, lamps, fences, props, and exactly one moon.
- Remove the waterfall, waterfall cliff, splash, mist, and river from the cemetery scene.
- Use the waterfall assets only in the later bridge section, positioned below or behind the bridge.
- Keep the overall palette dark and restrained. Warm house windows and lamps are small accents, not daylight sources.

The meaning of 'feel alive'

The scene should have subtle continuous motion and depth while the player moves. Nothing should look frozen, pasted on, floating, or disconnected from the world.

- Houses are grounded on terrain with consistent scale and perspective.
- Fog drifts slowly across depth layers instead of remaining completely static.
- The forest and hills respond smoothly to camera movement through parallax.
- Window and lamp light changes are slow and subtle, never rapid blinking.
- Every effect remains secondary to gameplay readability.

COPY-PASTE IMPLEMENTATION PROMPT

Living Camera-Synchronized Background

Implement the cemetery as multiple real-time 2D layers. Synchronize them with Camera2D so movement creates natural depth when the character travels through the level.

Required depth layers

LAYER	CONTENT	CAMERA RESPONSE
Sky	Dark sky and one moon	Almost fixed; scroll scale about 0.02-0.05. Never repeat the moon.
Far	Distant hills and far forest	Very slow parallax; about 0.10-0.18.
Atmosphere	Fog layers	About 0.20-0.30 plus subtle horizontal drift.
Middle	Exact supplied house PNGs	About 0.35-0.45; no vertical bobbing or floating.
Near	Grave and tree silhouettes	About 0.60-0.75 while remaining behind gameplay.
Gameplay	Player, enemies, props, terrain	Normal world movement; unchanged collisions and controls.

Movement rules

- Drive parallax from the active Camera2D, not directly from the character position. This prevents jitter when camera smoothing or limits are active.
- Use horizontal parallax only unless the camera intentionally moves vertically.
- Interpolate movement smoothly. No snapping, shaking, one-frame jumps, or visible layer separation.
- Repeat only seamless forest, hill, and fog layers. Never automatically repeat unique houses, the moon, or landmark props.
- Provide enough horizontal coverage and overscan for every supported resolution and camera zoom.
- Keep houses anchored to the same apparent ground line as their depth layer. Their vertical position must not change when the character walks.

Subtle life effects

- Move fog very slowly, roughly 2-6 pixels per second in world presentation, with low opacity and no obvious looping seam.
- Use two fog layers at slightly different speeds and opacity values to create depth.
- Allow warm windows or lamps to vary gently within a narrow energy range. Do not alter the source house PNG pixels.
- Optional ambient particles such as sparse dust or tiny fireflies may be implemented in Godot only if they remain subtle and do not introduce new artwork.
- Use quiet wind, distant creaks, leaves, and cemetery ambience. Water audio must occur only near the bridge waterfall.

Do not animate everything at the same speed. Natural-looking depth depends on small differences between layers.

QUALITY AND ACCEPTANCE

Believable, Not Busy

House placement

- Use the exact supplied house sprites at their original aspect ratios.
- Scale houses consistently: closer houses may be larger and clearer; distant houses must be smaller and darker.
- Place the bottom of every house on visible terrain. No floating foundations, buried doors, or arbitrary rotation.
- Use spacing and partial fog occlusion to avoid a repeated stamp pattern.
- Do not place houses over the moon, HUD, player route, enemy silhouettes, or important gameplay information.

Performance and multiplayer safety

- Background motion, fog drift, light flicker, and particles are local visual effects and must not be multiplayer-authoritative gameplay state.
- Do not send continuous fog, parallax, or light updates over the network.
- Reuse materials and textures where possible; avoid unnecessary per-frame allocations.
- Pause or reduce off-screen decorative effects when practical without causing visible resets.

Acceptance checklist

CHECK	REQUIRED RESULT
Not a flat picture	Scene is assembled from separate PNG nodes with visible depth between layers.
Exact artwork	Houses and environment sprites match the supplied files; no AI redraw is present.
Camera movement	Layers move smoothly at different speeds with no jitter, gaps, or floating houses.
Atmosphere	Fog and light have subtle motion; the scene feels active but remains dark and readable.
Cemetery content	Houses, forest, hills, fog, graves, and one moon are present; waterfall is absent.
Bridge content	Waterfall appears only below/behind the bridge with its existing animation frames.
Resolution	All layers cover the viewport at supported resolutions, fullscreen, and windowed sizes.

FINAL CREATIVE DIRECTION: Make the cemetery feel alive through restrained motion, layered depth, atmospheric fog, grounded houses, responsive parallax, lighting, and sound. Keep every supplied 2D sprite authentic and unchanged.

END OF CONTINUATION 04

CONTINUATION 05

Place the Waterfall at the Bridge

Use this screenshot as the authoritative location reference. The waterfall belongs in the open ravine under and behind the wooden bridge - not in the cemetery background.

AUTHORITATIVE BRIDGE LOCATION



The bridge remains the playable foreground. The waterfall assembly is a world-space landmark behind it, centered in the open gap.

Placement direction

- Center the waterfall in the ravine visible below the bridge span, with the main water column behind the bridge planks.
- The top of the waterfall must connect to a believable rock or cliff lip in the middle/background. It must not begin in empty air.
- The lower splash and mist should disappear naturally into a dark pool, river, or off-screen ravine below the bridge.
- Keep the complete assembly behind the player, bridge collision, lamps, signs, HUD, and all foreground terrain.
- Do not place this waterfall anywhere in the cemetery section shown before the bridge.

Do not import the catalog placement preview. Assemble the bridge waterfall from the individual extracted PNG files listed on the next page.

COPY-PASTE IMPLEMENTATION PROMPT

Build the Waterfall from Exact PNG Layers

Continue the existing Godot level. Use only the extracted files in Second_prompt/background_assets and preserve their pixels, alpha channels, proportions, and filenames.

ORDER	FILE	ROLE
1	waterfall_cliff.png	Rock structure and believable source lip behind the bridge.
2	waterfall_back.png	Soft rear water/glow layer behind the animated stream.
3	waterfall_000.png ... waterfall_007.png	Main AnimatedSprite2D frames in exact numeric order.
4	waterfall_front.png	Front water veil/detail over the main animation.
5	waterfall_mist.png	Low-opacity mist around the lower impact area.
6	waterfall_splash.png	Foreground impact/splash at the bottom of the fall.

Animation requirements

- Create one SpriteFrames resource using waterfall_000.png through waterfall_007.png in ascending order.
- All eight main frames use the same 182 x 180 canvas, scale, offset, centered state, and pivot. Do not trim or reposition individual frames after import.
- Loop continuously at approximately 8 FPS. If the loop feels too fast, adjust only within 7-10 FPS after visual testing.
- Use linear filtering only if it matches the project's existing art settings; otherwise preserve the current texture filtering mode.
- Start the animation automatically when the bridge area is active. Decorative animation is local and does not require network synchronization.

Layer and z-index order

- Far forest and hills: farthest background.
- Waterfall cliff: behind the water and behind the bridge.
- Rear water, main animated water, front water, mist, then splash: back-to-front assembly order.
- Bridge planks, bridge supports, player, enemies, and interactive props: in front of the complete waterfall assembly.
- Never let waterfall pixels cover the character while crossing the bridge.

Positioning and scaling

- Use one parent Node2D for the complete waterfall assembly so every layer shares a stable world-space origin.
- Scale the parent uniformly. Do not stretch the waterfall horizontally or vertically.
- Align the rear, main, and front water layers to the same center line. Align mist and splash to the lower impact point.
- Anchor the assembly in level world space. Do not attach it directly to the player or camera and do not repeat it through parallax mirroring.

POLISH AND ACCEPTANCE

Make the Bridge Waterfall Believable

Atmosphere and motion

- Tint the waterfall slightly darker than the bright source sheet so it matches the night scene while remaining readable.
- Use mist and splash with soft alpha. They must not appear as rectangular cards or hard-edged images.
- Optional Godot particles may add a few droplets at the impact area, but they must be subtle and use no AI-generated artwork.
- Add a positional waterfall AudioStreamPlayer2D near the ravine. Volume increases as the player approaches and fades naturally with distance.
- Do not play waterfall audio throughout the cemetery; it belongs only near the bridge landmark.

Collision and gameplay

- Keep the existing bridge collision and player path unchanged.
- The waterfall sprites, mist, splash, and decorative particles have no collision unless a separate gameplay hazard is explicitly designed later.
- Do not alter character movement, jump distance, camera limits, bridge length, multiplayer authority, or enemy logic.
- The waterfall must never hide the bridge edge or reduce the player's ability to judge a jump or landing.

Acceptance checklist

CHECK	PASS CONDITION
Correct location	One waterfall is centered below/behind the bridge ravine; none appears in the cemetery.
Believable source	Water begins at a rock/cliff lip and ends in mist, splash, pool, or off-screen depth.
Exact assets	All visuals use the extracted PNGs; no AI redraw or replacement artwork is present.
Animation	Frames 000-007 loop smoothly in order with no jitter, resizing, flash, or visible card border.
Layering	Bridge and player remain fully in front and readable at every point of the crossing.
Camera	The landmark remains fixed in world space and moves naturally with Camera2D without duplication.
Resolution	No gaps or clipping appear at supported resolutions, fullscreen, windowed mode, or camera zoom.
Audio	Water sound is positional and limited to the bridge area.

FINAL ACCEPTANCE: The cemetery remains free of waterfall imagery. The bridge area contains one correctly assembled, animated, world-space waterfall that feels physically connected to the ravine and never interferes with gameplay.

END OF CONTINUATION 05