

JDialog
JPanel
JFrame
<<abstract>> WelcomeFrame
- darkgreen: Color = Theme.DARK_GREEN
- gold: Color = Theme.GOLD
- cream: Color = Theme.CREAM
- watchStore: WatchStore
WelcomeFrame(watchStore: WatchStore, roleText: String, buttonText: String)
<<abstract>> onButtonClick(): void
- makeLeftPanel(roleText: String, buttonText: String): JPanel
- makeCenteredLabel(text: String, font: Font, color: Color): JLabel
- makeRoleButton(text: String): JButton
- makeRightPanel(): JPanel
- makeCard(watch: Watch): JPanel
WelcomePage
- watchStore: WatchStore
- orderStore: OrderStore
+ WelcomePage()
- WelcomePage(watchStore: WatchStore)
+ WelcomePage(watchStore: WatchStore, orderStore: OrderStore)
onButtonClick(): void
+ open(): void
+ open(watchStore: WatchStore, orderStore: OrderStore): void
+ main(args: String[]): void
Inner Class
ImagePanel
- image: Image
~ ImagePanel(path: String, fallback: Color)
paintComponent(g: Graphics): void
WatchStore
- WATCHES_FILE: String = "data/watches.txt"
- watches: ArrayList<Watch>
+ WatchStore()
- addFeatured(watch: Watch): void
- createWatch(brand: String, model: String, price: double, imagePath: String, caseSize: String, movement: String, waterResistance: String, strap: String, dial: String, description: String): Watch
- loadFeaturedWatches(): void
- loadSampleWatches(): void
+ getWatches(): ArrayList<Watch>
+ getFeaturedWatches(): ArrayList<Watch>
+ findByName(name: String): Watch
+ addWatch(watch: Watch): String
+ updateWatch(oldWatch: Watch, newWatch: Watch): String
+ deleteWatch(watch: Watch): void
- load(): void
- save(): void
- clean(text: String): String
Theme
+ DARK_GREEN: Color(10, 48, 34)
+ GOLD: Color(197, 166, 107)
+ DARK_GOLD: Color(150, 120, 60)
+ CREAM: Color(233, 227, 210)
+ WHITE: Color.WHITE
+ HEADING_FONT: Font("Georgia", Font.BOLD, 24)
+ BODY_FONT: Font("Segoe UI", Font.PLAIN, 14)
+ BOLD_FONT: Font("Segoe UI", Font.BOLD, 14)
+ goldButton(text: String): JButton
+ greenButton(text: String): JButton
+ makeHeading(text: String): JLabel
+ makeLabel(text: String): JLabel
+ makeFindRow(field: JTextField, whenFind: Runnable): JPanel
+ makeFindRow(field: JTextField, whenFind: Runnable, whenRefresh: Runnable): JPanel
+ styleField(field: JTextField): void
+ makeScroll(view: Component): JScrollPane
+ styleTable(table: JTable): void
+ styleList(list: JList<String>): void
+ makeReceiptArea(): JTextArea
+ georgiaFont(size: int): Font
+ normalFont(size: int): Font
+ boldFont(size: int): Font
+ gap(pixels: int): Component
+ pushDown(): Component
+ addPadding(thing: JComponent, top: int, left: int, bottom: int, right: int): void
+ addPadding(thing: JComponent, allSides: int): void
+ goldLine(lineSize: int): Border
+ goldBorder(lineSize: int, paddingUpDown: int, paddingLeftRigh: int): Border
+ goldBorder(lineSize: int, padding: int): Border
+ makeColumn(): JPanel
+ makeColumn(background: Color): JPanel
+ makeBorderPanel(sideGap: int, upDownGap: int): JPanel
+ makeStackedPanel(gapBetweenRows): JPanel
+ makeRow(side: String, parts: Component): JPanel
+ makeCard(paddingUpDown: int, paddingLeftRight: int): JPanel
+ setupPage(page: Jpanel, gap: int, padding: int): void
+ makeDialogRoot(sideGap: int, upDownGap): Jpanel
+ finishDialog(dialog: JDialog, root: JPanel, owner: Component): void
+ makeTopBar(headingText: String, rightSide: Component): Jpanel
+ makeLabel(text: String, font: Font, color: Color): JLabel
+ alignLeft(parts: JComponent...): void
+ alignCenter(parts: JComponent...): void
+ makeWrappedText(text: String, width: int, font: Font, color: Color, alignment: String): JPanel
+ makeReadOnlyText(text: String, rows: int, columns: int): JTextArea
+ makeFormRow(labelText: String, input: Component): JPanel
+ showImage(label: JLabel, imagePath: String, maxWidth: int, maxHeight: int, missingText: String): void
+ makeImageBox(imagePath: String, boxWidth: int, boxHeight: int, imageWidth: int, imageHeight: int): JPanel
+ makeTableScroll(view: Component): JScrollPane
+ makeTitledScroll(view: Component, title: String, width: int): JScrollPane
+ makeComboBox(choices: T[]): JComboBox<T>
+ whenTyping(field: JTextField, action: Runnable): void
+ askChoice(parent: Component, question: String, title: String, choices: String[]): String
+ askPassword(parent: Component, prompt: String, title: String): String
+ showMessage(parent: Component, text: String): void
+ showError(parent: Component, text: String, title: String): void
+ askYesNo(parent: Component, question: String, title: String): boolean
+ askYesNoWarning(parent: Component, question: String, title: String): boolean
+ loadImage(path: String, maxWidth: int, maxHeight: int): ImageIcon
WatchGallery
- cards: ArrayList<WatchCard>
+ WatchGallery(watchStore: WatchStore, buttonText: String, width: int)
+ getCards(): ArrayList<WatchCard>
- makeBrandHeader(brand: String): JPanel
WatchFormDialog
- saved: boolean = false
- resultWatch: Watch
- editingWatch: Watch
- brandField: JTextField
- modelField: JTextField
- priceField: JTextField
- imageField: JTextField
- descriptionArea: JTextArea
- featuredBox: JCheckBox
+ WatchFormDialog(owner: JFrame, watch: Watch)
- chooseImage(): void
- trySave(): void
+ isSaved(): boolean
+ getWatch(): Watch
WatchDetailsDialog
+ WatchDetailsDialog(dash: JLADash, watch: Watch)
WatchCard
- watch: Watch
- button: JButton
+ WatchCard(watch: Watch, buttonText: String)
+ getWatch(): Watch
+ getButton(): JButton
Transaction
+ PENDING: String = "Pending"
+ RESERVED: String = "Reserved"
+ PROCESSING: String = "Processing"
+ RECEIVED: String = "Processed/Received"
+ CANCELLED: String = "Cancelled"
+ STATUSES: String[]
+ CASHIER_MARKS: String[]
+ MAX_QUANTITY: int = 5
- nextId: int = 1001
- transactionId: int
- customerName: String
- watch: Watch
- payment: Payment
- referenceCode: String
- paymentReference: String
- status: String
- cancelReason: String = ""
- dateTime: LocalDateTime
- quantity: int = 1
- handledBy: String = ""
+ Transaction(customerName: String, watch: Watch, payment: Payment, referenceCode: String)
+ Transaction(customerName: String, watch: Watch, payment: Payment, referenceCode: String, paymentReference: String)
+ Transaction(customerName: String, watch: Watch, payment: Payment, referenceCode: String, paymentReference: String, quantity: int)
+ Transaction(transactionId: int, dateTime: LocalDateTime, customerName: String, watch: Watch, payment: Payment, referenceCode: String, paymentReference: String, status: String)
+ getTransactionId(): int
+ getCustomerName(): String
+ getWatch(): Watch
+ getPayment(): Payment
+ getReferenceCode(): String
+ getPaymentReference(): String
+ getStatus(): String
+ getCancelReason(): String
+ getDateTime(): LocalDateTime
+ getQuantity(): int
+ getHandledBy(): String
+ isWaiting(): boolean
+ isFinished(): boolean
+ getTotal(): double
+ setTransactionId(transactionId: int): void
+ setStatus(status: String): void
+ setCancelReason(cancelReason: String): void
+ setQuantity(quantity: int): void
+ setHandledBy(handledBy: String): void
+ getFormattedDate(): String
+ getReceiptText(): String
+ toString(): String
Watch
- brand: String
- model: String
- imagePath: String
- price: double
- description: String
- caseSize: String
- movement: String
- waterResistance: String
- strap: String
- dial: String
- featured: String
+ Watch(brand: String, model: String, price: double, imagePath: String, caseSize: String, movement: String, waterResistance: String, strap: String, dial: String, description: String)
+ Watch(brand: String, model: String, price: double, imagePath: String)
+ Watch(brand: String, model: String, price: double)
+ getBrand(): String
+ getModel(): String
+ getPrice(): double
+ getImagePath(): String
+ getDescription(): String
+ getCaseSize(): String
+ getMovement(): String
+ getWaterResistance(): String
+ getStrap(): String
+ getDial(): String
+ isFeatured(): boolean
+ setFeatured(featured: boolean): void
+ getDisplayName(): String
+ getSpecsText(): String
+ toString(): String
QRCodePayment
+ getName(): String
+ isPaidOnline(): boolean
+ getReferenceFieldLabel(): String
+ getReceiptLabel(): String
+ getCustomerInstruction(): String
+ getCashierHint(formattedAmount: String, customerReference: String): String
+ getQrImagePath(): String
PurchaseSummaryDialog
- confirmed: boolean = false
- referenceField: JTextField
- paymentReference: String = ""
+ PurchaseSummaryDialog(dash: JLADash, watch: Watch, customer: String, payment: Payment, quantity: int)
+ isConfirmed(): boolean
+ getPaymentReference(): String
- makeDetailRow(labelText: String, valueText: String): JPanel
OrdersPanel
- store: OrderStore
- staffName: String
- currentOrder: Transaction
- shownOrders: ArrayList<Transaction>
- ordersTable: JTable
- tableModel: DefaultTableModel
- referenceCodeField: JTextField
- receiptArea: JTextArea
- hintLabel: JLabel
- summaryLabel: JLabel
- statusBox: JComboBox<String>
- updateStatusButton: JButton
- cancelOrderButton: JButton
+ OrdersPanel(store: OrderStore, staffName: String)
+ refreshData(): void
- showOrderOfSelectedRow(): void
- setControlsEnabled(enabled: boolean): void
- showCurrentOrder(): void
- findOrder(): void
- updateStatus(): void
- cancelOrder(): void
JLADash
- watchStore: WatchStore
- orderStore: OrderStore
- purchasePanel: PurchasePanel
+ JLADash(watchStore: WatchStore, orderStore: OrderStore)
beforeShowingPage(pageName: String): void
+ showDetails(watch: Watch): void
+ goToPurchase(watch: Watch): void
- makeHomePanel(): JPanel
- makeBrowsePanel(): JPanel
+ main(args: String[]): void
GCashPayment
- STORE_GCASH_NUMBER: String = "09684338974"
+ getName(): String
+ isPaidOnline(): boolean
+ getReferenceFieldLabel(): String
+ getReceiptLabel(): String
+ getCustomerInstruction(): String
+ getCashierHint(formattedAmount: String, customerReference: String): String
+ getPayToText(): String
AdminLogin
- accountStore: AccountStore
+ AdminLogin()
- AdminLogin(accountStore: AccountStore)
openDashboard(account: Account): void
+ open(): void
+ main(args: String[]): void
AdminDash
- orderStore: OrderStore
- accountStore: AccountStore
- admin: Account
- cashiersPanel: ManageCashiersPanel
- transactionsPanel: AdminTransactionsPanel
+ AdminDash(admin: Account, watchStore: WatchStore, orderStore: OrderStore, accountStore: AccountStore)
beforeShowingPage(pageName: String): void
+ changePassword(parent: Component, accounts: AccountStore, account: Account): boolean
PurchasePanel
- watchStore: WatchStore
- orderStore: OrderStore
- dash: JLADash
- selectedWatch: Watch
- watchImage: JLabel
- watchName: JLabel
- watchPrice: JLabel
- chooseButton: JButton
- customerField: JTextField
- paymentBox: JComboBox<Payment>
- quantitySpinner: JSpinner
- receiptArea: JTextArea
- NAME_PATTERN: String
- MAX_WAITING_ORDERS: int
+ PurchasePanel(watchStore: WatchStore, orderStore: OrderStore, dash: JLADash)
+ setSelectedWatch(watch: Watch): void
- openWatchPicker(): void
- proceedToPurchase(): void
<<abstract>> Dashboard
+ WINDOW_WIDTH: int = 1300
+ WINDOW_HEIGHT: int = 700
- cardLayout: CardLayout
- mainPanel: JPanel
- sidebar: JPanel
- contentPanel: JPanel
- bottomButtons: ArrayList<JButton>
+ Dashboard(windowTitle: String, sidebarTitle: String)
+ Dashboard(windowTitle: String, sidebarTitle: String, subtitle: String)
addPage(pageName: String, page: JPanel): void
addMenuButton(text: String, pageName: String): void
addBottomButton(text: String, whenClicked: ActionListener): void
finishLayout(): void
+ showPage(pageName: String): void
<<abstract>> beforeShowingPage(pageName: String): void
- makeSidebarButton(button: JButton): JButton
AccountStore
+ DEFAULT_ADMIN_USERNAME: String
+ DEFAULT_ADMIN_PASSWORD: String
- ACCOUNTS_FILE: String
+ MIN_PASSWORD_LENGTH: int
- MAX_ATTEMPTS: int
- LOCK_SECONDS: int
- failedAttempts: HashMap<String, Integer>
- lockedUntil: HashMap<String, Long>
- accounts: ArrayList<Account>
+ AccountStore()
+ login(username: String, password: String, role: String): Account
+ getLockSecondsLeft(username: String): int
+ getAttemptsLeft(username: String): int
+ usesDefaultPassword(account: Account): boolean
+ changePassword(account: Account, oldPassword: String, newPassword: String): String
+ getCashiers(): ArrayList<Account>
+ addCashier(fullName: String, username: String, password: String): String
+ deleteCashier(account: Account): boolean
+ resetPassword(account: Account, newPassword: String): String
- findByUsername(username: String): Account
- load(): void
- clean(text: String): String
- save(): boolean
Money
+ format(amount: double): String
CashPayment
+ getName(): String
+ isPaidOnline(): boolean
+ getReferenceFieldLabel(): String
+ getReceiptLabel(): String
+ getCustomerInstruction(): String
+ getCashierHint(formattedAmount: String, customerReference: String): String
Account
+ ADMIN: String
+ CASHIER: String
- username: String
- passwordHash: String
- role: String
- fullName: String
+ Account(username: String, passwordHash: String, role: String, fullName: String)
+ create(username: String, plainPassword: String, role: String, fullName: String): Account
+ getUsername(): String
+ getPasswordHash(): String
+ getRole(): String
+ getFullName(): String
+ setPassword(plainPassword: String): void
+ checkPassword(plainPassword: String): boolean
- hash(text: String): String
<<abstract>> Payment
+ <<abstract>> getName(): String
+ <<abstract>> isPaidOnline(): boolean
+ <<abstract>> getReferenceFieldLabel(): String
+ <<abstract>> getReceiptLabel(): String
+ <<abstract>> getCustomerInstruction(): String
+ <<abstract>>(abstract) getCashierHint(formattedAmount: String, customerReference: String): String
+ getPayToText(): String
+ getQrImagePath(): String
+ toString(): String
+ getAllPayments(): Payment[]
+ fromName(name: String): Payment
ManageWatchesPanel
- store: WatchStore
- window: JFrame
- shownWatches: ArrayList<Watch>
- table: JTable
- tableModel: DefaultTableModel
- previewImage: JLabel
- previewText: JTextArea
- countLabel: JLabel
+ ManageWatchesPanel(store: WatchStore, window: JFrame)
- refreshData(selectThis: Watch): void
- getSelectedWatch(): Watch
- showPreview(): void
- addWatch(): void
- editWatch(): void
- deleteWatch(): void
CashierTransactionsPanel
- store: OrderStore
- shownTransactions: ArrayList<Transaction>
- listModel: DefaultListModel<String>
- transactionList: JList<String>
- filterBox: JComboBox<String>
- detailsArea: JTextArea
- referenceCodeField: JTextField
- positionLabel: JLabel
- totalLabel: JLabel
- previousButton: JButton
- nextButton: JButton
+ CashierTransactionsPanel(store: OrderStore)
- findTransaction(): void
+ refreshData(): void
- getSelectedTransaction(): Transaction
- showSelectedTransaction(): void
- goToPrevious(): void
- goToNext(): void
CashierDash
- orderStore: OrderStore
- ordersPanel: OrdersPanel
- transactionsPanel: CashierTransactionsPanel
+ CashierDash(cashier: Account, orderStore: OrderStore)
beforeShowingPage(pageName: String): void
OrderStore
- transactions: ArrayList<Transaction>
- watchStore: WatchStore
- ORDERS_FILE: String
- LOCK_FILE: String
- lastError: String
+ CANCEL_OK: int
+ CANCEL_TOO_LATE: int
+ CANCEL_SAVE_FAILED: int
+ OrderStore(watchStore: WatchStore)
+ getTransactions(): ArrayList<Transaction>
+ getLastError(): String
+ addTransaction(transaction: Transaction): boolean
+ updateStatus(transaction: Transaction, newStatus: String, staffName: String): boolean
+ cancelOrder(transaction: Transaction, reason: String, staffName: String): int
+ countWaitingByCustomer(customerName: String): int
- runLocked(action: BooleanSupplier): boolean
- clean(text: String): String
+ generateReferenceCode(): String
+ isPaymentRefUsed(paymentReference: String): boolean
+ findByReferenceCode(code: String): Transaction
+ countByStatus(status: String): int
+ getTotalSales(): double
+ getReceivedSales(): double
+ refresh(): void
- loadLine(line: String): void
- makeWatchCopy(watchName: String, savedPrice: String): Watch
- saveTransactions(): boolean
- findById(id: int): Transaction
ManageCashiersPanel
- accounts: AccountStore
- shownCashiers: ArrayList<Account>
- table: JTable
- tableModel: DefaultTableModel
- fullNameField: JTextField
- usernameField: JTextField
- passwordField: JPasswordField
+ ManageCashiersPanel(accounts: AccountStore)
+ refreshData(): void
- getSelectedCashier(): Account
- createCashier(): void
- resetPassword(): void
- deleteCashier(): void
AdminWelcome
+ AdminWelcome()
onButtonClick(): void
+ open(): void
+ main(args: String[]): void
AdminTransactionsPanel
- store: OrderStore
- shownTransactions: ArrayList<Transaction>
- table: JTable
- tableModel: DefaultTableModel
- filterBox: JComboBox<String>
- searchField: JTextField
- referenceCodeField: JTextField
- receiptArea: JTextArea
- totalLabel: JLabel
+ AdminTransactionsPanel(store: OrderStore)
- findTransaction(): void
+ refreshData(): void
- getSelectedTransaction(): Transaction
- showReceipt(): void
CashierWelcome
+ CashierWelcome()
onButtonClick(): void
+ open(): void
+ main(args: String[]): void
CashierLogin
+ CashierLogin()
openDashboard(account: Account): void
+ open(): void
+ main(args: String[]): void
<<abstract>>LoginPage
- accounts: AccountStore
- role: String
- usernameField: JTextField
- passwordField: JPasswordField
- messageLabel: JLabel
LoginPage(accounts: AccountStore, role: String, heading: String)
- tryLogin(): void
<<abstract>> openDashboard(account: Account): void